

CITY OF INDIANOLA COUNCIL MEETING

July 18, 2016 7:00 p.m. City Council Chambers Agenda

1.	(;all	tΩ	orde

- 2. Pledge of allegiance
- 3. Roll call
- **4.** Public Comment
- 5. Consent
 - A. Approval of agenda
 - **B.** July 5, 2016 Minutes
 - **C.** Project acceptance and maintenance bonds for the following:
 - 1. Sternquist Construction Summercrest Hills Plat 4 and 5 a 4 year paving maintenance bond for 8" PCC pavement in an amount of \$303,791.40 and \$86,952.60 respectfully
 - 2. Vanderpool Construction Summercrest Hills Plat 4 and 5 a 4 year Sanitary Sewer & Storm Sewer maintenance bond for East Scenic Valley Avenue and North Sixth Street in an amount of \$358,850.00 and \$195,004.50 respectfully
 - **D.** Approval of the claims on the computer printout for July 18, 2016 and the June 2016 receipts
- **6.** City Treasurer's Report Doug Shull
- 7. Council Reports
 - **A.** WCEDC Brad Ross
- 8. Mayor's Report Kelly B. Shaw
 - **A.** Community Update
- 9. Public Consideration

A. Old Business

- 1. Resolution accepting the Stephen Court Culvert Improvement Project in an amount of \$59,983
- 2. Public hearing and first consideration on whether to amend Indianola Code Chapter 65 to include stop signs and Chapter 69 to restrict parking on the East Trail Ridge Avenue, East Scenic Valley Avenue, North 3rd Lane and North 6th Street

B. New Business

- 1. Discussion and direction regarding the request from the City of Decorah of the T-Rex Aerial Fire Truck
- 2. Discussion and direction regarding a request from Cemen Tech to utilize the city street sweeper following a Habitat for Humanity event
- **3.** Discussion and direction regarding an invoice from Warren County Economic Development Corporation
- **4.** Resolution authorizing the purchase of a 2016 Case 580SN Backhoe for the Street Department in an amount of \$83,317
- **5.** Resolution changing the name of County Highway R-63 South of Highway 92 within the city limits as requested by Erin Freeberg (P&Z denied unanimously 7/12/16)
- **6.** Resolution approving salaries

10. Other Business

- A. Consider motion to go into closed session in accordance with Iowa Code Section 21.5(1)(j) to discuss the purchase or sale of particular real estate only where premature disclosure could be reasonably expected to increase the price the governmental body would have to pay for that property or reduce the price the governmental body would receive for that property
- **B.** Enter into closed session in accordance with lowa Code Section 21.5(1)(i) to evaluate the professional competency of an individual whose appointment, hiring, performance, or discharge is being considered when necessary to prevent needless and irreparable injury to that individual's reputation and that individual requests a closed session

11. Adjourn

City Council Regular 2nd Mtg	5. B.	
Meeting Date: 07/18/2016		
Information		
Subject		
July 5, 2016 Minutes		
Information		

Attachments

Minutes

REGULAR SESSION - JULY 5, 2016

The City Council met in regular session at 6:00 p.m. on July 5, 2016. Mayor Kelly B. Shaw called the meeting to order and on roll call the following members were present: Shirley Clark, Joe Gezel, John Parker, Pam Pepper, Brad Ross and Greta Southall.

The consent agenda consisting of the following was approved on a motion by Ross and seconded by Pepper. Question was called for and upon the council member votes, the Mayor declared the motion carried unanimously.

Approval of agenda

June 20 and 29, 2016 Minutes

Application – A renewal Class "C" Liquor License and Sunday Sales Privilege for The Zoo - 102 W. Ashland

Resolution No. 2016-60 approving an Engineering Service agreement with HR Green in an amount not to exceed \$50,000.00 (the complete resolution may be viewed at the City Clerk's Office)

Street usage request from Farmers Cooperative Company for a Furry Skurry 5K on July 23, 2016 from 7:00 a.m. - 11:30 a.m. - will begin at 2612 W. 2nd, north on North "Y", east on W. Euclid, north on North "W", east on West Henderson, south on "U", east on West Euclid, south on Kenwood and west on West 2nd (uses the bike trail)

Street usage request from the Warren County Historical Society - Log Cabin Days Parade - September 24, 2016 from 8:30 a.m. - 12:30 p.m. - the parade will start at the Warren County Administration Building, south on Buxton, east on Ashland, south on Howard, west on Salem to the Warren County Fairgrounds

Street closure request from The Hide Out for the Ride For Rudy Benefit on July 31, 2016 from 8:00 a.m. - 11:00 a.m. - will close East Clinton from North 1st to North Jefferson

Prior approval of applications for urban revitalization designation

Casey's Marketing Company - 301 E. Trail Ridge Avenue - Convenience Store - \$2,205,000 Autumn Ridge Development - 1509 W. Kentucky Avenue - SFD - \$143,800 CM Construction Services - 900 N. Kenwood Blvd. - SFD - \$148,500 Steger Construction - 609-611 E. Scenic Valley Avenue - Townhome - \$269,500 Lloyd Hedrick - 1203 E. Franklin Avenue - SFD - \$132,750

Final approval applications for urban revitalization designation

Autumn Ridge Development - 400 S. 8th Ct. #39-40 - Duplex - \$241,500 Autumn Ridge Development - 400 S. 8th Ct. #53-54 - Duplex - \$277,095 Happe Homes, LLP - 104 N. 20th Street - SFD - \$193,750

Approval of the claims on the computer printout for July 5, 2016

Greg Marchant presented the Economic Development Report. It was the consensus of the Council to discuss the contract renewal at the July Council Study meeting.

IMU General Manager Rob Stangel presented the fiber feasibility study.

Mayor Shaw recognized Norm Hart as the 2016 Grade 2 WPC Operator of the Year.

Council member Parker moved and Ross seconded to approve the following resolution entitled, "RESOLUTION SETTING JULY 18, 2016 AS A PUBLIC HEARING AND FIRST CONSIDERATION ON WHETHER TO AMEND INDIANOLA CODE CHAPTER 65 TO INCLUDE STOP SIGNS AND CHAPTER 69 TO RESTRICT PARKING ON THE EAST TRAIL RIDGE AVENUE, EAST SCENIC VALLEY AVENUE AND NORTH 3RD LAND AND NORTH 6TH STREET." On roll call the vote was, AYES: Ross, Clark, Pepper, Gezel, Southall and Parker. NAYS: None. Whereupon the Mayor declared the motion carried unanimously and the following resolution duly adopted.

RESOLUTION NO. 2016-61

RESOLUTION SETTING JULY 18, 2016 AS A PUBLIC HEARING AND FIRST CONSIDERATION ON WHETHER TO AMEND INDIANOLA CODE CHAPTER 65 TO INCLUDE STOP SIGNS AND CHAPTER 69 TO RESTRICT PARKING ON THE EAST TRAIL RIDGE AVENUE, EAST SCENIC VALLEY AVENUE AND NORTH 3RD LAND AND NORTH 6TH STREET

(The complete resolution may be viewed at the City Clerk's Office)

It was moved by Pepper and seconded by Parker to approve the following resolution entitled, "RESOLUTION DECLARING TWO PUMPS FROM THE WPC DEPARTMENT SURPLUS AND AUTHORIZING A DONATION OF THE PUMPS TO DMACC WATER ENVIRONMENTAL TECHNOLOGY (WET) PROGRAM." On roll call the vote was, AYES: Gezel, Southall, Parker, Ross, Clark and Pepper. NAYS: None. Whereupon the Mayor declared the motion carried unanimously and the following resolution duly adopted.

RESOLUTION NO. 2016-62

RESOLUTION DECLARING TWO PUMPS FROM THE WPC DEPARTMENT SURPLUS AND AUTHORIZING A DONATION OF THE PUMPS TO DMACC WATER ENVIRONMENTAL TECHNOLOGY (WET) PROGRAM

(The complete resolution may be viewed at the City Clerk's Office)

The following resolution entitled, "RESOLUTION APPROVING THE CITY'S FINANCIAL POLICY" was approved on a motion by Clark and seconded by Pepper. On roll call the vote was, AYES: Pepper, Gezel, Southall, Parker, Ross and Clark. NAYS: None. Whereupon the Mayor declared the motion carried unanimously and the following resolution duly adopted.

RESOLUTION NO. 2016-63 RESOLUTION APPROVING THE CITY'S FINANCIAL POLICY

(The complete resolution may be viewed at the City Clerk's Office)

Council member Pepper moved to approve the following Resolution Approving Personnel Salaries. Council member Parker seconded the motion. On roll call the vote was, AYES: Gezel, Southall, Parker, Ross, Clark and Pepper. NAYS: None. Whereupon the Mayor declared the motion carried unanimously and the following resolution duly adopted.

RESOLUTION NO. 2016-64 RESOLUTION APPROVING SEASONAL SALARIES

(The complete resolution	n may be viewed at the City Clerk's Office)
Meeting adjourned at 7:15 p.m. on a	a motion by Clark and seconded by Gezel.
Kelly B. Shaw, Mayor	Diana Bowlin, City Clerk

City Council Regular 2nd Mtg

Meeting Date: 07/18/2016

Information

Subject

Project acceptance and maintenance bonds for the following:

Information

5. C.

Meeting Date: 07/18/2016

Information

Subject

Sternquist Construction - Summercrest Hills Plat 4 and 5 - a 4 year paving maintenance bond for 8" PCC pavement in an amount of \$303,791.40 and \$86,952.60 respectfully

Information

In your packet is the four year 8" PCC maintenance bonds from Sternquist Construction for Summercrest Hill Plat 4 and 5 in an amount of \$303,791.40 and \$86,952.60 respectfully. The City Attorney and staff have approved.

Attachments

Plat 4 Maintenance Bond Plat 5 Maintenance Bond

MAINTENANCE BOND

Bond No. IAC585822

KNOW ALL MEN BY THESE PRESENTS:

That, Sternquist Construction, Inc.	of Indianola,IA
as Principal, and the Merchants Bonding Compa	
are held and firmly bound unto City of Indianola,	IA in the
penal sum of Three Hundred Three Thousand Sev	en Hundred Ninety-one And (\$ \$303,791.40
Dollars, lawful money of the United States of America the Principal and Surety bind themselves, their and eac and assigns, jointly and severally, firmly by these prese	h of their heirs, executors, administrators, successors
Whereas, the said Principal entered into a certain co	mtract, with
To furnish all the material and labor necessary for the c Summercrest Hills Plat 4, 8" PCC Pavement - NO	construction of CD Baskets
,	
in City of Indianola, IA In conformity with o	certain specifications; and
Whereas, a further condition of said contract is that	the said Principal should furnish a bond in
indemnity, guaranteeing to remedy any defects in work	
said work within a period of Four (4)	years from the date of acceptance of the work
under said contract; and	
W/harris the said Marchanta Bonding Compar	
	(M
Whereas, the said Merchants Bonding Compar	
has agreed to join with said Principal in such bond or g	
has agreed to join with said Principal in such bond or g City of Indianola, IA	uarantee, indemnifying said
has agreed to join with said Principal in such bond or g City of Indianola, IA Now, therefore, the condition of this obligation is su	ch, that if the said Principal shall, at his own cost
has agreed to join with said Principal in such bond or g City of Indianola, IA Now, therefore, the condition of this obligation is su and expense, remedy any and all defects that may devel	ch, that if the said Principal shall, at his own cost
has agreed to join with said Principal in such bond or g City of Indianola, IA Now, therefore, the condition of this obligation is su and expense, remedy any and all defects that may devel of Four (4) years from the date of ac reason of bad workmanship or poor material used in the	ch, that if the said Principal shall, at his own cost op in said work within the period ceptance of the work under said contract, by construction of said work, and shall keep all work
has agreed to join with said Principal in such bond or g City of Indianola, IA Now, therefore, the condition of this obligation is su and expense, remedy any and all defects that may devel of Four (4) years from the date of ac reason of bad workmanship or poor material used in the in continuous good repair during said period, and shall	ch, that if the said Principal shall, at his own cost op in said work within the period ceptance of the work under said contract, by construction of said work, and shall keep all work in all other respects, comply with all the terms and
has agreed to join with said Principal in such bond or g City of Indianola, IA Now, therefore, the condition of this obligation is su and expense, remedy any and all defects that may devel of Four (4) years from the date of ac reason of bad workmanship or poor material used in the in continuous good repair during said period, and shall conditions of said contract with respect to maintenance	ch, that if the said Principal shall, at his own cost op in said work within the period ceptance of the work under said contract, by construction of said work, and shall keep all work in all other respects, comply with all the terms and and repair of said work, then this obligation to be
has agreed to join with said Principal in such bond or g City of Indianola, IA Now, therefore, the condition of this obligation is su and expense, remedy any and all defects that may devel of Four (4) years from the date of ac reason of bad workmanship or poor material used in the in continuous good repair during said period, and shall	ch, that if the said Principal shall, at his own cost op in said work within the period ceptance of the work under said contract, by construction of said work, and shall keep all work in all other respects, comply with all the terms and and repair of said work, then this obligation to be
has agreed to join with said Principal in such bond or g City of Indianola, IA Now, therefore, the condition of this obligation is su and expense, remedy any and all defects that may devel of Four (4) years from the date of ac reason of bad workmanship or poor material used in the in continuous good repair during said period, and shall conditions of said contract with respect to maintenance null and void; otherwise to be and remain in full force of	ch, that if the said Principal shall, at his own cost op in said work within the period ceptance of the work under said contract, by e construction of said work, and shall keep all work in all other respects, comply with all the terms and and repair of said work, then this obligation to be and virtue in law.
has agreed to join with said Principal in such bond or getty of Indianola, IA Now, therefore, the condition of this obligation is suand expense, remedy any and all defects that may devel of Four (4) reason of bad workmanship or poor material used in the in continuous good repair during said period, and shall conditions of said contract with respect to maintenance null and void; otherwise to be and remain in full force of the intensity of the property of th	ch, that if the said Principal shall, at his own cost op in said work within the period ceptance of the work under said contract, by e construction of said work, and shall keep all work in all other respects, comply with all the terms and and repair of said work, then this obligation to be and virtue in law.
has agreed to join with said Principal in such bond or getty of Indianola, IA Now, therefore, the condition of this obligation is suand expense, remedy any and all defects that may devel of Four (4) reason of bad workmanship or poor material used in the in continuous good repair during said period, and shall conditions of said contract with respect to maintenance null and void; otherwise to be and remain in full force of the intensity of the property of th	ch, that if the said Principal shall, at his own cost op in said work within the period ceptance of the work under said contract, by e construction of said work, and shall keep all work in all other respects, comply with all the terms and and repair of said work, then this obligation to be and virtue in law.
has agreed to join with said Principal in such bond or getty of Indianola, IA Now, therefore, the condition of this obligation is suand expense, remedy any and all defects that may devel of Four (4) reason of bad workmanship or poor material used in the in continuous good repair during said period, and shall conditions of said contract with respect to maintenance null and void; otherwise to be and remain in full force of the intensity of the property of th	ch, that if the said Principal shall, at his own cost op in said work within the period ceptance of the work under said contract, by e construction of said work, and shall keep all work in all other respects, comply with all the terms and and repair of said work, then this obligation to be and virtue in law.
has agreed to join with said Principal in such bond or g City of Indianola, IA Now, therefore, the condition of this obligation is su and expense, remedy any and all defects that may devel of Four (4) reason of bad workmanship or poor material used in the in continuous good repair during said period, and shall conditions of said contract with respect to maintenance null and void; otherwise to be and remain in full force of the continuous whereof, we have hereunto set our harmans and the contract with respect to the continuous and void; otherwise to be and remain in full force of the contract whereof, we have hereunto set our harmans are contract with respect to the contract with respect to maintenance null and void; otherwise to be and remain in full force of the contract whereof is the contract with respect to maintenance null and void; otherwise to be and remain in full force of the contract with respect to maintenance null and void; otherwise to be and remain in full force of the contract with respect to maintenance null and void; otherwise to be and remain in full force of the contract where the contract with respect to maintenance null and void; otherwise to be and remain in full force of the contract with respect to maintenance null and void; otherwise to be and remain in full force of the contract with respect to maintenance null and void; otherwise to be and remain in full force of the contract with respect to the contract with resp	ch, that if the said Principal shall, at his own cost op in said work within the period ceptance of the work under said contract, by construction of said work, and shall keep all work in all other respects, comply with all the terms and and repair of said work, then this obligation to be and virtue in law. Sternquist Construction, Inc. Principal
has agreed to join with said Principal in such bond or getty of Indianola, IA Now, therefore, the condition of this obligation is suand expense, remedy any and all defects that may devel of Four (4) reason of bad workmanship or poor material used in the in continuous good repair during said period, and shall conditions of said contract with respect to maintenance null and void; otherwise to be and remain in full force of the intensity of the property of th	ch, that if the said Principal shall, at his own cost op in said work within the period ceptance of the work under said contract, by construction of said work, and shall keep all work in all other respects, comply with all the terms and and repair of said work, then this obligation to be and virtue in law. Sternquist Construction, Inc.
has agreed to join with said Principal in such bond or getty of Indianola, IA Now, therefore, the condition of this obligation is suand expense, remedy any and all defects that may devel of Four (4) reason of bad workmanship or poor material used in the in continuous good repair during said period, and shall conditions of said contract with respect to maintenance null and void; otherwise to be and remain in full force of the intensity of the property of th	ch, that if the said Principal shall, at his own cost op in said work within the period ceptance of the work under said contract, by construction of said work, and shall keep all work in all other respects, comply with all the terms and and repair of said work, then this obligation to be and virtue in law. Sternquist Construction, Inc. Principal
has agreed to join with said Principal in such bond or getty of Indianola, IA Now, therefore, the condition of this obligation is suand expense, remedy any and all defects that may devel of Four (4) reason of bad workmanship or poor material used in the in continuous good repair during said period, and shall conditions of said contract with respect to maintenance null and void; otherwise to be and remain in full force of the intensity of the property of th	ch, that if the said Principal shall, at his own cost op in said work within the period ceptance of the work under said contract, by e construction of said work, and shall keep all work in all other respects, comply with all the terms and and repair of said work, then this obligation to be and virtue in law. Sternquist Construction, Inc. Principal By: Principal Principal
has agreed to join with said Principal in such bond or getty of Indianola, IA Now, therefore, the condition of this obligation is suand expense, remedy any and all defects that may devel of Four (4) reason of bad workmanship or poor material used in the in continuous good repair during said period, and shall conditions of said contract with respect to maintenance null and void; otherwise to be and remain in full force of the intensity of the property of th	ch, that if the said Principal shall, at his own cost op in said work within the period ceptance of the work under said contract, by a construction of said work, and shall keep all work in all other respects, comply with all the terms and and repair of said work, then this obligation to be and virtue in law. Sternquist Construction, Inc. Principal By: Merchants Bonding Company (Mutual)



Know All Persons By These Presents, that MERCHANTS BONDING COMPANY (MUTUAL) and MERCHANTS NATIONAL BONDING, INC., both being corporations duly organized under the laws of the State of Iowa (herein collectively called the "Companies"), and that the Companies do hereby make, constitute and appoint, individually,

Anne Crowner; Brian M Deimerly; Cindy Bennett; Craig E Hansen; Dione R Young; Jay D Freiermuth; Jody Decker; Kathleen Brewer; Kevin J Knutson; Lacey Cramblit; Michelle R Gruis; Shirley S Bartenhagen; Stacy Venn; Tim McCulloh

Des Moines and State of Iowa their true and lawful Attorney-in-Fact, with full power and authority hereby conferred in their name, place and stead, to sign, execute, acknowledge and deliver in their behalf as surety any and all bonds, undertakings, recognizances or other written obligations in the nature thereof, subject to the limitation that any such instrument shall not exceed the amount of:

TWENTY MILLION (\$20,000,000,00) DOLLARS

and to bind the Companies thereby as fully and to the same extent as if such bond or undertaking was signed by the duly authorized officers of the Companies, and all the acts of said Attorney-in-Fact, pursuant to the authority herein given, are hereby ratified and confirmed.

This Power-of-Attorney is made and executed pursuant to and by authority of the following By-Laws adopted by the Board of Directors of the Merchants Bonding Company (Mutual) on April 23, 2011 and adopted by the Board of Directors of Merchants National Bonding, Inc., on October 24, 2011.

"The President, Secretary, Treasurer, or any Assistant Treasurer or any Assistant Secretary or any Vice President shall have power and authority to appoint Attorneys-in-Fact, and to authorize them to execute on behalf of the Company, and attach the seal of the Company thereto, bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof.

The signature of any authorized officer and the seal of the Company may be affixed by facsimile or electronic transmission to any Power of Attorney or Certification thereof authorizing the execution and delivery of any bond, undertaking, recognizance, or other suretyship obligations of the Company, and such signature and seal when so used shall have the same force and effect as though manually fixed."

, 2015. In Witness Whereof, the Companies have caused this instrument to be signed and sealed this 8th day of April



MERCHANTS BONDING COMPANY (MUTUAL) MERCHANTS NATIONAL BONDING, INC.

STATE OF IOWA COUNTY OF POLK ss.

On this 8th day of , 2015, before me appeared Larry Taylor, to me personally known, who being by me duly sworn did April say that he is President of the MERCHANTS BONDING COMPANY (MUTUAL) and MERCHANTS NATIONAL BONDING, INC.; and that the seals affixed to the foregoing instrument is the Corporate Seals of the Companies; and that the said instrument was signed and sealed in behalf of the Companies by authority of their respective Boards of Directors.

In Testimony Whereof, I have hereunto set my hand and affixed my Official Seal at the City of Des Moines, Iowa, the day and year

first above written.

WENDY WOODY Commission Number 784654 My Commission Expires June 20. 2017

Notary Public, Polk County, Iowa

STATE OF IOWA COUNTY OF POLK ss.

I, William Warner, Jr., Secretary of the MERCHANTS BONDING COMPANY (MUTUAL) and MERCHANTS NATIONAL BONDING, INC., do hereby certify that the above and foregoing is a true and correct copy of the POWER-OF-ATTORNEY executed by said Companies, which is still in full force and effect and has not been amended or revoked.

In Witness Whereof, I have hereunto set my hand and affixed the seal of the Companies on 1st day of June , 2016



William Harner Jo.

POA 0014 (7/14)

MAINTENANCE BOND

Bond No. IAC585823

KNOW ALL MEN BY THESE PRESENTS:

That, Ste	ernquist Constr	uction, Inc.	of Indian	ola,IA	
as Principal, an	d the Mercha	nts Bonding Comp	any (Mutual)		as Surety,
are held and fire	mly bound unto	City of Indianola	ı, IA	*	in the
oenal sum of E	ighty-six Thous	sand Nine Hundred	I Fifty-two And 60/100THS	(\$	\$86,952.60
the Principal an	d Surety bind the		ca, for the payment of which, ach of their heirs, executors, assents.		
	e said Principal e	ntered into a certain	contract, with) -
To furnish all th	e material and la	bor necessary for the PCC Pavement - N			
n Olto of local		In conformity wit	h certain specifications; and		
n City of Indi	anoia, iA	_ in comorainty wit	i certain specifications, and		
ndemnity, guar	anteeing to reme	dy any defects in wo	at the said Principal should fur rkmanship or muterials that m years from the date of acc	ay devel	op in
under said conti	n a period of Fract; and	our (4)	years from the date of acc	ерынсе	of the work
			70.0 (D)		
Whereas, the		nts Bonding Comp	any (Mutual) for guarantee, indemnifying said		le consideration,
City of Indian		cipal in such bond of	guarantee, indemnifying said	J.	
Now, thereformed expense, response, response four (4) reason of bad we necessarily conditions of sa	ore, the condition medy any and all ye orkmanship or po ood repair during id contract with 1	defects that may de- ears from the date of oor material used in said period, and sha	such, that if the said Principa relop in said work within the acceptance of the work under the construction of said work, Il in all other respects, complice and repair of said work, the and virtue in law.	period said con and shal y with al	tract, by I keep all work the terms and
				4	
lay of Jur		, 201	intida dila ocolo titta		-
			Sternquist Constructio	n. Inc.	
			By: Princip.		Pur
					1/
			- UMU / / /	nnany (I	Autual)
			Merchants Bonding Cor		/lutual)
			- UMU / / /	4	/lutual)



Know All Persons By These Presents, that MERCHANTS BONDING COMPANY (MUTUAL) and MERCHANTS NATIONAL BONDING, INC., both being corporations duly organized under the laws of the State of Iowa (herein collectively called the "Companies"), and that the Companies do hereby make, constitute and appoint, individually,

Anne Crowner; Brian M Deimerly; Cindy Bennett; Craig E Hansen; Dione R Young; Jay D Freiermuth; Jody Decker; Kathleen Brewer; Kevin J Knutson; Lacey Cramblit; Michelle R Gruis; Shirley S Bartenhagen; Stacy Venn; Tim McCulloh

Des Moines their true and lawful Attorney-in-Fact, with full power and State of Iowa and authority hereby conferred in their name, place and stead, to sign, execute, acknowledge and deliver in their behalf as surety any and all bonds, undertakings, recognizances or other written obligations in the nature thereof, subject to the limitation that any such instrument shall not exceed the amount of:

TWENTY MILLION (\$20,000,000.00) DOLLARS

and to bind the Companies thereby as fully and to the same extent as if such bond or undertaking was signed by the duly authorized officers of the Companies, and all the acts of said Attorney-in-Fact, pursuant to the authority herein given, are hereby ratified and confirmed.

This Power-of-Attorney is made and executed pursuant to and by authority of the following By-Laws adopted by the Board of Directors of the Merchants Bonding Company (Mutual) on April 23, 2011 and adopted by the Board of Directors of Merchants National Bonding, Inc., on October 24, 2011.

"The President, Secretary, Treasurer, or any Assistant Treasurer or any Assistant Secretary or any Vice President shall have power and authority to appoint Attorneys-in-Fact, and to authorize them to execute on behalf of the Company, and attach the seal of the Company thereto, bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in

The signature of any authorized officer and the seal of the Company may be affixed by facsimile or electronic transmission to any Power of Attorney or Certification thereof authorizing the execution and delivery of any bond, undertaking, recognizance, or other suretyship obligations of the Company, and such signature and seal when so used shall have the same force and effect as though manually fixed."

, 2015. In Witness Whereof, the Companies have caused this instrument to be signed and sealed this 8th day of April

William Phys TIONAZ

MERCHANTS BONDING COMPANY (MUTUAL) MERCHANTS NATIONAL BONDING, INC.

President

STATE OF IOWA COUNTY OF POLK ss.

, 2015, before me appeared Larry Taylor, to me personally known, who being by me duly sworn did On this 8th day of April , 2015, before me appeared Larry Taylor, to me personally known, who being by me duly sworn did say that he is President of the MERCHANTS BONDING COMPANY (MUTUAL) and MERCHANTS NATIONAL BONDING, INC.; and that the seals affixed to the foregoing instrument is the Corporate Seals of the Companies; and that the said instrument was signed and sealed in behalf of the Companies by authority of their respective Boards of Directors.

In Testimony Whereof, I have hereunto set my hand and affixed my Official Seal at the City of Des Moines, lowa, the day and year first above written.

June 20, 2017

WENDY WOODY Commission Number 784654 My Commission Expires

Notary Public, Polk County, Iowa

STATE OF IOWA COUNTY OF POLK ss.

I, William Warner, Jr., Secretary of the MERCHANTS BONDING COMPANY (MUTUAL) and MERCHANTS NATIONAL BONDING, INC., do hereby certify that the above and foregoing is a true and correct copy of the POWER-OF-ATTORNEY executed by said Companies, which is still in full force and effect and has not been amended or revoked.

In Witness Whereof, I have hereunto set my hand and affixed the seal of the Companies on 1st day of June , 2016 this

..... The state of the s

William Harner Jr.

POA 0014 (7/14)

Meeting Date: 07/18/2016

Information

Subject

Vanderpool Construction - Summercrest Hills Plat 4 and 5 - a 4 year Sanitary Sewer & Storm Sewer maintenance bond for East Scenic Valley Avenue and North Sixth Street in an amount of \$358,850.00 and \$195,004.50 respectfully

Information

In your packet is the four year sanitary and storm sewer maintenance bonds from Vanderpool Construction for Summercrest Hill Plat 4 and 5 in an amount of \$358,850 and \$195,004.50 respectully. This includes East Scenic Valley Avenue and North Sixth Street. The City Attorney and staff have approved.

Attachments

Plat 4 Maintenance Bond
Plat 5 Maintenance Bond



Merchants Bonding Company (Mutual) P.O. Box 14498, Des Moines, Iowa 50306-3498 Phone: (800) 678-8171 Fax: (515) 243-3854

MAINTENANCE BOND

KNOW ALL PERSONS BY THESE PRE	SENTS:	Bond No. IAC585422
That Vanderpool Construction, Inc.		
	of	Indianola, Iowa
as Principal, and the Mer held and firmly bound unto the City of Inc.	dianola,	·
Three Hundred Fifty Eight Thousand Eight F DOLLARS, lawful money of the United S	Jundred Fifty Dollars and no/100	in the penal sum of
made, the Principal and Surety bind ther successors and assigns, jointly and seve	nselves, their and each of their he rally, firmly by these presents.	irs, executors, administrators,
Signed and delivered this $2nd$ c	lay of	,
WHEREAS, the Principal entered into a contraction with the Three-Sixty Construction West Des Moines, IA 50266	certain contract, dated the 26th on Services, Inc., 5625 Mills Civic Pk	day of August
to furnish all the material and labor neces Scenic Valley Avenue and North Sixth Street		
in conformity with certain specifications; a	and	
WHEREAS, a further condition of said or guaranteeing to remedy any defects in w period of years from	orkmanship or materials that may	develop in said work within a
WHEREAS, the above work has been co accepted upon the filing of this maintenar	mpleted and accepted and if not a nce bond; and	accepted will be automatically
WHEREAS, the Merch	ants Bonding Company (Mutual)	for valuable
	f Indianola	as aforesaid;
NOW, THEREFORE, THE CONDITION and shall, at the Principal's own cost and work, within the period offour years reason of bad workmanship or poor ma work in continuous good repair during terms and conditions of said contract wolligation to be null and void; otherwise to	d expense, remedy any and all de from the date of acceptance of th terial used in the construction of said period, and shall in all othe rith respect to maintenance and	fects that may develop in said e work under said contract, by said work, and shall keep all er respects, comply with all the repair of said work, then this
It is agreed that while the Principal shall which form the basis for the work, the S obligated only to assure the maintenance work was accepted. Any obligation beyon	urety, inasmuch as the original w e of the work in the condition in w	ork was not bonded, shall be hich it existed at the time the
	Vanderpool Construction, Inc.	
	Principal	
	By In Vandage	200
Approved	,	
Ву	Merchants Bonding Company (I	Mutual)
CON 0304 (2/15)	By Jacqueline K. Peters, Attorney-I	K Petters n-Fact

Maintenance Bond #IAC585422

Summercrest Hills Plat 4, East Scenic Valley Avenue and North Sixth Street Sanitary & Storm Sewer

Exhibit "A"

Sanitary: 2,201 LF of 8" PVC truss, 7 ea of 6" service, 6 ea of 48" SW-301 sanitary manholes.

Storm: $660 \text{ LF of } 15^{\prime\prime} \text{ RCP, } 72 \text{ LF of } 18^{\prime\prime} \text{ RCP, } 816 \text{ LF of } 24^{\prime\prime} \text{ RCP, } 483 \text{ LF of } 30^{\prime\prime} \text{ RCP, } 3 \text{ ea } 48^{\prime\prime} \text{ SW-401 storm } 48^{\prime\prime} \text{ SW-401 storm } 48^{\prime\prime} \text{ SW-505 } 48^{\prime\prime} \text{ SW-506 } 48^{$



Know All Persons By These Presents, that MERCHANTS BONDING COMPANY (MUTUAL) and MERCHANTS NATIONAL BONDING, INC., both being corporations of the State of Iowa (herein collectively called the "Companies") do hereby make, constitute and appoint,

Cheryl Mrstik; Deborah D Hahn; Duane J Smith; Jacqueline K Peters; Jason D Smith; Jennifer Cook; Karen S Lopez; M Lynn Kimble; Robert L Kollsmith; Samantha Spilman; Timothy J Foley

their true and lawful Attorney(s)-in-Fact, to make, execute, seal and deliver on behalf of the Companies, as Surety, bonds, undertakings and other written obligations in the nature thereof, subject to the limitation that any such instrument shall not exceed the amount of:

EIGHT MILLION (\$8,000,000.00) DOLLARS

This Power-of-Attorney is granted and is signed and sealed by facsimile under and by authority of the following By-Laws adopted by the Board of Directors of Merchants Bonding Company (Mutual) on April 23, 2011 and adopted by the Board of Directors of Merchants National Bonding, Inc., on October 24, 2011.

"The President, Secretary, Treasurer, or any Assistant Treasurer or any Assistant Secretary or any Vice President shall have power and authority to appoint Attorneys-in-Fact, and to authorize them to execute on behalf of the Company, and attach the seal of the Company thereto, bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof."

"The signature of any authorized officer and the seal of the Company may be affixed by facsimile or electronic transmission to any Power of Attorney or Certification thereof authorizing the execution and delivery of any bond, undertaking, recognizance, or other suretyship obligations of the Company, and such signature and seal when so used shall have the same force and effect as though manually fixed."

In connection with obligations in favor of the Florida Department of Transportation only, it is agreed that the power and authority hereby given to the Attorney-in-Fact includes any and all consents for the release of retained percentages and/or final estimates on engineering and construction contracts required by the State of Florida Department of Transportation. It is fully understood that consenting to the State of Florida Department of Transportation making payment of the final estimate to the Contractor and/or its assignee, shall not relieve this surety company of any of its obligations under its bond.

In connection with obligations in favor of the Kentucky Department of Highways only, it is agreed that the power and authority hereby given to the Attorney-in-Fact cannot be modified or revoked unless prior written personal notice of such intent has been given to the Commissioner-Department of Highways of the Commonwealth of Kentucky at least thirty (30) days prior to the modification or revocation.

In Witness Whereof, the Companies have caused this instrument to be signed and sealed this 15th day of

August

2015

William Harris TIONAL

MERCHANTS BONDING COMPANY (MUTUAL) MERCHANTS NATIONAL BONDING, INC.

STATE OF IOWA COUNTY OF Dallas

President

On this 15th day of August , 2015 , before me appeared Larry Taylor, to me personally known, who being by me sworn did say that he is President of the MERCHANTS BONDING COMPANY (MUTUAL) and MERCHANTS NATIONAL BONDING, INC.; and that the seals affixed to the foregoing instrument are the Corporate seals of the Companies; and that the said instrument was signed and sealed in behalf of the Companies by authority of their respective Boards of Directors.

> WENDY WOODY Commission Number 784654 My Commission Expires June 20, 2017

Notary Public, Polk County, Iowa

(Expiration of notary's commission does not invalidate this instrument)

I, William Warner, Jr., Secretary of the MERCHANTS BONDING COMPANY (MUTUAL) and MERCHANTS NATIONAL BONDING, INC., do hereby certify that the above and foregoing is a true and correct copy of the POWER-OF-ATTORNEY executed by said Companies, which is still in full force and effect and has not been amended or revoked.

In Witness Whereof, I have hereunto set my hand and affixed the seal of the Companies on this 2nd day of

2016 .

ASSESSED FOR PARTY AND ADDRESS OF THE PARTY AN The state of the s

William Warner Jr. Secretary



Merchants Bonding Company (Mutual) P.O. Box 14498, Des Moines, Iowa 50306-3498 Phone: (800) 678-8171 Fax: (515) 243-3854

MAINTENANCE BOND

KNOW ALL PERSONS BY THESE PRESENTS:	Bond No. IAC585420
That Vanderpool Construction, Inc.	
of	Indianola, Iowa
as Principal, and the <u>Merchants Bonding Company (Mutual</u> held and firmly bound unto the <u>City of Indianola</u>	
	in the penal sum of
DOLLARS, lawful money of the United States of America, for the payme made, the Principal and Surety bind themselves, their and each of their successors and assigns, jointly and severally, firmly by these presents.	heirs, executors, administrators,
Signed and delivered this 1st day of June	
WHEREAS, the Principal entered into a certain contract, dated the 2015 with the Three-Sixty Construction Services, Inc. 5625 Mills Civic West Des Moines, IA 50266	day of August Pkwy, Suite 101
to furnish all the material and labor necessary for the construction of Su Scenic Valley Avenue and North Sixth Street Sanitary & Storm Sewer- see attacks.	
in conformity with certain specifications; and	
WHEREAS, a further condition of said contract is that the Principal sho guaranteeing to remedy any defects in workmanship or materials that m period of $\underline{\hspace{1cm}}$ years from the date of acceptance of the variation of the vari	ay develop in said work within a
WHEREAS, the above work has been completed and accepted and if no accepted upon the filing of this maintenance bond; and	ot accepted will be automatically
WHEREAS, the Merchants Bonding Company (Mutual)	for valuable
consideration, has agreed to join with said Principal in such bond or	guarantee, indemnifying said as aforesaid;
NOW, THEREFORE, THE CONDITION OF THIS OBLIGATION IS SUC and shall, at the Principal's own cost and expense, remedy any and all work, within the period of <u>four</u> years from the date of acceptance of reason of bad workmanship or poor material used in the construction work in continuous good repair during said period, and shall in all of terms and conditions of said contract with respect to maintenance are obligation to be null and void; otherwise to be and remain in full force and	defects that may develop in said f the work under said contract, by of said work, and shall keep all other respects, comply with all the nd repair of said work, then this
It is agreed that while the Principal shall be and remain liable for failure which form the basis for the work, the Surety, inasmuch as the origina obligated only to assure the maintenance of the work in the condition in work was accepted. Any obligation beyond this shall be that of only the F	I work was not bonded, shall be n which it existed at the time the
Vanderpool Construction, Inc.	
Principal	1.
By Hardley	Udan.
Approved	v 2500H 15
By Merchants Bonding Compan	y (Mutual)
By Jarquela	. K Peters
CON 0304 (2/15) Jacqueline K. Peters, Attorne	ey-In-Fact

Maintenance Bond #IAC585420

Summercrest Hills Plat 5, East Scenic Valley Avenue and North Sixth Street Sanitary & Storm Sewer

Exhibit "A"

Sanitary: 1,095 LF of 8" PVC truss, 1 ea of 8" service, 12 ea of 4" PVC service, 4 ea of sanitary manholes.

Storm: 215 LF of 8" PVC, 284 LF of 15" RCP, 555 LF of 18" RCP, 110 LF of 24" RCP, 1 ea 15" FES, 1 ea 18" FES, 1 ea 24" FES, 12 ea 1 1/2" sump services, 1 ea storm manhole, 1 ea SW-501 intake, 1 ea SW-503 intake, 1 ea SW-505 intake, 1 ea cleanout.



Know All Persons By These Presents, that MERCHANTS BONDING COMPANY (MUTUAL) and MERCHANTS NATIONAL BONDING, INC., both being corporations of the State of Iowa (herein collectively called the "Companies") do hereby make, constitute and appoint, individually.

Cheryl Mrstik; Deborah D Hahn; Duane J Smith; Jacqueline K Peters; Jason D Smith; Jennifer Cook; Karen S Lopez; M Lynn Kimble; Robert L Kollsmith; Samantha Spilman; Timothy J Folev

their true and lawful Attorney(s)-in-Fact, to make, execute, seal and deliver on behalf of the Companies, as Surety, bonds, undertakings and other written obligations in the nature thereof, subject to the limitation that any such instrument shall not exceed the amount of:

EIGHT MILLION (\$8,000,000.00) DOLLARS

This Power-of-Attorney is granted and is signed and sealed by facsimile under and by authority of the following By-Laws adopted by the Board of Directors of Merchants Bonding Company (Mutual) on April 23, 2011 and adopted by the Board of Directors of Merchants National Bonding, Inc., on October 24, 2011.

"The President, Secretary, Treasurer, or any Assistant Treasurer or any Assistant Secretary or any Vice President shall have power and authority to appoint Attorneys-in-Fact, and to authorize them to execute on behalf of the Company, and attach the seal of the Company thereto, bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof."

"The signature of any authorized officer and the seal of the Company may be affixed by facsimile or electronic transmission to any Power of Attorney or Certification thereof authorizing the execution and delivery of any bond, undertaking, recognizance, or other suretyship obligations of the Company, and such signature and seal when so used shall have the same force and effect as though manually fixed."

In connection with obligations in favor of the Florida Department of Transportation only, it is agreed that the power and authority hereby given to the Attorney-in-Fact includes any and all consents for the release of retained percentages and/or final estimates on engineering and construction contracts required by the State of Florida Department of Transportation. It is fully understood that consenting to the State of Florida Department of Transportation making payment of the final estimate to the Contractor and/or its assignee, shall not relieve this surety company of any of its obligations under its bond.

In connection with obligations in favor of the Kentucky Department of Highways only, it is agreed that the power and authority hereby given to the Attorney-in-Fact cannot be modified or revoked unless prior written personal notice of such intent has been given to the Commissioner-Department of Highways of the Commonwealth of Kentucky at least thirty (30) days prior to the modification or revocation.

In Witness Whereof, the Companies have caused this instrument to be signed and sealed this 15th day of

2015

ALL WHILLIAM

MERCHANTS BONDING COMPANY (MUTUAL) MERCHANTS NATIONAL BONDING, INC.

STATE OF IOWA COUNTY OF Dallas

President

2015 , before me appeared Larry Taylor, to me personally known, who being by me sworn did say that he is President of the MERCHANTS BONDING COMPANY (MUTUAL) and MERCHANTS NATIONAL BONDING, INC.; and that the seals affixed to the foregoing instrument are the Corporate seals of the Companies; and that the said instrument was signed and sealed in behalf of the Companies by authority of their respective Boards of Directors.



WENDY WOODY Commission Number 784654 My Commission Expires June 20, 2017

Notary Public, Polk County, Iowa

(Expiration of notary's commission does not invalidate this instrument)

I, William Warner, Jr., Secretary of the MERCHANTS BONDING COMPANY (MUTUAL) and MERCHANTS NATIONAL BONDING, INC., do hereby certify that the above and foregoing is a true and correct copy of the POWER-OF-ATTORNEY executed by said Companies, which is still in full force and effect and has not been amended or revoked.

In Witness Whereof, I have hereunto set my hand and affixed the seal of the Companies on this 1st day of

2016 .

William Harner Is.

City Council Regular 2nd Mtg

Meeting Date: 07/18/2016

Information

5. D.

Subject

Approval of the claims on the computer printout for July 18, 2016 and the June 2016 receipts

Information

Attachments

<u>Claims</u>

Vendor Report

Vendor Name GL Account Number Description Invoice Date Net Invoice Amount **GENERAL FUND** 911 ETC INC 001-6200-63730 911 MONTHLY ACCESS CHARGE 06/28/2016 10.93 911 ETC INC 001-1700-63730 911 MONTHLY ACCESS CHARGE 06/28/2016 2.52 AIR-CON MECHANICAL CORP. 001-6500-63410 ADMIN & PD SIDE REPAIR 06/28/2016 587.64 AIR-CON MECHANICAL CORP. 001-6500-63410 PD AHU'S NOT RUNNING 06/28/2016 556.33 **CAPITAL EXPRESS** 001-6200-65080 POSTAGE 07/02/2016 39.95 **CDW GOVERNMENT INC** MICROSOFT ANNUAL LICENSING 06/22/2016 3,591.04 001-6210-67240 CITIES DIGITAL LASERFISCHE AVANTE FORMS 07/01/2016 001-6200-64190 1 493 35 IOWA WATER MANAGEMENT C 001-6500-63100 WATER MGMT - MUN BLDG 07/01/2016 150.00 JIM'S JOHNS 001-2900-64990 KYBO'S (DUMP) 06/21/2016 40.00 KOSMAN CLEANING CREW LLC 001-6500-64090 1ST HALF OF JULY 07/11/2016 2,167.00 MAHASKA COMMUNICATION G 001-1700-63730 **TELEPHONE** 07/01/2016 15.53 MAHASKA COMMUNICATION G **TELEPHONE** 72.45 001-6200-63730 07/01/2016 MAHASKA COMMUNICATION G 001-6210-64990 INTERNET 07/01/2016 66.00 MARCHANT, GREG 001-5200-65990 **ECONOMIC DEV CONTRACT** 07/11/2016 750.00 NATIONAL BALLOON CLASSIC 001-5100-64130 2016 CORP SCHOLARSHIP 07/11/2016 6,500.00 PELLA PRINTING 001-6210-64141 SUMMER MAGAZINE 06/29/2016 5,867.00 RECORD-HERALD & INDIANOL 001-6500-64020 ORD 1555 06/26/2016 27 80 RECORD-HERALD & INDIANOL 001-6500-64020 CC MIN-06 06/26/2016 270.61 TELRITE CORPORATION 001-6150-63730 LONG DISTANCE SERVICE 06/22/2016 2 86 TELRITE CORPORATION 001-6210-63730 LONG DISTANCE SERVICE 06/22/2016 18.87 **TELRITE CORPORATION** 001-6200-63730 LONG DISTANCE SERVICE 06/22/2016 23.74 **TELRITE CORPORATION** 001-1700-63730 LONG DISTANCE SERVICE 06/22/2016 19.29 UNUM LIFE INSURANCE CO OF 001-6150-61550 LIFE, AD&D AND LTD INSURANCE 07/14/2016 40.95 UNUM LIFE INSURANCE CO OF 001-6210-61550 LIFE. AD&D AND LTD INSURANCE 07/14/2016 42.10 UNUM LIFE INSURANCE CO OF 001-6200-61550 LIFE, AD&D AND LTD INSURANCE 07/14/2016 239.26 UNUM LIFE INSURANCE CO OF 001-1700-61550 LIFE, AD&D AND LTD INSURANCE 07/14/2016 58.43 UNUM LIFE INSURANCE CO OF 001-0000-21206 LIFE, AD&D AND LTD INSURANCE 07/14/2016 1,211.76 UNUM LIFE INSURANCE CO OF 001-6250-61550 LIFE, AD&D AND LTD INSURANCE 07/14/2016 27.71 VERIZON WIRELESS WIRELESS FOR SPARE LAPTOP 001-6200-63730 06/26/2016 20.01 CELL PHONE 6/9/16 - 7/8/16 WALLER, RYAN 001-6150-63730 07/08/2016 75.00 WARREN COUNTY ENGINEER 001-1700-65050 FUEL DISTRIBUTION 07/07/2016 89 82 WARREN COUNTY RECORDER 001-6500-64050 REC FEES 07/11/2016 12.00 Total GENERAL FUND: 24,089.95 POLICE FUND 911 FTC INC 011-1100-63730 911 MONTHLY ACCESS CHARGE 06/28/2016 15.13 **AUBERT'S TOWING** 011-1100-64860 **TOWING** 05/23/2016 170.00 DOWNEY TIRE SERVICE 011-1100-63320 VEHICLE REPAIR 07/07/2016 30 17 ELECTRONIC ENGINEERING C RADIO REPAIR 011-1111-63415 06/22/2016 234.00 INFOMAX OFFICE SYSTEMS IN 011-1100-64990 COPIER CONTRACT 07/04/2016 33.10 MAHASKA COMMUNICATION G 011-1100-63730 **TELEPHONE** 07/01/2016 93.15 MAHASKA COMMUNICATION G 011-1100-63730 INTERNET 07/01/2016 22.00 MC COY HARDWARE INC 011-1100-65070 **SUPPLIES** 07/05/2016 12.48 MEDTRAK SERVICES 011-1100-64120 411 RX 06/30/2016 84.03 MIDWEST RADAR & EQUIPMEN RADAR CONTRACT 011-1100-64990 07/11/2016 440.00 O'REILLY AUTO PARTS 011-1100-65070 SUPPLIES 06/28/2016 5.40 SHER, BRIAN 011-1100-63730 CELL PHONE 05/23/16 - 06/22/16 06/22/2016 50.00 T.R.M. DISPOSAL LLC 011-1100-67260 GARBAGE - ACCT #159 06/24/2016 15.00 **TELRITE CORPORATION** LONG DISTANCE SERVICE 011-1100-63730 06/22/2016 22.23 TRANSUNION RISK AND ALTER 011-1100-64990 70.00 CONTRACT 07/01/2016 UNUM LIFE INSURANCE CO OF LIFE, AD&D AND LTD INSURANCE 011-1100-61550 07/14/2016 354.38 WARREN COUNTY ENGINEER 011-1100-65050 FUEL DISTRIBUTION 07/07/2016 1.938.48 RADIO/DISPATCH SERVICES 3RD/4TH QTR 15/16 WARREN COUNTY SHERIFF 011-1111-64136 07/08/2016 39.800.00 Total POLICE FUND: 43,389.55

FIRE FUND				
	015-1500-63730	911 MONTHLY ACCESS CHARGE	06/28/2016	9.24
	015-1500-63410	KOCHEK	12/31/2015	39.95
	015-1500-64990	PRINTING CONTRACT	06/27/2016	82.60
	015-1500-63730	TELEPHONE	07/01/2016	56.93
	015-1500-63730	INTERNET	07/01/2016	22.00
	015-1500-62300	NFPA 1033 FIRE INVESTIGATION	07/05/2016	295.00
	015-1500-63730	LONG DISTANCE SERVICE	06/22/2016	24.00
UNUM LIFE INSURANCE CO OF	015-1500-61550	LIFE, AD&D AND LTD INSURANCE	07/14/2016	38.65
VERIZON WIRELESS	015-1500-63730	330 LAPTOP/330 CELL	06/26/2016	50.65
WARREN COUNTY ENGINEER	015-1500-65050	FUEL DISTRIBUTION	07/07/2016	320.95
Total FIRE FUND:				939.97
AMBULANCE FUND				
AIRGAS USA LLC	016-1600-65070	OXYGEN FOR EMS	06/30/2016	53.52
FRASER TRANSPORTATION LL	016-1600-64990	STANDBY	06/15/2016	237.50
MAHASKA COMMUNICATION G	016-1600-63730	TELEPHONE	01/07/2016	28.66
PROGRESSIVE AUTO - CA	016-1600-66990	OVERPAYMENT	07/13/2016	698.00
SAMS, MARGARET	016-1600-66990	REFUND	07/12/2016	110.40
TELRITE CORPORATION	016-1600-63730	LONG DISTANCE SERVICE	06/22/2016	1.19
TRIZETTO PROVIDER SOLUTIO	016-1600-67240	ELECTRONIC CLAIMS FILED	07/01/2016	46.92
UNITED HEALTHCARE COMM P	016-1600-66990	OVERPAYMENT	06/30/2016	111.25
UNUM LIFE INSURANCE CO OF	016-1600-61550	LIFE, AD&D AND LTD INSURANCE	07/14/2016	148.78
VERIZON WIRELESS	016-1600-63730	CELL PHONES FOR MONITOR	06/22/2016	21.08
VERIZON WIRELESS	016-1600-63730	EMS CELL PHONES	06/26/2016	318.54
WARREN COUNTY ENGINEER	016-1600-65050	FUEL DISTRIBUTION	07/07/2016	856.99
Total AMBULANCE FUND:				2,632.83
LIBRARY FUND				
911 ETC INC	041-4100-63730	911 MONTHLY ACCESS CHARGE	06/28/2016	9.24
AIR-CON MECHANICAL CORP.	041-4100-63100	BUILDING REPAIR/MAINTENANCE	06/14/2016	101.15
BAKER & TAYLOR ENTERTAIN	041-4100-65022	DVD	06/03/2016	21.86
BAKER & TAYLOR ENTERTAIN	041-4100-65022	6 DVD'S	06/08/2016	52.00
BAKER & TAYLOR ENTERTAIN	041-4100-65021	CD	05/27/2016	10.68
BAKER & TAYLOR ENTERTAIN	041-4100-65022	3 DVD'S	05/27/2016	61.22
BAKER & TAYLOR ENTERTAIN	041-4100-65021	3 CD'S	06/26/2016	27.74
BAKER & TAYLOR ENTERTAIN	041-4100-65022	5 DVD'S	06/26/2016	113.68
BAKER AND TAYLOR	041-4100-65020	BOOKS	05/17/2016	156.96
BAKER AND TAYLOR	041-4100-65020	BOOKS	05/27/2016	577.50
BAKER AND TAYLOR	041-4100-65020	BOOKS	06/03/2016	298.67
BAKER AND TAYLOR	041-4100-65020	BOOKS	06/10/2016	690.23
BAKER AND TAYLOR	041-4100-65020	BOOKS	06/25/2016	127.68
BEE-LINE SEWER SERVICE	041-4100-63100	CLEAR CLOGGED STOOL	07/01/2016	85.00
BOOK PAGE	041-4100-65020	ANNUAL SUBSCRIPTION	07/13/2016	300.00
CDW GOVERNMENT INC	041-4100-67240	MICROSOFT ANNUAL LICENSING	06/22/2016	519.70
CENGAGE LEARNING	041-4100-65020	2 LARGE PRINT BOOKS	05/18/2016	51.98
CENGAGE LEARNING	041-4100-65020	5 LARGE PRINT BOOKS	06/08/2016	138.35
CENGAGE LEARNING	041-4100-65020	LARGE PRINT BOOK	06/10/2016	24.79
CENTER POINT LARGE PRINT	041-4100-65020	WESTERN SERIES/24 TITLES PER YEAR	07/01/2016	496.08
CITY OF INDIANOLA - UTILITY	041-4100-63710	UTILITIES	06/30/2016	1,358.40
DUNN LIBRARY	041-4100-64990	III MAINTENANCE CHARGES	06/03/2016	11,771.88
DUST PROS JANITORIAL	041-4100-64090	MONTHLY CELANING	07/05/2016	1,170.00
DUST PROS JANITORIAL	041-4100-65071	CLEANING SUPPLIES	07/05/2016	113.25
INNOVATIVE INTERFACES INC	041-4100-64990	ANNUAL MILLENNIUM MAINTENANCE	06/03/2016	7,608.00
	041-4100-63100	WATER MGMT - LIBRARY	07/01/2016	40.00
LIBRARY IDEAS LLC	041-4100-65020	FREEGAL MUSIC SUBSCRIPTION	07/11/2016	3,090.00

Vendor Name GL Account Number Description Invoice Date Net Invoice Amount MAHASKA COMMUNICATION G 041-4100-63730 INTERNET 07/01/2016 22.00 MAHASKA COMMUNICATION G 041-4100-63730 **TELEPHONE** 07/01/2016 56.93 MID AMERICAN ENERGY CO 041-4100-63710 NATURAL GAS 06/21/2016 14.08 PENGUIN RANDOM HOUSE LLC 041-4100-65021 BOOK ON CD 06/03/2016 26.25 PENGUIN RANDOM HOUSE LLC 041-4100-65021 **BOOK ON CD** 06/10/2016 33.75 PENGUIN RANDOM HOUSE LLC 041-4100-65021 **BOOK ON CD** 06/17/2016 24.00 PENGUIN RANDOM HOUSE LLC 041-4100-65021 **BOOK ON CD** 33.75 06/24/2016 RECORDED BOOKS INC 041-4100-65021 BOOK ON CD 05/18/2016 31 50 RECORDED BOOKS INC 041-4100-65022 BOOK ON DVD 05/23/2016 41.60 RECORDED BOOKS INC 041-4100-65021 BOOK ON CD 05/25/2016 36 00 RECORDED BOOKS INC 041-4100-65021 2 BOOKS ON CD 05/27/2016 76.48 SPRINGER PEST SOLUTIONS D 041-4100-64990 BI-MONTHLY SERVICE 06/14/2016 79.00 T.R.M. DISPOSAL LLC **GARBAGE DISPOSAL ACCT #506** 06/24/2016 041-4100-64090 89.00 TELRITE CORPORATION 041-4100-63730 LONG DISTANCE SERVICE 06/22/2016 11.29 UNIQUE MANAGEMENT SERVI 041-4100-64990 **COLLECTION AGENCY FEES** 07/01/2016 50.00 UNUM LIFE INSURANCE CO OF 041-4100-61550 LIFE, AD&D AND LTD INSURANCE 07/14/2016 71.85 Total LIBRARY FUND: 29.713.52 PARK & RECREATION FUND 911 ETC INC 042-4300-63730 911 MONTHLY ACCESS CHARGE 06/28/2016 4.20 911 ETC INC 042-4200-63730 911 MONTHLY ACCESS CHARGE 06/28/2016 12.61 AGRILAND FS INC 042-4200-65072 SOFTBALL FIELD DRY 07/06/2016 1,230.00 ATLANTIC BOTTLING CO. 042-4200-65070 SOFTBALL CONCESSIONS 06/28/2016 356.10 ATLANTIC BOTTLING CO. 042-4200-65070 SOFTBALL CONCESSIONS 06/28/2016 1.421.55 CDW GOVERNMENT INC 042-4200-64190 MICROSOFT ANNUAL LICENSING 06/22/2016 311.82 **CENTURYLINK** 042-4300-63730 911 PHONE 06/22/2016 54.44 CHAPLIN, BRIANNA 042-4200-64250 YOUTH & ADULT SB UMPIRE 07/11/2016 57.50 CITY OF INDIANOLA - UTILITY **UTILITIES - MEMORIAL** 042-4300-63710 06/30/2016 145.36 CITY OF INDIANOLA - UTILITY UTILITIES - BARKER 042-4300-63710 06/30/2016 58 55 CITY OF INDIANOLA - LITH ITY LITILITIES - PICKARD 042-4300-63710 06/30/2016 558.23 CITY OF INDIANOLA - UTILITY 042-4300-63710 **UTILITIES - MCCORD** 06/30/2016 117.49 CITY OF INDIANOLA - UTILITY 042-4300-63710 **UTILITIES - DOWNEY** 06/30/2016 33.01 CITY OF INDIANOLA - UTILITY 042-4300-63710 **UTILITIES -SHOP** 06/30/2016 169.53 CITY OF INDIANOLA - UTILITY 042-4300-63710 **UTILITIES - TRAIL** 06/30/2016 42.74 CITY OF INDIANOLA - UTILITY 042-4400-63710 **UTILITIES - YOUTH SOFTBALL** 06/30/2016 327.20 CITY OF INDIANOLA - UTILITY 042-4300-63710 **UTILITIES - MOATS** 06/30/2016 277.42 CITY OF INDIANOLA - UTILITY 042-4300-63710 **UTILITIES- BUXTON** 06/30/2016 217.47 CORY, TARRY 042-4200-64250 ADULT SB UMPIRE 07/11/2016 75.00 CRAWFORD RICHARD I 042-4200-64250 ADULT SR UMPIRE 07/11/2016 225 00 FARNER-BROCKEN CO 042-4200-65070 SOFTBALL CONCESSIONS 06/28/2016 2.471.20 INDOFF INCORPORATED 042-4200-65060 **OFFICE SUPPLIES** 07/08/2016 23.74 JIM'S JOHNS 042-4300-64090 KYBO'S (PARKS) 06/21/2016 240.00 KONICA MINOLTA BUSINESS S 042-4200-65060 MONTHLY MAINTENANCE 06/30/2016 24.25 MAHASKA COMMUNICATION G 042-4200-63730 **TELEPHONE** 07/01/2016 28.66 MAHASKA COMMUNICATION G 042-4200-63730 **TELEPHONE** 07/01/2016 77.62 MAHASKA COMMUNICATION G 042-4200-63730 INTERNET 07/01/2016 22.00 MAHASKA COMMUNICATION G 042-4200-63730 **TELEPHONE** 07/01/2016 5.18 MAHASKA COMMUNICATION G 042-4300-63730 **TELEPHONE** 07/01/2016 25.88 MC COY HARDWARE INC 042-4300-65070 **BOLTS** 06/15/2016 2.88 MC INTYRE, CRAIG 042-4200-64250 ADULT SB UMPIRE 07/11/2016 25.00 MID AMERICAN ENERGY CO. 042-4300-63710 FUFL HEAT 06/21/2016 27 28 MIDWEST OFFICE TECH MONTHLY CONTRACT FEE 042-4200-65060 06/29/2016 43.00 MILLER ELECTRIC SERVICES 042-4200-63100 SB SCOREBOARD REPAIR 06/29/2016 339.31 MYERS, ROBERT 042-4200-64250 ADULT SB UMPIRE 07/11/2016 175.00 NORWALK READY-MIXED CON 042-4300-63100 CONCRETE TRAIL REPAIR 06/22/2016 540.00 ADULT SB UMPIRE PARK, KRIS 042-4200-64250 07/11/2016 75.00 PELLA PRINTING 042-4200-64140 SUMMER MAGAZINE 06/29/2016 5,867.00

Report dates: 7/8/2016-7/14/2016

Vendor Name	GL Account Number	Description	Invoice Date	Net Invoice Amount
PIERCE BROTHERS REPAIR	042-4300-63410	WELD MOWER WHEEL	06/30/2016	14.00
PIERCE BROTHERS REPAIR	042-4300-63410	WELD REACH OUT MOWER	07/06/2016	28.00
PROTECT YOUTH SPORTS	042-4200-64990	COACH BACKGROUND CHECKS - 12	07/01/2016	95.40
SPRINGER PEST SOLUTIONS D	042-4200-64090	ACTIVITY CENTER PEST CONTROL	07/11/2016	61.00
UNUM LIFE INSURANCE CO OF	042-4300-61550	LIFE, AD&D AND LTD INSURANCE	07/14/2016	65.83
UNUM LIFE INSURANCE CO OF	042-4400-61550	LIFE, AD&D AND LTD INSURANCE	07/14/2016	20.58
UNUM LIFE INSURANCE CO OF	042-4200-61550	LIFE, AD&D AND LTD INSURANCE	07/14/2016	18.68
WARREN COUNTY ENGINEER	042-4200-65050	FUEL DISTRIBUTION - VANS	07/07/2016	111.13
WARREN COUNTY ENGINEER	042-4200-65050	FUEL DISTRIBUTION - MISC	07/07/2016	125.24
WARREN COUNTY ENGINEER	042-4300-65050	FUEL DISTRIBUTION	07/07/2016	850.51
WERLING, RON	042-4400-66990	RETURN OF DEPOSIT	07/11/2016	150.00
WIEGERT DISPOSAL CO.	042-4400-64090	DUMPSTER - ACT. CENTER	07/01/2016	25.00
WIEGERT DISPOSAL CO.	042-4400-64990	DUMPSTER - SOFTBALL	07/01/2016	125.00
WIEGERT DISPOSAL CO.	042-4300-64090	DUMPSTER - PARKS	07/01/2016	185.00
Total PARK & RECREATION	FUND:			17,583.59
POOL (MEMORIAL) FUND				
911 ETC INC	045-4500-63730	911 MONTHLY ACCESS CHARGE	06/28/2016	1.68
ATLANTIC BOTTLING CO.	045-4500-65070	POOL CONCESSIONS	07/08/2016	251.00
FARNER-BROCKEN CO	045-4500-65070	POOL CONCESSIONS	07/06/2016	809.62
MAHASKA COMMUNICATION G	045-4500-63730	TELEPHONE	07/01/2016	10.35
RECREONICS	045-4500-65070	VACUUM PARTS AND 2 BASKETBALLS	06/28/2016	155.41
WARREN CO. HEALTH SERVIC	045-4500-64200	ANNUAL POOL INSPECTION	07/05/2016	471.00
WIEGERT DISPOSAL CO.	045-4500-64990	DUMPSTER - MAC	07/01/2016	35.00
Total POOL (MEMORIAL) FUI	ND:			1,734.06
ROAD USE TAX FUND				
911 ETC INC	110-2100-63730	911 MONTHLY ACCESS CHARGE	06/28/2016	1.68
CR SERVICES	110-2100-65500	EAR PLUGS	07/06/2016	27.30
CR SERVICES	110-2100-65076	CAN LINERS	07/06/2016	55.19
CR SERVICES	110-2100-65500	GLOVES	07/06/2016	9.15
DES MOINES ASPHALT & PAVI	110-2100-65073	HOT MIX ASPHALT	06/25/2016	1,534.61
GRIMES ASPHALT & PAVING	110-2100-65073	HOT ASPHALT	06/27/2016	7,714.50
IA COMMUNITIES ASSURANCE	110-2100-64083	ADDITIONAL ITEMS - STREET	07/01/2016	1,122.06
IOWA SIGNAL INC.	110-2100-63451	TRAFFIC DISCUSSION	07/05/2016	100.00
MAHASKA COMMUNICATION G	110-2100-63730	TELEPHONE	07/01/2016	10.35
MAHASKA COMMUNICATION G		INTERNET	07/01/2016 06/21/2016	22.00
MID AMERICAN ENERGY CO.	110-2100-63710	FUEL HEAT		19.36
MOMAR	110-2100-65076	SHOP SUPPLIES	06/29/2016	530.30
NORWALK READY-MIXED CON	110-2100-65073	CONCRETE	06/24/2016	637.00
NORWALK READY-MIXED CON NORWALK READY-MIXED CON	110-2100-65073	CONCRETE CONCRETE	06/28/2016	318.50
NORWALK READY-MIXED CON	110-2100-65073	CONCRETE	06/29/2016 06/29/2016	1,421.00 539.00
NORWALK READY-MIXED CON	110-2100-65073 110-2100-65073			
NORWALK READY-MIXED CON		CONCRETE	06/30/2016	2,352.00
NORWALK READY-MIXED CON	110-2100-65073	CONCRETE	06/30/2016	1,100.00
NORWALK READY-MIXED CON	110-2100-65073 110-2100-65073	CONCRETE CONCRETE	07/01/2016 07/05/2016	416.50
O'HALLORAN INTERNATIONAL		REPAIRS		1,100.00
O'REILLY AUTO PARTS	110-2100-63320 110-2100-63320	BUZZER ALARM	06/26/2016 07/07/2016	679.41 14.36
PIERCE BROTHERS REPAIR	110-2100-63320	EQUIPMENT REPAIRS	06/21/2016	286.00
PIERCE BROTHERS REPAIR		EQUIPMENT REPAIRS EQUIPMENT REPAIRS		
	110-2100-63320		06/22/2016	434.00
PIERCE BROTHERS REPAIR	110-2100-63320	EQUIPMENT REPAIRS	06/22/2016	94.00
PIERCE BROTHERS REPAIR STETSON BUILDING PRODUCT	110-2100-63320	EQUIPMENT REPAIRS	06/22/2016	76.00
	110-2100-64151	WALL FORMS/MAT	07/07/2016	1,922.89
	110 0100 00000	CII TED/CII TED I/IT	00/00/0040	0.44.00
TRANS-IOWA EQUIPMENT INC UNUM LIFE INSURANCE CO OF	110-2100-63320 110-2100-61550	FILTER/FILTER KIT LIFE, AD&D AND LTD INSURANCE	06/30/2016 07/14/2016	341.92 90.41

Payment Approval Report - APPROVAL OF BILLS - CITY Report dates: 7/8/2016-7/14/2016

Jul 14, 2016 02:34PM

Page: 5

Vendor Name GL Account Number Description Invoice Date Net Invoice Amount WARREN COUNTY ENGINEER 110-2100-65050 **FUEL DISTRIBUTION** 07/07/2016 2,390.96 WASTE MANAGEMENT OF IOW 110-2100-64090 TRASH - JULY 2016 07/01/2016 32.00 Total ROAD USE TAX FUND: 25,392.45 YMCA MAINTENANCE OBLIGATIONS BAILEY ROOFING CONTRACTO 115-6150-64990 **ROOF REPAIR** 06/30/2016 375.00 Total YMCA MAINTENANCE OBLIGATIONS: 375.00 LIBRARY SPECIAL REVENUE FUND BAKER AND TAYLOR 141-4100-65020 BOOKS 05/27/2016 15.11 BAKER AND TAYLOR 141-4100-65020 **BOOKS** 06/03/2016 28.56 BAKER AND TAYLOR 141-4100-65023 BOOKS 06/03/2016 69.45 BAKER AND TAYLOR 141-4100-65020 BOOKS 06/10/2016 113.64 BAKER AND TAYLOR 141-4100-65023 BOOKS 06/25/2016 101.30 **CENGAGE LEARNING** 141-4100-65020 LARGE PRINT BOOK 05/18/2016 24.79 CENGAGE LEARNING 141-4100-65020 LARGE PRINT BOOK 06/08/2016 26.39 CENGAGE LEARNING 141-4100-65020 LARGE PRINT BOOK 06/22/2016 25 59 INDIANOLA PARKS AND RECRE 141-4100-65020 LANDSCAPING 07/06/2016 359 20 RECORDED BOOKS INC 141-4100-65020 BOOK ON CD 06/07/2016 53.99 RECORDED BOOKS INC 141-4100-65020 **BOOK ON CD** 06/16/2016 45.40 RECORDED BOOKS INC 141-4100-65020 **BOOK ON CD** 06/20/2016 31.50 RECORDED BOOKS INC 141-4100-65020 **BOOK ON CD** 06/21/2016 17.99 Total LIBRARY SPECIAL REVENUE FUND: 912.91 STREET CAPITAL PROJECTS FUND CIRTPA FY 2017 MEMBER ASSESSMENT 06/22/2016 321-2100-64870 1.922.00 PRECISION LAWN CARE 705 N W ST - MOWING 321-2100-64872 07/05/2016 60.00 Total STREET CAPITAL PROJECTS FUND: 1.982.00 SEWER FUND 911 ETC INC 610-8300-63730 911 MONTHLY ACCESS CHARGE 06/28/2016 6.72 HART, NORMAN 610-8300-61440 **WELLNESS JUNE 2016** 07/05/2016 25.00 MAHASKA COMMUNICATION G 610-8300-63730 TELEPHONE 07/01/2016 41.40 MAHASKA COMMUNICATION G 610-8300-64990 INTERNET 07/01/2016 22.00 MC COY HARDWARE INC 610-8350-63100 GRIT CHAMBER LIGHTS AND LIGHT SWITCH 06/30/2016 47.22 TELRITE CORPORATION LONG DISTANCE SERVICE 610-8300-63730 06/22/2016 7 23 PROFESSIONAL SERVICES AND TITLE V FEES WPC THOMPSON ENVIRONMENTAL 610-8300-64900 06/30/2016 286.95 TREASURER STATE OF IOWA 610-8300-64181 2ND QTR 2016 USE TAX 07/01/2016 339.00 UNUM LIFE INSURANCE CO OF 610-8300-61550 LIFE, AD&D AND LTD INSURANCE 07/14/2016 82.01 VANDERPOOL CONSTRUCTIO 610-8350-63100 **6 TON CLEAN LIMESTONE** 06/01/2016 170.76 VANDERPOOL CONSTRUCTIO 610-8350-63100 **6 TON CLEAN LIMESTONE** 06/01/2016 170.76 **VERIZON WIRELESS** 610-8300-63730 WIRELESS FOR LAPTOP 06/26/2016 30.02 **FUEL DISTRIBUTION** WARREN COUNTY ENGINEER 610-8300-65050 07/07/2016 557.52 WOOSLEY LANDSCAPING & M 610-8350-64990 **MOWING - PLANT** 06/29/2016 930.00 WOOSLEY LANDSCAPING & M 610-8325-64990 MOWING - LIFTS 06/29/2016 250.00 Total SEWER FUND: 2.966.59 RECYCLING FUND WASTE MANAGEMENT OF IOW 670-8400-64701 RECYCLING APT 494-0152822-0516-8 07/01/2016 2.775.76 WASTE MANAGEMENT OF IOW 670-8400-64702 RECYCLING TOTES 494-0152854-0516-1 07/01/2016 10.00 WASTE MANAGEMENT OF IOW 670-8400-64702 RECYCLING TOTES 494-0152855-0516-8 07/01/2016 10.00 WASTE MANAGEMENT OF IOW 670-8400-64700 RECYCLING RES 494-0152818-0516-6 07/01/2016 13,479.90

CITY OF INDIANOLA, IA	Payment Approval Report - APPROVAL OF BILLS - CITY Report dates: 7/8/2016-7/14/2016			Page: 6 Jul 14, 2016 02:34PM	
Vendor Name	GL Account Number		Description	Invoice Date	Net Invoice Amount
Total RECYCLING FUND:					16,275.66
HEALTH INSURANCE FUND UNITED STATES TREASURY	820-9300-64990	PCOR FEE		07/01/2016	594.88
Total HEALTH INSURANCE	FUND:				594.88
Grand Totals:					168,582.96
City Council:			_		
			-		
			_		

Payment Approval Report - VENDOR REPORT - CITY Report dates: 7/8/2016-7/14/2016

Page: 1

Jul 14, 2016 02:39PM

Vendor Name	Description	Invoice Date	Net Invoice Amount	FUND
911 ETC INC				
911 ETC INC	911 MONTHLY ACCESS CHARGE	06/28/2016	6.72	SEWER FUND
911 ETC INC	911 MONTHLY ACCESS CHARGE	06/28/2016	12.61	PARK & RECREATI
911 ETC INC	911 MONTHLY ACCESS CHARGE	06/28/2016	1.68	ROAD USE TAX FU
11 ETC INC	911 MONTHLY ACCESS CHARGE	06/28/2016	9.24	LIBRARY FUND
11 ETC INC	911 MONTHLY ACCESS CHARGE	06/28/2016	15.13	POLICE FUND
11 ETC INC	911 MONTHLY ACCESS CHARGE	06/28/2016	4.20	PARK & RECREAT
11 ETC INC	911 MONTHLY ACCESS CHARGE	06/28/2016	10.93	GENERAL FUND
11 ETC INC	911 MONTHLY ACCESS CHARGE	06/28/2016	1.68	POOL (MEMORIAL)
911 ETC INC	911 MONTHLY ACCESS CHARGE	06/28/2016	2.52	GENERAL FUND
11 ETC INC	911 MONTHLY ACCESS CHARGE	06/28/2016	9.24	FIRE FUND
Total 911 ETC INC:			73.95	
AGRILAND FS INC				
AGRILAND FS INC	SOFTBALL FIELD DRY	07/06/2016	1,230.00	PARK & RECREATI
Total AGRILAND FS INC:			1,230.00	
AIR-CON MECHANICAL CORP.				
AIR-CON MECHANICAL CORP.	BUILDING REPAIR/MAINTENANCE	06/14/2016		LIBRARY FUND
AIR-CON MECHANICAL CORP.	ADMIN & PD SIDE REPAIR	06/28/2016		GENERAL FUND
AIR-CON MECHANICAL CORP.	PD AHU'S NOT RUNNING	06/28/2016	556.33	GENERAL FUND
Total AIR-CON MECHANICA	AL CORP.:		1,245.12	
NIRGAS USA LLC	OVVCEN FOR EMC	00/20/2046	52.52	ANDLII ANGE EUN
AIRGAS USA LLC	OXYGEN FOR EMS	06/30/2016	53.52	AMBULANCE FUN
Total AIRGAS USA LLC:			53.52	
ATLANTIC BOTTLING CO.	OCETRALL CONCESSIONS	00/00/0040	050.40	
ATLANTIC BOTTLING CO.	SOFTBALL CONCESSIONS	06/28/2016		
TLANTIC BOTTLING CO.	SOFTBALL CONCESSIONS	06/28/2016	•	PARK & RECREAT
TLANTIC BOTTLING CO.	POOL CONCESSIONS	07/08/2016	251.00	POOL (MEMORIAL
Total ATLANTIC BOTTLING	CO.:		2,028.65	
AUBERT'S TOWING AUBERT'S TOWING	TOWING	05/23/2016	170.00	POLICE FUND
Total AUBERT'S TOWING:			170.00	
			170.00	
BAILEY ROOFING CONTRACTOR BAILEY ROOFING CONTRACTO		06/30/2016	375.00	YMCA MAINTENAN
Total BAILEY ROOFING CO	NTRACTORS INC:		375.00	
BAKER & TAYLOR ENTERTAINM	IENT			
BAKER & TAYLOR ENTERTAIN	DVD	06/03/2016	21.86	LIBRARY FUND
AKER & TAYLOR ENTERTAIN	6 DVD'S	06/08/2016	52.00	LIBRARY FUND
AKER & TAYLOR ENTERTAIN	CD	05/27/2016		LIBRARY FUND
SAKER & TAYLOR ENTERTAIN	3 DVD'S	05/27/2016		LIBRARY FUND
AKER & TAYLOR ENTERTAIN	5 DVD'S	06/26/2016		LIBRARY FUND
- · · · · · · · · · · · · · · · · · · ·				LIBRARY FUND
BAKER & TAYLOR ENTERTAIN	3 CD'S	06/26/2016		LIBITARTITOND

Payment Approval Report - VENDOR REPORT - CITY Report dates: 7/8/2016-7/14/2016

Page: 2

Jul 14, 2016 02:39PM

	<u> </u>			
Vendor Name	Description	Invoice Date	Net Invoice Amount	FUND
BAKER AND TAYLOR				
BAKER AND TAYLOR	BOOKS	05/17/2016	156.96	LIBRARY FUND
BAKER AND TAYLOR	BOOKS	05/27/2016	577.50	LIBRARY FUND
BAKER AND TAYLOR	BOOKS	05/27/2016		LIBRARY SPECIAL
BAKER AND TAYLOR	BOOKS	06/03/2016		LIBRARY FUND
BAKER AND TAYLOR	BOOKS	06/03/2016		LIBRARY SPECIAL
BAKER AND TAYLOR	BOOKS	06/03/2016		LIBRARY SPECIAL
BAKER AND TAYLOR	BOOKS	06/10/2016		LIBRARY SPECIAL
BAKER AND TAYLOR	BOOKS	06/10/2016		LIBRARY FUND
BAKER AND TAYLOR	BOOKS	06/25/2016		LIBRARY SPECIAL
BAKER AND TAYLOR	BOOKS	06/25/2016		LIBRARY FUND
Total BAKER AND TAYLOR	:		2,179.10	
BEE-LINE SEWER SERVICE				
BEE-LINE SEWER SERVICE	CLEAR CLOGGED STOOL	07/01/2016	85.00	LIBRARY FUND
Total BEE-LINE SEWER SE	RVICE:		85.00	
BOOK PAGE				
BOOK PAGE	ANNUAL SUBSCRIPTION	07/13/2016	300.00	LIBRARY FUND
Total BOOK PAGE:			300.00	
CAPITAL EXPRESS				
CAPITAL EXPRESS	POSTAGE	07/02/2016	39.95	GENERAL FUND
Total CAPITAL EXPRESS:			39.95	
CDW GOVERNMENT INC				
CDW GOVERNMENT INC	MICROSOFT ANNUAL LICENSING	06/22/2016	519.70	LIBRARY FUND
CDW GOVERNMENT INC	MICROSOFT ANNUAL LICENSING	06/22/2016		PARK & RECREATI
CDW GOVERNMENT INC	MICROSOFT ANNUAL LICENSING	06/22/2016	3,591.04	GENERAL FUND
Total CDM/ COVERNMENT	INC		4 422 56	
Total CDW GOVERNMENT	INC.		4,422.56	
CENGAGE LEARNING				
CENGAGE LEARNING	LARGE PRINT BOOK	05/18/2016	24.79	LIBRARY SPECIAL
CENGAGE LEARNING	2 LARGE PRINT BOOKS	05/18/2016	51.98	LIBRARY FUND
CENGAGE LEARNING	5 LARGE PRINT BOOKS	06/08/2016	138.35	LIBRARY FUND
CENGAGE LEARNING	LARGE PRINT BOOK	06/08/2016	26.39	LIBRARY SPECIAL
CENGAGE LEARNING	LARGE PRINT BOOK	06/10/2016	24.79	LIBRARY FUND
CENGAGE LEARNING	LARGE PRINT BOOK	06/22/2016	25.59	LIBRARY SPECIAL
Total CENGAGE LEARNING	3 :		291.89	
CENTER POINT LARGE PRINT				
CENTER POINT LARGE PRINT	WESTERN SERIES/24 TITLES PER YEAR	07/01/2016	496.08	LIBRARY FUND
Total CENTER POINT LARG	GE PRINT:		496.08	
CENTURYLINK	244 2000	00/00/00/0		D.D.V. 0. DE0DE1-1-1
CENTURYLINK	911 PHONE	06/22/2016	54.44	PARK & RECREATI
Total CENTURYLINK:			54.44	
CHAPLIN, BRIANNA CHAPLIN, BRIANNA	YOUTH & ADULT SB UMPIRE	07/11/2016	57.50	PARK & RECREATI

CITY OF INDIANOLA, IA

Payment Approval Report - VENDOR REPORT - CITY Report dates: 7/8/2016-7/14/2016

Page: 3 Jul 14, 2016 02:39PM

	Report dates: 7/8/201	6-7/14/2016		Jul 14, 2016 02:39P
Vendor Name	Description	Invoice Date	Net Invoice Amount	FUND
Total CHAPLIN, BRIANNA:			57.50	
CIRTPA				
CIRTPA	FY 2017 MEMBER ASSESSMENT	06/22/2016	1,922.00	STREET CAPITAL
Total CIRTPA:			1,922.00	
CITIES DIGITAL CITIES DIGITAL	LASERFISCHE AVANTE FORMS	07/01/2016	1,493.35	GENERAL FUND
Total CITIES DIGITAL:			1,493.35	
CITY OF INDIANOLA - UTILITY				
CITY OF INDIANOLA - UTILITY	UTILITIES - MEMORIAL	06/30/2016		PARK & RECREATI
CITY OF INDIANOLA - UTILITY	UTILITIES - BARKER	06/30/2016	58.55	PARK & RECREATI
CITY OF INDIANOLA - UTILITY	UTILITIES - PICKARD	06/30/2016	558.23	PARK & RECREATI
CITY OF INDIANOLA - UTILITY	UTILITIES - MCCORD	06/30/2016	117.49	PARK & RECREATI
CITY OF INDIANOLA - UTILITY	UTILITIES - DOWNEY	06/30/2016	33.01	PARK & RECREATI
CITY OF INDIANOLA - UTILITY	UTILITIES -SHOP	06/30/2016		PARK & RECREATI
				PARK & RECREATI
CITY OF INDIANOLA - UTILITY	UTILITIES - TRAIL	06/30/2016		
CITY OF INDIANOLA - UTILITY	UTILITIES - YOUTH SOFTBALL	06/30/2016		PARK & RECREATI
CITY OF INDIANOLA - UTILITY	UTILITIES - MOATS	06/30/2016	277.42	PARK & RECREATI
CITY OF INDIANOLA - UTILITY	UTILITIES- BUXTON	06/30/2016	217.47	PARK & RECREATI
CITY OF INDIANOLA - UTILITY	UTILITIES	06/30/2016	1,358.40	LIBRARY FUND
Total CITY OF INDIANOLA	- UTILITY:		3,305.40	
CORY, TARRY CORY, TARRY	ADULT SB UMPIRE	07/11/2016	75.00	PARK & RECREATI
Total CORY, TARRY:			75.00	
TOTAL CONT, TANKT.			73.00	
CR SERVICES CR SERVICES	GLOVES	07/06/2016	9 15	ROAD USE TAX FU
CR SERVICES	CAN LINERS	07/06/2016		ROAD USE TAX FU
CR SERVICES	EAR PLUGS	07/06/2016		ROAD USE TAX FU
Total CR SERVICES:			91.64	
CRAWFORD, RICHARD L.				
CRAWFORD, RICHARD L.	ADULT SB UMPIRE	07/11/2016	225.00	PARK & RECREATI
Total CRAWFORD, RICHAR	RD L.:		225.00	
DES MOINES ASPHALT & PAVIN				
DES MOINES ASPHALT & PAVI	HOT MIX ASPHALT	06/25/2016	1,534.61	ROAD USE TAX FU
Total DES MOINES ASPHA	LT & PAVING CO:		1,534.61	
DOWNEY TIRE SERVICE	VELUCI E DEDAID	07/07/0040	20.47	DOLLOS SUND
DOWNEY TIRE SERVICE	VEHICLE REPAIR	07/07/2016	30.17	POLICE FUND
Total DOWNEY TIRE SERV	/ICE:		30.17	
DUNN LIBRARY DUNN LIBRARY	III MAINTENANCE CHARGES	06/03/2016	11 771 88	LIBRARY FUND
<u></u>		33/33/2310	,	

CITY	ΩF	INDIA	NOLA.	IΑ

Payment Approval Report - VENDOR REPORT - CITY Report dates: 7/8/2016-7/14/2016

Page: 4 Jul 14, 2016 02:39PM

	Report dates: 7/8/20			Jul 14, 2016 02:39F
Vendor Name	Description —	Invoice Date	Net Invoice Amount	FUND
Total DUNN LIBRARY:			11,771.88	
DUST PROS JANITORIAL				
DUST PROS JANITORIAL	MONTHLY CELANING	07/05/2016	1,170.00	LIBRARY FUND
DUST PROS JANITORIAL	CLEANING SUPPLIES	07/05/2016	113.25	LIBRARY FUND
Total DUST PROS JANITOF	RIAL:		1,283.25	
ELECTRONIC ENGINEERING CO ELECTRONIC ENGINEERING C	RADIO REPAIR	06/22/2016	234.00	POLICE FUND
Total ELECTRONIC ENGINE	EERING CO:		234.00	
ARNER-BROCKEN CO				
ARNER-BROCKEN CO	SOFTBALL CONCESSIONS	06/28/2016	2,471.20	PARK & RECREATI
FARNER-BROCKEN CO	POOL CONCESSIONS	07/06/2016	809.62	POOL (MEMORIAL)
Total FARNER-BROCKEN C	CO:		3,280.82	
RASER TRANSPORTATION LLC				
RASER TRANSPORTATION LL	STANDBY	06/15/2016	237.50	AMBULANCE FUN
Total FRASER TRANSPORT	TATION LLC:		237.50	
GRIMES ASPHALT & PAVING				
GRIMES ASPHALT & PAVING	HOT ASPHALT	06/27/2016	7,714.50	ROAD USE TAX FU
Total GRIMES ASPHALT & I	PAVING:		7,714.50	
HART, NORMAN HART, NORMAN	WELLNESS JUNE 2016	07/05/2016	25.00	SEWER FUND
	WELLINESS SOME 2010	07703/2010		SEWEIT OND
Total HART, NORMAN:			25.00	
A COMMUNITIES ASSURANCE F A COMMUNITIES ASSURANCE	POOL ADDITIONAL ITEMS - STREET	07/01/2016	1,122.06	ROAD USE TAX FU
Total IA COMMUNITIES AS	SURANCE POOL:		1,122.06	
LLINOIS FIRE STORE LLINOIS FIRE STORE	KOCHEK	12/31/2015	39.95	FIRE FUND
Total ILLINOIS FIRE STORE	<u>:</u>		39.95	
NOIANOLA DADKO AND DEODE	ATION			
NDIANOLA PARKS AND RECRE NDIANOLA PARKS AND RECRE		07/06/2016	359.20	LIBRARY SPECIAL
Total INDIANOLA PARKS A	ND RECREATION:		359.20	
NDOFF WOODDOO!				
NDOFF INCORPORATED NDOFF INCORPORATED	OFFICE SUPPLIES	07/08/2016	23.74	PARK & RECREATI
Total INDOFF INCORPORA	TED:		23.74	
NFOMAX OFFICE SYSTEMS INC NFOMAX OFFICE SYSTEMS IN	PRINTING CONTRACT	06/27/2016	02.60	FIRE FUND
NFOMAX OFFICE SYSTEMS IN	COPIER CONTRACT	07/04/2016		POLICE FUND

CITY OF INDIANOLA, IA

Payment Approval Report - VENDOR REPORT - CITY Report dates: 7/8/2016-7/14/2016

Page: 5

	Payment Approval Report - VENDC Report dates: 7/8/2016-7			Page: Jul 14, 2016 02:39F
Vendor Name	Description	Invoice Date	Net Invoice Amount	FUND
Total INFOMAX OFFICE SYS	STEMS INC.:		115.70	
INOVATIVE INTERFACES INC INOVATIVE INTERFACES INC	ANNUAL MILLENNIUM MAINTENANCE	06/03/2016	7,608.00	LIBRARY FUND
Total INNOVATIVE INTERFA	CES INC:		7,608.00	
DWA SIGNAL INC. DWA SIGNAL INC.	TRAFFIC DISCUSSION	07/05/2016	100.00	ROAD USE TAX FU
Total IOWA SIGNAL INC.:			100.00	
WA WATER MANAGEMENT CO				
DWA WATER MANAGEMENT C DWA WATER MANAGEMENT C		07/01/2016 07/01/2016		GENERAL FUND LIBRARY FUND
Total IOWA WATER MANAG	EMENT CO.:		190.00	
M'S JOHNS				
M'S JOHNS M'S JOHNS	KYBO'S (PARKS) KYBO'S (DUMP)	06/21/2016 06/21/2016		PARK & RECREATI GENERAL FUND
Total JIM'S JOHNS:			280.00	
ONICA MINOLTA BUSINESS SO ONICA MINOLTA BUSINESS S		06/30/2016	24.25	PARK & RECREATI
Total KONICA MINOLTA BUS	SINESS SOLUTIONS:		24.25	
OSMAN CLEANING CREW LLC				
OSMAN CLEANING CREW LLC	1ST HALF OF JULY	07/11/2016	2,167.00	GENERAL FUND
Total KOSMAN CLEANING C	CREW LLC:		2,167.00	
BRARY IDEAS LLC BRARY IDEAS LLC	FREEGAL MUSIC SUBSCRIPTION	07/11/2016	3 000 00	LIDDADY ELIND
BRART IDEAS LLC	FREEGAL MUSIC SUBSCRIPTION	07/11/2010	·	LIBRARY FUND
Total LIBRARY IDEAS LLC:			3,090.00	
AHASKA COMMUNICATION GRO		07/04/0040	00.00	DADIK & DEODEATI
AHASKA COMMUNICATION G AHASKA COMMUNICATION G	TELEPHONE INTERNET	07/01/2016 07/01/2016		PARK & RECREATI ROAD USE TAX FU
AHASKA COMMUNICATION G	TELEPHONE	07/01/2016		LIBRARY FUND
AHASKA COMMUNICATION G	TELEPHONE	07/01/2016		GENERAL FUND
AHASKA COMMUNICATION G	TELEPHONE	07/01/2016		PARK & RECREATI
AHASKA COMMUNICATION G	TELEPHONE	07/01/2016	56.93	FIRE FUND
AHASKA COMMUNICATION G	INTERNET	07/01/2016	22.00	SEWER FUND
AHASKA COMMUNICATION G	TELEPHONE	07/01/2016	10.35	ROAD USE TAX FU
AHASKA COMMUNICATION G	INTERNET	07/01/2016		PARK & RECREATI
AHASKA COMMUNICATION G	INTERNET	07/01/2016		FIRE FUND
AHASKA COMMUNICATION G	TELEPHONE	07/01/2016		GENERAL FUND
AHASKA COMMUNICATION G	TELEPHONE	07/01/2016		PARK & RECREATI
AHASKA COMMUNICATION G	TELEPHONE	07/01/2016		POLICE FUND
AHASKA COMMUNICATION G	INTERNET	07/01/2016		LIBRARY FUND
AHASKA COMMUNICATION G AHASKA COMMUNICATION G	INTERNET TELEPHONE	07/01/2016		GENERAL FUND PARK & RECREATI
IAHASKA COMMUNICATION G	TELEPHONE INTERNET	07/01/2016 07/01/2016		POLICE FUND
" " " TOTAL OCIVIIVIONIUM ION G	11 X 1 I I I I I I I I I I I I I I I I I	01/01/2010	ZZ.UU	I OLIOL I UND

CITY	ΩF	INDIA	NOLA.	IΑ

Payment Approval Report - VENDOR REPORT - CITY Report dates: 7/8/2016-7/14/2016

Page: 6 Jul 14, 2016 02:39PM

Vendor Name Description Invoice Date Net Invoice Amount **FUND** MAHASKA COMMUNICATION G TELEPHONE 07/01/2016 41.40 SEWER FUND MAHASKA COMMUNICATION G TELEPHONE 07/01/2016 10.35 POOL (MEMORIAL) MAHASKA COMMUNICATION G TELEPHONE 28.66 AMBULANCE FUN 01/07/2016 Total MAHASKA COMMUNICATION GROUP: 721.09 MARCHANT, GREG MARCHANT, GREG **ECONOMIC DEV CONTRACT** 07/11/2016 750.00 GENERAL FUND Total MARCHANT, GREG: 750.00 MC COY HARDWARE INC MC COY HARDWARE INC 2.88 PARK & RECREATI **BOLTS** 06/15/2016 MC COY HARDWARE INC **SUPPLIES** 07/05/2016 12.48 POLICE FUND MC COY HARDWARE INC GRIT CHAMBER LIGHTS AND LIGHT SWITC 06/30/2016 47.22 SEWER FUND Total MC COY HARDWARE INC: 62.58 MC INTYRE, CRAIG MC INTYRE, CRAIG ADULT SB UMPIRE 25.00 PARK & RECREATI 07/11/2016 Total MC INTYRE, CRAIG: 25.00 **MEDTRAK SERVICES** MEDTRAK SERVICES 411 RX 06/30/2016 84.03 POLICE FUND Total MEDTRAK SERVICES: 84.03 MID AMERICAN ENERGY CO. MID AMERICAN ENERGY CO. NATURAL GAS 06/21/2016 14.08 LIBRARY FUND MID AMERICAN ENERGY CO. **FUEL HEAT** 06/21/2016 19.36 ROAD USE TAX FU MID AMERICAN ENERGY CO. **FUEL HEAT** 06/21/2016 27.28 PARK & RECREATI Total MID AMERICAN ENERGY CO .: 60.72 **MIDWEST OFFICE TECH** MIDWEST OFFICE TECH MONTHLY CONTRACT FEE 06/29/2016 43.00 PARK & RECREATI Total MIDWEST OFFICE TECH: 43.00 **MIDWEST RADAR & EQUIPMENT** MIDWEST RADAR & EQUIPMEN RADAR CONTRACT 07/11/2016 440.00 POLICE FUND Total MIDWEST RADAR & EQUIPMENT: 440.00 **MILLER ELECTRIC SERVICES** MILLER ELECTRIC SERVICES SB SCOREBOARD REPAIR 06/29/2016 339.31 PARK & RECREATI Total MILLER ELECTRIC SERVICES: 339.31 **MOMAR MOMAR** SHOP SUPPLIES 06/29/2016 530.30 ROAD USE TAX FU Total MOMAR: 530.30 MYERS, ROBERT MYERS, ROBERT ADULT SB UMPIRE 07/11/2016 175.00 PARK & RECREATI

CITY	ΩF	INDIA	NOLA.	IΑ

Payment Approval Report - VENDOR REPORT - CITY Report dates: 7/8/2016-7/14/2016

Page: 7 Jul 14, 2016 02:39PM

Vandar Nama	Dogarintian	Invoice Deta	Not Invoice Amount	ELIND
Vendor Name	Description	invoice Date	Net Invoice Amount	FUND
Total MYERS, ROBERT:			175.00	
NATIONAL DALLOON OF ACCIO				
NATIONAL BALLOON CLASSIC NATIONAL BALLOON CLASSIC	2016 CORP SCHOLARSHIP	07/11/2016	6,500.00	GENERAL FUND
Total NATIONAL BALLOON (CLASSIC:		6,500.00	
NORWALK READY-MIXED CONC	RETE			
NORWALK READY-MIXED CON	CONCRETE TRAIL REPAIR	06/22/2016	540.00	PARK & RECREATI
NORWALK READY-MIXED CON	CONCRETE	06/24/2016	637.00	ROAD USE TAX FU
NORWALK READY-MIXED CON	CONCRETE	06/28/2016	318.50	ROAD USE TAX FU
NORWALK READY-MIXED CON	CONCRETE	06/29/2016	1,421.00	ROAD USE TAX FU
NORWALK READY-MIXED CON	CONCRETE	06/29/2016	539.00	ROAD USE TAX FU
ORWALK READY-MIXED CON	CONCRETE	06/30/2016	2,352.00	ROAD USE TAX FU
NORWALK READY-MIXED CON	CONCRETE	06/30/2016	1,100.00	ROAD USE TAX FU
NORWALK READY-MIXED CON	CONCRETE	07/01/2016	416.50	ROAD USE TAX FU
IORWALK READY-MIXED CON	CONCRETE	07/05/2016	1,100.00	ROAD USE TAX FU
Total NORWALK READY-MIX	KED CONCRETE:		8,424.00	
D'HALLORAN INTERNATIONAL				
HALLORAN INTERNATIONAL	REPAIRS	06/26/2016	679.41	ROAD USE TAX FU
Total O'HALLORAN INTERNA	ATIONAL:		679.41	
REILLY AUTO PARTS				
PREILLY AUTO PARTS	SUPPLIES	06/28/2016	5.40	POLICE FUND
PREILLY AUTO PARTS	BUZZER ALARM	07/07/2016	14.36	ROAD USE TAX FU
Total O'REILLY AUTO PART	S:		19.76	
PARK, KRIS				
PARK, KRIS	ADULT SB UMPIRE	07/11/2016	75.00	PARK & RECREATI
Total PARK, KRIS:			75.00	
PELLA PRINTING				
PELLA PRINTING	SUMMER MAGAZINE	06/29/2016		PARK & RECREATI
PELLA PRINTING	SUMMER MAGAZINE	06/29/2016	5,867.00	GENERAL FUND
Total PELLA PRINTING:			11,734.00	
PENGUIN RANDOM HOUSE LLC				
PENGUIN RANDOM HOUSE LLC	BOOK ON CD	06/03/2016	26.25	LIBRARY FUND
PENGUIN RANDOM HOUSE LLC	BOOK ON CD	06/10/2016	33.75	LIBRARY FUND
ENGUIN RANDOM HOUSE LLC	BOOK ON CD	06/17/2016	24.00	LIBRARY FUND
PENGUIN RANDOM HOUSE LLC	BOOK ON CD	06/24/2016	33.75	LIBRARY FUND
Total PENGUIN RANDOM HO	OUSE LLC:		117.75	
PIERCE BROTHERS REPAIR				
	WELD MOWER WHEEL	06/30/2016	14.00	PARK & RECREATI
IERCE BROTHERS REPAIR		06/21/2016	286.00	ROAD USE TAX FU
	EQUIPMENT REPAIRS	00/21/2010		
IERCE BROTHERS REPAIR	EQUIPMENT REPAIRS EQUIPMENT REPAIRS	06/22/2016	434.00	ROAD USE TAX FU
IERCE BROTHERS REPAIR IERCE BROTHERS REPAIR				ROAD USE TAX FU ROAD USE TAX FU
PIERCE BROTHERS REPAIR	EQUIPMENT REPAIRS	06/22/2016	94.00	

CITY	OF	INDIA	NOLA.	IΑ

Payment Approval Report - VENDOR REPORT - CITY Report dates: 7/8/2016-7/14/2016

Page: 8 Jul 14. 2016 02:39PM

Description Invoice Date Net Invoice Amount **FUND** Vendor Name Total PIERCE BROTHERS REPAIR: 932.00 **PRECISION LAWN CARE** PRECISION LAWN CARE 705 N W ST - MOWING 07/05/2016 60.00 STREET CAPITAL Total PRECISION LAWN CARE: 60.00 **PROGRESSIVE AUTO - CA** PROGRESSIVE AUTO - CA **OVERPAYMENT** 07/13/2016 698.00 AMBULANCE FUN Total PROGRESSIVE AUTO - CA: 698.00 **PROTECT YOUTH SPORTS** PROTECT YOUTH SPORTS COACH BACKGROUND CHECKS - 12 07/01/2016 95.40 PARK & RECREATI Total PROTECT YOUTH SPORTS: 95.40 PUBLIC AGENCY TRAINING COUNCIL PUBLIC AGENCY TRAINING CO NFPA 1033 FIRE INVESTIGATION 295 00 FIRE FUND 07/05/2016 Total PUBLIC AGENCY TRAINING COUNCIL: 295.00 **RECORDED BOOKS INC** RECORDED BOOKS INC **BOOK ON CD** 05/18/2016 31.50 LIBRARY FUND RECORDED BOOKS INC **BOOK ON DVD** 05/23/2016 41.60 LIBRARY FUND RECORDED BOOKS INC **BOOK ON CD** 05/25/2016 36.00 LIBRARY FUND RECORDED BOOKS INC 2 BOOKS ON CD 76.48 LIBRARY FUND 05/27/2016 RECORDED BOOKS INC 53.99 LIBRARY SPECIAL **BOOK ON CD** 06/07/2016 RECORDED BOOKS INC **BOOK ON CD** 06/16/2016 45.40 LIBRARY SPECIAL RECORDED BOOKS INC **BOOK ON CD** 06/20/2016 31.50 LIBRARY SPECIAL RECORDED BOOKS INC BOOK ON CD 06/21/2016 17.99 LIBRARY SPECIAL Total RECORDED BOOKS INC: 334.46 **RECORD-HERALD & INDIANOLA TRIBUNE** RECORD-HERALD & INDIANOL CC MIN-06 06/26/2016 270.61 GENERAL FUND RECORD-HERALD & INDIANOL ORD 1555 06/26/2016 27.80 GENERAL FUND Total RECORD-HERALD & INDIANOLA TRIBUNE: 298.41 **RECREONICS** 155.41 POOL (MEMORIAL) **RECREONICS** VACUUM PARTS AND 2 BASKETBALLS 06/28/2016 Total RECREONICS: 155.41 SAMS, MARGARET SAMS, MARGARET **REFUND** 07/12/2016 110.40 AMBULANCE FUN Total SAMS, MARGARET: 110.40 SHER, BRIAN SHER, BRIAN CELL PHONE 05/23/16 - 06/22/16 06/22/2016 50.00 POLICE FUND Total SHER, BRIAN: 50.00 SPRINGER PEST SOLUTIONS DSM SPRINGER PEST SOLUTIONS D BI-MONTHLY SERVICE 79.00 LIBRARY FUND 06/14/2016

CITY	ΩF	INDIA	NOLA.	IΑ

Payment Approval Report - VENDOR REPORT - CITY Report dates: 7/8/2016-7/14/2016

CITY Page: 9 Jul 14, 2016 02:39PM

Vendor Name	Description	Invoice Date	Net Invoice Amount	FUND
SPRINGER PEST SOLUTIONS D	ACTIVITY CENTER PEST CONTROL	07/11/2016	61.00	PARK & RECREATI
Total SPRINGER PEST SOL	LUTIONS DSM:		140.00	
STETSON BUILDING PRODUCTS	SINC			
STETSON BUILDING PRODUCT	WALL FORMS/MAT	07/07/2016	1,922.89	ROAD USE TAX FU
Total STETSON BUILDING	PRODUCTS INC:		1,922.89	
T.R.M. DISPOSAL LLC				
T.R.M. DISPOSAL LLC T.R.M. DISPOSAL LLC	GARBAGE - ACCT #159 GARBAGE DISPOSAL ACCT #506	06/24/2016 06/24/2016		POLICE FUND LIBRARY FUND
Total T.R.M. DISPOSAL LLC	<u>;</u>		104.00	
TEL DITE CODDODATION				
TELRITE CORPORATION TELRITE CORPORATION	LONG DISTANCE SERVICE	06/22/2016	11 29	LIBRARY FUND
TELRITE CORPORATION	LONG DISTANCE SERVICE	06/22/2016		GENERAL FUND
TELRITE CORPORATION	LONG DISTANCE SERVICE	06/22/2016		SEWER FUND
TELRITE CORPORATION	LONG DISTANCE SERVICE	06/22/2016		GENERAL FUND
TELRITE CORPORATION	LONG DISTANCE SERVICE	06/22/2016		AMBULANCE FUN
TELRITE CORPORATION	LONG DISTANCE SERVICE	06/22/2016		GENERAL FUND
TELRITE CORPORATION	LONG DISTANCE SERVICE	06/22/2016		FIRE FUND
TELRITE CORPORATION	LONG DISTANCE SERVICE	06/22/2016		GENERAL FUND
TELRITE CORPORATION	LONG DISTANCE SERVICE	06/22/2016		POLICE FUND
Total TELRITE CORPORAT	ION:		130.70	
THOMPSON ENVIRONMENTAL O	CONSULTING INC			
THOMPSON ENVIRONMENTAL	PROFESSIONAL SERVICES AND TITLE V FE	06/30/2016	286.95	SEWER FUND
Total THOMPSON ENVIROR	NMENTAL CONSULTING INC:		286.95	
TRANS-IOWA EQUIPMENT INC				
TRANS-IOWA EQUIPMENT INC	FILTER/FILTER KIT	06/30/2016	341.92	ROAD USE TAX FU
Total TRANS-IOWA EQUIPM	MENT INC:		341.92	
TRANSUNION RISK AND ALTER! TRANSUNION RISK AND ALTER		07/01/2016	70.00	POLICE FUND
		07/01/2010	-	T OLICE T OND
Total TRANSUNION RISK A	ND ALTERNATIVE:		70.00	
TREASURER STATE OF IOWA TREASURER STATE OF IOWA	2ND QTR 2016 USE TAX	07/01/2016	339.00	SEWER FUND
Total TREASURER STATE (OE IOWA:		339.00	
TOTAL TREASURER STATE O	or lowa.		339.00	
TRIZETTO PROVIDER SOLUTION TRIZETTO PROVIDER SOLUTIO		07/01/2016	46.92	AMBULANCE FUN
	SOLUTIONS:		46.92	
Total TRIZETTO PROVIDER				
Total TRIZETTO PROVIDER UNIQUE MANAGEMENT SERVIC	ES			
		07/01/2016	50.00	LIBRARY FUND

CITY	OF	INDIA	LOIN	ΔΙΔ

Payment Approval Report - VENDOR REPORT - CITY Report dates: 7/8/2016-7/14/2016

Page: 10 Jul 14, 2016 02:39PM

Vendor Name	Description	Invoice Date	Net Invoice Amount	FUND
JNITED HEALTHCARE COMM PL				
JNITED HEALTHCARE COMM P		06/30/2016	111.25	AMBULANCE FUN
Total UNITED HEALTHCAR	E COMM PLAN:		111.25	
JNITED STATES TREASURY				
JNITED STATES TREASURY	PCOR FEE	07/01/2016	594.88	HEALTH INSURAN
Total UNITED STATES TRE	ASURY:		594.88	
INUM LIFE INSURANCE CO OF	AMERICA			
INUM LIFE INSURANCE CO OF	LIFE, AD&D AND LTD INSURANCE	07/14/2016	148.78	AMBULANCE FUN
INUM LIFE INSURANCE CO OF	LIFE, AD&D AND LTD INSURANCE	07/14/2016	354.38	POLICE FUND
INUM LIFE INSURANCE CO OF	LIFE, AD&D AND LTD INSURANCE	07/14/2016		GENERAL FUND
JNUM LIFE INSURANCE CO OF	LIFE, AD&D AND LTD INSURANCE	07/14/2016		PARK & RECREAT
JNUM LIFE INSURANCE CO OF	LIFE, AD&D AND LTD INSURANCE	07/14/2016		FIRE FUND
JNUM LIFE INSURANCE CO OF	LIFE, AD&D AND LTD INSURANCE	07/14/2016		GENERAL FUND
	•			
INUM LIFE INSURANCE CO OF	LIFE, AD&D AND LTD INSURANCE	07/14/2016		LIBRARY FUND
JNUM LIFE INSURANCE CO OF	LIFE, AD&D AND LTD INSURANCE	07/14/2016		ROAD USE TAX FI
JNUM LIFE INSURANCE CO OF	LIFE, AD&D AND LTD INSURANCE	07/14/2016		PARK & RECREAT
JNUM LIFE INSURANCE CO OF	LIFE, AD&D AND LTD INSURANCE	07/14/2016		GENERAL FUND
INUM LIFE INSURANCE CO OF	LIFE, AD&D AND LTD INSURANCE	07/14/2016	1,211.76	GENERAL FUND
INUM LIFE INSURANCE CO OF	LIFE, AD&D AND LTD INSURANCE	07/14/2016	40.95	GENERAL FUND
INUM LIFE INSURANCE CO OF	LIFE, AD&D AND LTD INSURANCE	07/14/2016	20.58	PARK & RECREAT
INUM LIFE INSURANCE CO OF	LIFE, AD&D AND LTD INSURANCE	07/14/2016	27.71	GENERAL FUND
INUM LIFE INSURANCE CO OF	LIFE, AD&D AND LTD INSURANCE	07/14/2016		SEWER FUND
Total UNUM LIFE INSURAN	CE CO OF AMERICA:		2,511.38	
ANDERPOOL CONSTRUCTION				
/ANDERPOOL CONSTRUCTIO	6 TON CLEAN LIMESTONE	06/01/2016	170.76	SEWER FUND
ANDERPOOL CONSTRUCTIO	6 TON CLEAN LIMESTONE	06/01/2016	170.76	SEWER FUND
Total VANDERPOOL CONS	TRUCTION:		341.52	
ERIZON WIRELESS				
ERIZON WIRELESS	CELL PHONES FOR MONITOR	06/22/2016	21.08	AMBULANCE FUN
/ERIZON WIRELESS	WIRELESS FOR SPARE LAPTOP	06/26/2016		GENERAL FUND
/ERIZON WIRELESS	WIRELESS FOR LAPTOP	06/26/2016		SEWER FUND
ERIZON WIRELESS	330 LAPTOP/330 CELL	06/26/2016		FIRE FUND
ERIZON WIRELESS	EMS CELL PHONES	06/26/2016		AMBULANCE FUN
Total VERIZON WIRELESS:			440.30	
VALLER, RYAN				
VALLER, RYAN	CELL PHONE 6/9/16 - 7/8/16	07/08/2016	75.00	GENERAL FUND
Total WALLER, RYAN:			75.00	
VARREN CO. HEALTH SERVICE				
VARREN CO. HEALTH SERVIC	ANNUAL POOL INSPECTION	07/05/2016	471.00	POOL (MEMORIAL)
Total WARREN CO. HEALT	H SERVICES:		471.00	
VARREN COUNTY ENGINEER	FUEL DIOTRIE			D.D
WARREN COUNTY ENGINEER	FUEL DISTRIBUTION	07/07/2016		PARK & RECREAT
WARREN COUNTY ENGINEER	FUEL DISTRIBUTION	07/07/2016		AMBULANCE FUN
				ROAD USE TAX FI

Payment Approval Report - VENDOR REPORT - CITY Report dates: 7/8/2016-7/14/2016

Page: 11 Jul 14, 2016 02:39PM

	report dates: 176/2010 1714	72010		001 14, 2010 02:001
Vendor Name	Description	Invoice Date	Net Invoice Amount	FUND
WARREN COUNTY ENGINEER	FUEL DISTRIBUTION	07/07/2016	1 038 48	POLICE FUND
WARREN COUNTY ENGINEER	FUEL DISTRIBUTION	07/07/2016	· ·	SEWER FUND
WARREN COUNTY ENGINEER	FUEL DISTRIBUTION	07/07/2016		FIRE FUND
WARREN COUNTY ENGINEER	FUEL DISTRIBUTION - VANS	07/07/2016		PARK & RECREATI
WARREN COUNTY ENGINEER	FUEL DISTRIBUTION	07/07/2016		GENERAL FUND
WARREN COUNTY ENGINEER	FUEL DISTRIBUTION - MISC	07/07/2016	125.24	PARK & RECREATI
Total WARREN COUNTY EN	IGINEER:		7,241.60	
WARREN COUNTY RECORDER				
WARREN COUNTY RECORDER	REC FEES	07/11/2016	12.00	GENERAL FUND
Total WARREN COUNTY RE	ECORDER:		12.00	
WARREN COUNTY SHERIFF				
WARREN COUNTY SHERIFF	RADIO/DISPATCH SERVICES 3RD/4TH QTR	07/08/2016	39,800.00	POLICE FUND
Total WARREN COUNTY SH	HERIFF:		39,800.00	
WASTE MANAGEMENT OF IOWA				
WASTE MANAGEMENT OF IOW	RECYCLING APT 494-0152822-0516-8	07/01/2016	2,775.76	RECYCLING FUND
WASTE MANAGEMENT OF IOW	TRASH - JULY 2016	07/01/2016	32.00	ROAD USE TAX FU
WASTE MANAGEMENT OF IOW	RECYCLING TOTES 494-0152854-0516-1	07/01/2016	10.00	RECYCLING FUND
WASTE MANAGEMENT OF IOW	RECYCLING TOTES 494-0152855-0516-8	07/01/2016	10 00	RECYCLING FUND
WASTE MANAGEMENT OF IOW	RECYCLING RES 494-0152818-0516-6	07/01/2016		RECYCLING FUND
Total WASTE MANAGEMEN	T OF IOWA:		16,307.66	
WERLING, RON				
WERLING, RON	RETURN OF DEPOSIT	07/11/2016	150.00	PARK & RECREATI
Total WERLING, RON:			150.00	
WIEGERT DISPOSAL CO.				
WIEGERT DISPOSAL CO.	DUMPSTER - PARKS	07/01/2016	185.00	PARK & RECREATI
WIEGERT DISPOSAL CO.	DUMPSTER - SOFTBALL	07/01/2016	125.00	PARK & RECREATI
WIEGERT DISPOSAL CO.	DUMPSTER - ACT. CENTER	07/01/2016		PARK & RECREATI
WIEGERT DISPOSAL CO.	DUMPSTER - MAC	07/01/2016		POOL (MEMORIAL)
Total WIEGERT DISPOSAL	CO.:		370.00	
WOOSLEY LANDSCAPING & MO	WING			
WOOSLEY LANDSCAPING & M	MOWING - PLANT	06/29/2016	930.00	SEWER FUND
WOOSLEY LANDSCAPING & M	MOWING - LIFTS	06/29/2016		SEWER FUND
Total WOOSLEY LANDSCA	PING & MOWING:		1,180.00	
Grand Totals:			168,582.96	

CITY OF INDIANOLA, IA	Payment Approval Report - VENDOR REPORT - CITY Report dates: 7/8/2016-7/14/2016			Page: 12 Jul 14, 2016 02:39PM
Vendor Name	Description	Invoice Date	Net Invoice Amount	FUND
City Council:		_		
		_		
		_		

City Council Regular 2nd Mtg Meeting Date: 07/18/2016

6.

Information

Subject

City Treasurer's Report - Doug Shull

Information

Attachments

<u>June 2016 Treasurer Report</u> <u>June 2015 Treasurer Report</u>

FINANCIAL REPORT MONTH OF JUNE, 2016

FUND	Beginning Balance	Monies Received	Monies Disbursed	Transfer In	Transfer Out	Clerk's Balance	% of Total
001 General Government	1,710,194.94	61,981.52	177,008.32	113,383.33	102,768.73	1,605,782.74	
011 Police	978,441.51	•	198,957.44	31,529.70	309.00	828,321.15	
015 Fire	573,442.79	•	48,126.06	1,198.16	24.72	533,885.42	
016 Ambulance	350,769.12	•	79,300.28	632.61	5,572.66	320,187.29	
041 Library	72,664.79	•	34,193.39	1,261.87	61.80	43,603.06	
042 Park & Recreation 045 Memorial Pool	539,724.05	•	125,371.90	1,429.52	108.15	478,555.49	
071 General Fund Deb Service	-1,373.41 54,114.99		28,141.70	0.00	0.00	25,744.38	
099 Franchise Fees-MEC	476,911.18		0.00 0.00	0.00 0.00	0.00 0.00	54,750.31	
GENERAL FUND SUB-TOTAL	4,754,889.96		691,099.09	149,435.19	108,845.06	476,911.18 4,367,741.02	
110 Road Use Tax (Streets)	1,370,342.90	167,890.83	297,148.52	0.00	15,866.48	1,225,218.73	
112 Trust & Agency	0.00		0.00	0.00	11,176.86	0.00	
115 YMCA Maintenance Obligations	85,566.46	0.00	0.00	100,000.00	0.00	185,566.46	
125 TIFDowntown	606,229.39	7,913.20	0.00	1,271,206.24	935,420.75	949,928.08	
126 TIFEast Hwy 92	0.00		0.00	0.00	0.00	0.00	
127 TIFHillcrest/Industrial Park	1,271,206.24		0.00	0.00	1,271,206.24	0.00	
141 Library Special Revenue 142 Park & Rec Special Revenue	36,337.17	•	1,834.46	0.00	0.00	37,191.87	
160 Downtown Revolving Loan	137,258.26		422.69	0.00	0.00	140,751.58	
161 Downtown Business Inc Program	149,711.06 31,644.31		0.00 991.60	0.00	0.00	149,711.06	
177 Police Forfeiture	19,830.07	•	0.00	0.00 0.00	0.00	32,715.21 19,830.07	
190 Vehicle Reserve	65,268.28		0.00	2,083.33	0.00	67,351.61	
199 Police Retirement	90,817.96		0.00	0.00	1,041.67	89,870.68	
SPECIAL REVENUES SUB-TOTAL	3,864,212.10		300,397.27	1,373,289.57	2,234,712.00	2,898,135.35	
200 DEBT SERVICE (SUB-TOTAL)	214,963.27	8,025.70	100.00	987,020.75	0.00	1,209,909.72	
301 Capital Projects (General)	392,090.78	14,100.97	0.00	0.00	0.00	406,191.75	
321 Capital Projects (Streets)	8,475.96	118,233.00	545.39	0.00	0.00	126,163.57	
344 Community Athletic Facility	3,179.87		581.87	0.00	0.00	2,601.31	
353 Community ReDevelopment (D&D)	-52,194.89		0.00	0.00	0.00	-52,194.89	
CAPITAL PROJECTS SUB-TOTAL	351,551.72	132,337.28	1,127.26	0.00	0.00	482,761.74	
610 Sewer	576,614.57		94,708.66	143,725.00	35,935.59	589,695.32	
650 Stormwater Utility	554,373.75	•	64,007.61	0.00	5,116.67	502,132.59	
670 Recycling	89,220.29	•	15,984.06	0.00	1,508.33	90,333.46	
710 Sewer Capital Projects 771 Sewer Reserve	423,957.77	•	25,871.75	0.00	231,466.67	414,559.57	
771 Sewer Reserve 781 Sewer Plant Improvement	114,238.70 365,489.14		0.00	0.00	0.00	114,238.70	
791 Sewer Revenue Bonds	770,214.66		0.00 527,143.53	2,083.33 58,791.67	0.00	367,572.47	
820 Health Insurance	691,672.75		108,305.17	0.00	0.00 0.00	301,862.80 690,402.34	
830 Health Reimbursement Account	252,620.65	•	9,081.43	0.00	0.00	243,539.22	
840 Flex/STD	202,747.95		2,114.01	1,328.70	0.00	204,708.22	
850 Liability Insurance ReserveCity	27,349.90	446.32	0.00	0.00	0.00	27,796.22	
CITY UTILITY & IS SUB-TOTAL	4,068,500.13	393,655.56	847,216.22	205,928.70	274,027.26	3,546,840.91	
TOTAL CITY FUNDS	13,254,117.18	993,121.51	1,839,939.84	2,715,674.21	2,617,584.32	12,505,388.74	63%
TOTAL IMU FUNDS	7,565,971.05	1,239,132.92	1,246,797.24	101,663.53	199,753.42	7,460,216.84	37%
GRAND TOTAL CITY & IMU	20,820,088.23	2,232,254.43	3,086,737.08	2,817,337.74	2,817,337.74	19,965,605.58	
Cross Check Total					V 100241010-X	19,965,605.58	
Investments			c	Clerk's Balance		19,965,605.58	
Bankers Trust	\$ 17,189,148.11						
lowa Public Agency Inv. Trust	\$ 111,138.30		Р	lus Outstanding Ch	necks	279,233.99	
Payroll Account, City State Bank Checking Account, City State Bank	\$ - \$ 241,556.82	Earnings Credit		North Control of the			
Checking & Payroll Account, Community Bank	\$ 241,556.82 \$ -	Earnings Credit	C	Sustanding Deposit		-15,679.56	
Sweep Account, City State Bank	\$ 2,684,518.40	0.40%					
Wells Fargo	\$ 2,798.38						
BANK BALANCE	20,229,160.01	•			_	20,229,160.01	
		:			=	20,223,100.01	

600 Water	34,590.45	199,998.22	90,090.39	0.00	96,200.95	48,297.33
620 IMU Administration	103,924.25	0.00	42,729.96	-29,964.61	31,229.68	0.00
625 Revolving Economic Development	106,841.72	108.55	0.00	0.00	0.00	106,950.27
626 USDA RLF	300,000.00	0.00	0.00	0.00	0.00	300,000.00
630 Electric	1,911,729.42	907,228.41	891,800.74	22,566.67	75,154.45	1,874,569.31
640 Fiber/Communications	266,570.57	31,504.92	40,596.98	0.00	-2,831.66	260,310.17
700 Water Capital Projects	1,087,228.85	0.00	134,338.97	35,991.67	0.00	988,881.55
730 Electric Capital Projects	3,188,956.57	100,278.66	47,240.20	0.00	0.00	3,241,995.03
740 Fiber/Comm Capital Projects	0.00	0.00	0.00	0.00	0.00	0.00
770 Water Reserve	135,000.00	0.00	0.00	0.00	0.00	135,000.00
773 Electric Reserve	0.00	0.00	0.00	0.00	0.00	0.00
780 Water Capital Improvement	75,000.00	0.00	0.00	0.00	0.00	75,000.00
783 Electric Improvement	0.00	0.00	0.00	0.00	0.00	0.00
790 Water Revenue Bonds	137,457.18	0.00	0.00	22,925.00	0.00	160,382.18
793 Electric Revenue Bonds	203,828.99	0.00	0.00	50,144.80	0.00	253,973.79
855 Liability Insurance ReserveIMU	14,843.05	14.16	0.00	0.00	0.00	14,857.21
IMU SUB-TOTAL	7,565,971.05	1,239,132.92	1,246,797.24	101,663.53	199,753.42	7,460,216.84

	INTEREST					
INTEREST DISTRIBUTION	INCOME	% OF TOTAL		CALYTD		FYTD
Electric Funds	\$ 6,094.19	25.83%	\$	42,921.13	\$	90,147.34
Water Funds	\$ 1,437.06	6.09%	\$	9,277.18	\$	21,680.84
Sewer Funds	\$ 1,838.22	7.79%	\$	11,560.31	\$	21,206.13
Police Retirement	\$ 94.39	0.40%	\$	679.35	\$	1,508.06
Community Redevelopment	\$ -	0.00%	\$	_	\$	-
All other	\$ 14,133.24	59.89%	\$	82,508.20	Ś	156,566.20
TOTAL	\$ 23.597.10	100.00%	Ś	146.946.17	s	291 108 57

FINANCIAL REPORT MONTH OF JUNE, 2015

FUND	Beginning Balance	Monies Received	Monies Disbursed	Transfer In	Transfer Out	Clerk's Balance	% of Total
001 General Government	1,181,860.48	71,529.08	177,698.18	111,200.01	8,463.18	1,178,428.21	
011 Police	710,163.22	11,182.70	248,141.17	29,557.91	324.45	502,438.21	
015 Fire	356,891.11	6,791.18	41,486.01	1,149.86	24.72	323,321.42	
016 Ambulance	351,962.00	75,177.61	70,419.35	607.73	5,572.66	351,755.33	
041 Library	59,993.20	3,848.75	47,051.13	876.86	61.80	17,605.88	
042 Park & Recreation	571,500.17	63,305.95	154,903.88	1,370.76	123.60	481,149.40	
045 Memorial Pool	-28,593.12	69,204.42	70,966.82	0.00	0.00	-30,355.52	
071 General Fund Deb Service	129,224.18	760.21	74,397.50	0.00	0.00	55,586.89	
099 Franchise Fees-MEC	368,123.56	0.00	0.00	0.00	0.00	368,123.56	
GENERAL FUND SUB-TOTAL	3,701,124.80	301,799.90	885,064.04	144,763.13	14,570.41	3,248,053.38	
110 Road Use Tax (Streets)	1,100,857.50	165,935.84	152,134.62	0.00	15,158.15	1,099,500.57	
112 Trust & Agency	0.00	9,646.45	0.00	0.00	9,646.45	0.00	
115 YMCA Maintenance Obligations	86,970.35	0.00	0.00	6,111.11	0.00	93,081.46	
125 TIFDowntown	438,890.11	5,036.61	0.00	0.00	56,519.05	387,407.67	
126 TIFEast Hwy 92	15,780.80	0.00	0.00	0.00	0.00	15,780.80	
127 TIFHillcrest/Industrial Park	720,740.02	5.46	0.00	0.00	631,705.00	89,040.48	
141 Library Special Revenue	37,554.35	2,187.92	3,679.87	0.00	0.00	36,062.40	
142 Park & Rec Special Revenue	130,120.38	4,856.74	608.61	0.00	0.00	134,368.51	
160 Downtown Revolving Loan	110,347.60	-46,253.27	0.00	0.00	0.00	64,094.33	
161 Downtown Business Inc Program	3,663.10	61,308.63	621.10	0.00	0.00	64,350.63	
177 Police Forfeiture	19,830.07	0.00	0.00	0.00	0.00	19,830.07	
190 Vehicle Reserve	89,855.66	0.00	25,417.94	1,666.67	0.00	66,104.39	
199 Police Retirement	101,756.59	147.73	0.00	0.00	1,041.67	100,862.65	
SPECIAL REVENUES SUB-TOTAL	2,856,366.53	202,872.11	182,462.14	7,777.78	714,070.32	2,170,483.96	
200 DEBT SERVICE (SUB-TOTAL)	3,154,031.54	15,811.69	2,643,580.00	748,999.04	0.00	1,275,262.27	
301 Capital Projects (General)	116,974.14	3,996.35	80.00	0.00	0.00	120,890.49	
321 Capital Projects (Streets)	-162,957.05	305.00	1,180.00	0.00	0.00	-163,832.05	
344 Community Athletic Facility	6,584.84	10.01	607.77	0.00	0.00	5,987.08	
353 Community ReDevelopment (D&D)	-33,439.89	0.00	10,150.00	0.00	0.00	-43,589.89	
CAPITAL PROJECTS SUB-TOTAL	-72,837.96	4,311.36	12,017.77	0.00	0.00	-80,544.37	
						· · · · · · · · · · · · · · · · · · ·	
610 Sewer	262,408.05	0.00	77,606.40	140,600.00	34,901.03	290,500.62	
650 Stormwater Utility	415,993.67	16,553.94	0.00	0.00	5,158.33	427,389.28	
670 Recycling	76,291.64	18,055.18	15,475.40	0.00	1,441.67	77,429.75	
710 Sewer Capital Projects	541,827.36	261,386.06	248,703.26	0.00	239,483.33	315,026.83	
771 Sewer Reserve	114,238.70	0.00	0.00	0.00	0.00	114,238.70	
781 Sewer Plant Improvement	340,489.18	0.00	0.00	2,083.33	0.00	342,572.51	
791 Sewer Revenue Bonds	724,819.88	0.00	520,592.03	61,016.67	0.00	265,244.52	
820 Health Insurance	969,176.95	108,669.58	129,201.37	0.00	0.00	948,645.16	
830 Health Reimbursement Account	233,597.21	0.00	3,740.05	0.00	0.00	229,857.16	
840 Flex/STD	220,632.40	1,975.40	9,322.47	1,405.95	0.00	214,691.28	
850 Liability Insurance ReserveCity CITY UTILITY & IS SUB-TOTAL	36,455.89	52.58	0.00	0.00	0.00	36,508.47	
CITY OTILITY & 13 30B-TOTAL	3,935,930.93	406,692.74	1,004,640.98	205,105.95	280,984.36	3,262,104.28	
TOTAL CITY FUNDS	13,574,615.84	931,487.80	4,727,764.93	1,106,645.90	1,009,625.09	9,875,359.52	57%
TOTAL IMU FUNDS	7,274,827.40	1,221,485.60	1,056,089.37	370,841.57	467,862.38	7,343,202.82	43%
GRAND TOTAL CITY & IMU	20,849,443.24	2,152,973.40	5,783,854.30	1,477,487.47	1,477,487.47	17,218,562.34	
Cross Check Total						17,218,562.34	
Investments			_	toold not			
Bankers Trust	¢ 15 /17 /06 F0 4	0.69/	С	lerk's Balance		17,218,562.34	
lowa Public Agency Inv. Trust	\$ 15,417,426.53 1.		<u>-</u> .	Out : " =:			
Payroll Account, City State Bank	\$ 111,116.76 0. \$ - Ea		P	lus Outstanding Ch	ecks	456,470.91	
Checking Account, City State Bank	•	arnings Credit	_	usata malim D !-			
Checking & Payroll Account, Community Bank	\$ 242,068.21 Ea	mings Credit	0	ustanding Deposit		-16,638.05	
Sweep Account, City State Bank	\$ - \$ 1,887,783.70 0.	35%					
BANK BALANCE		3370			-		
printing	17,658,395.20				=	17,658,395.20	

600 Water	408,952.49	207,528.97	83,865.96	0.00	417,767.43	114,848.07
620 IMU Administration	96,424.60	0.00	43,692,89	-22,678.24	30,053.47	0.00
625 Revolving Economic Development	104,730.81	150.22	0.00	0,00	0.00	104,881.03
626 USDA RLF	225,000.00	0.00	0.00	0.00	0.00	225,000.00
630 Electric	1,970,222.55	874,800.06	906,966.12	342,566.67	22,217.52	2,258,405.64
640 Fiber/Communications	300,878.74	25,005.34	22,376.33	0.00	-2,176.04	305,683.79
700 Water Capital Projects	889,693.23	0.00	3,993.03	35,991.67	0.00	921,691.87
730 Electric Capital Projects	2,686,382.11	113,978.47	-4,804.96	-58,333.33	0.00	2,746,832,21
740 Fiber/Comm Capital Projects	0.00	0.00	0.00	0.00	0,00	0.00
770 Water Reserve	135,000.00	0.00	0.00	0.00	0.00	135,000.00
773 Electric Reserve	0.00	0.00	0.00	0.00	0.00	0.00
780 Water Capital Improvement	75,000.00	0.00	0.00	0.00	0.00	75,000.00
783 Electric Improvement	0.00	0.00	0.00	0.00	0.00	0.00
790 Water Revenue Bonds	137,692.18	0.00	0.00	23,150.00	0.00	160,842.18
793 Electric Revenue Bonds	228,816.82	0.00	0.00	50,144.80	0.00	278,961.62
855 Liability Insurance ReserveIMU	16,033.87	22.54	0.00	0.00	0.00	16,056.41
IMU SUB-TOTAL	7,274,827.40	1,221,485.60	1,056,089.37	370,841.57	467,862.38	7,343,202.82

	I	INTEREST			
INTEREST DISTRIBUTION		INCOME	% OF TOTAL	CALYTD	FYTD
Electric Funds	\$	7,939.26	31.71%	\$ 57,159.20	\$ 119,409.04
Water Funds	\$	2,225.80	8.89%	\$ 12,852.47	\$ 26,628.10
Sewer Funds	\$	2,358.51	9.42%	\$ 13,801.36	\$ 24,465.59
Police Retirement	\$	147.73	0.59%	\$ 876.98	\$ 1,633.93
Community Redevelopment	\$	-	0.00%	\$ 12,930.95	\$ 3.26
All other	\$	12,365.84	49.39%	\$ 60,801.19	\$ 142,518.69
TOTAL	\$	25,037.14	100.00%	\$ 158,422.15	\$ 314,658.61

Meeting Date: 07/18/2016

Information

Subject

Resolution accepting the Stephen Court Culvert Improvement Project in an amount of \$59,983

Information

This project is now complete and council needs to consider accepting the project. In your packet is the certificate of completion and maintenance bond. You have the resolution accepting work and authorizing final payment of \$59,983. The original bid was \$59,983.

Project elements include:

- Project included all work associated with clearing and grubbing, pipe & concrete removal, installation of new culvert, trench backfill, grading, traffic control, seeding and new concrete pavements will be by the City of Indianola
- Removed only those trees necessary for construction, contractor to remove from site and dispose
- Minimum of 6" of topsoil was stripped, salvaged and re-spread over areas disturbed by construction. Top 6" of topsoil shall be prepared for seed per specifications
- Compaction testing was performed in accordance with specification
- RCP storm sewer pipe was a minimum class 2000D

Roll call is in order.

Attachments

Resolution

Certificate & Maintenance Bond

RESOLUTION NO. 2016-____

RESOLUTION ACCEPTING WORK

WHEREAS, on May 2, 2016, the City of Indianola, Iowa, entered into a professional services agreement and contract with the Underground Company for the improvements to the Stephen Court Culvert Improvement Project; and

WHEREAS, the contractor has fully completed the construction of the improvements, in accordance with the terms and conditions of the contract and professional service agreement; and

WHEREAS, the certificate of completion and performance, payment and maintenance bond is attached as Exhibit A; and

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF INDIANOLA, IOWA:

<u>Section 1</u>. The total contract cost of the improvements payable under said contract is hereby determined to be \$59,983.00.

PASSED AND APPROVED this 18th day of July, 2016.

	Kelly B. Shaw, Mayor
ATTEST:	
Diana Bowlin, City Clerk	



GARDEN & ASSOCIATES, LTD.

1701 3rd Avenue East, Suite 1 • P.O. Box 451 • Oskaloosa, IA 52577 Phone: 641.672.2526 • Fax: 641.672.2091

July 7, 2016

City of Indianola 110 North 1st Street P.O. Box 299 Indianola, IA 50125

Attn: Chuck Burgin, Director of Community Development

Re:

Stephen Court Culvert Replacement

Indianola, Iowa G&A #5015238

Dear Chuck:

On July 6th we met for a walk-through of the referenced project. Based on this visual inspection I hereby state that the work associated with the 2016 Stephen Court Culvert Replacement Project - Indianola, lowa, has been completed and substantially complies with the plans for said improvements.

Respectfully submitted this 7th day of July, 2016.

Sincerely,

GARDEN & ASSOCIATES, LTD.

Bradley J. Uitermarkt, P.E.

BJU

PERFORMANCE, PAYMENT AND MAINTENANCE BOND

KNOW ALL BY THESE PRESENTS:

That we, The Underground Company, Ltd. , as Principal (hereinafter the "Contractor" or "Principal" and Merchants Bonding Company (Mutual) , as Surety are held and firmly bound unto the City of Indianola, Iowa , as Obligee (hereinafter referred to as "the Jurisdiction"), and to all persons who may be injured by any breach of any of the conditions of this Bond in the penal sum of Fifty-nine thousand nine hundred eighty three DOLLARS (\$59,983.00), lawful money of the United States, for the payment of which sum, well and truly to be made, we bind ourselves, our heirs, legal representatives and assigns, jointly or severally, firmly by these presents.

The conditions of the above obligations are such that whereas said Contractor entered into a contract with the "Jurisdiction", bearing date the 29th day of April , 2016 , (hereinafter the "Contract") wherein said Contractor undertakes and agrees to construct the following described improvements:

STEPHEN COURT CULVERT REPLACEMENT INDIANOLA, IOWA PROJECT NO. 5015238

and to faithfully perform all the terms and requirements of said Contract within the time therein specified, in a good and workmanlike manner, and in accordance with the Contract Documents. Provided, however, that one year after the date of acceptance as complete of the work under the above referenced Contract, the maintenance portion of this Bond shall continue in force but the penal sum for maintenance shall be reduced to the sum of Fifty-nine thousand nine hundred eighty three DOLLARS (\$59,983.00), which is the cost associated with those items shown on the proposal and in the Contract which require a maintenance bond period in excess of one year.

It is expressly understood and agreed by the Contractor and Surety in this bond that the following provisions are a part of this Bond and are binding upon said Contractor and Surety, to-wit:

1. PERFORMANCE: The Contractor shall well and faithfully observe, perform, fulfill and abide by each and every covenant, condition and part of said Contract and Contract Documents, by reference made a part hereof, for the above referenced improvements, and shall indemnify and save harmless the "Jurisdiction" from all outlay and expense incurred by the "Jurisdiction" by reason of the Contractor's default of failure to perform as required. The Contractor shall also be responsible for the default or failure to perform as required under the Contract and Contract Documents by all its subcontractors, suppliers, agents, or employees furnishing materials or providing labor in the performance of the Contract.

- 2. PAYMENT: The Contractor and the Surety on this Bond are hereby agreed to pay all just claims submitted by persons, firms, subcontractors, and corporations furnishing materials for or performing labor in the performance of the Contract on account of which this Bond is given, including but not limited to claims for all amounts due for labor, materials, lubricants, oil, gasoline, repairs on machinery, equipment and tools, consumed or used by the Contractor or any subcontractor, wherein the same are not satisfied out of the portion of the contract price which the 'Jurisdiction" is required to retain until completion of the improvement, but the Contractor and Surety shall not be liable to said persons, firms, or corporations unless the claims of said claimants against said portion of the contract price shall have been established as provided by law. The Contractor and Surety hereby bind themselves to the obligations and conditions set forth in Chapter 573, Code of Iowa, which by this reference is made a part hereof as though fully set out herein.
- 3. MAINTENANCE: The Contractor and the Surety on this Bond hereby agree, at their own expense:
 - A. To remedy any and all defects that may develop in or result from work to be performed under the Contract within the period of four (4) years from the date of acceptance of the work under the Contract, by reason of defects in workmanship or materials used in construction of said work;
 - B. To keep all work in continuous good repair; and
 - C. To pay the "Jurisdiction" reasonable costs of monitoring and inspection to assure that any defects are remedied, and to repay the "Jurisdiction" all outlay and expense incurred as a result of Contractor's and Surety's failure to remedy any defect as required by this section.

Contractor's and Surety's agreement herein made extends to defects in workmanship or materials not discovered or known to the "Jurisdiction" at the time such work was accepted.

- 4. GENERAL: Every Surety on this Bond shall be deemed and held bound, any contract to the contrary notwithstanding, to the following provisions:
 - A. To consent without notice to any extension of time to the Contractor in which to perform the Contract;
 - B. To consent without notice to any change in the Contract or Contract Documents, which thereby increases the total contract price and the penal sum of this bond, provided that all such changes do not, in the aggregate, involve an increase of more than twenty percent of the total contract price, and that this bond shall then be released as to such excess increase; and
 - C. To consent without notice that this Bond shall remain in full force and effect until the Contract is completed, whether completed within the specified contract period, within an extension thereof, or within a period of time after the contract period has elapsed and the liquidated damage penalty is being charged against the Contractor.

The Contractor and every Surety on the bond shall be deemed and held bound, any contract to the contrary notwithstanding, to the following provisions:

- D. That no provision of this Bond or of any other contract shall be valid which limits to less that five years after the acceptance of the work under the Contract the right to sue on this Bond.
- E. That as used herein, the phrase "all outlay and expense" is not to be limited in any way, but shall include the actual and reasonable costs and expenses incurred by the "Jurisdiction" including interest, benefits and overhead where applicable. Accordingly, "all outlay and expense" would include but not be limited to all contract or employee expense, all equipment usage or rental, materials, testing, outside experts, attorneys fees (including overhead expenses of the "Jurisdiction's" staff attorneys), and all costs and expenses of litigation as they are incurred by the "Jurisdiction". It is intended the Contractor and Surety will defend and indemnify the "Jurisdiction" on all claims made against the "Jurisdiction" on account of Contractor's failure to perform as required in the Contract and Contract Documents, that all agreements and promises set forth in the Contract and Contract Documents, in approved change orders, and in this Bond will be fulfilled, and that the "Jurisdiction" will be fully indemnified so that it will be put into the position it would have been in had the Contract been performed in the first instance as required.

In the event the "Jurisdiction" incurs any "outlay and expense" in defending itself with respect to any claim as to which the Contractor or Surety should have provided the defense, or in the enforcement of the promises given by the Contractor in the Contract, Contract Documents, or approved change orders, or in the enforcement of the promises given by the Contractor and Surety in this Bond, the Contractor and Surety agree that they will make the "Jurisdiction" whole for all such outlay and expense, provided that the Surety's obligation under this bond shall not exceed 125% of the penal sum of this bond.

In the event that any actions or proceedings are initiated with respect to this Bond, the parties agree that the venue thereof shall be Warren County, State of Iowa. If legal action is required by the "Jurisdiction" to enforce the provisions of this Bond or to collect the monetary obligation incurring to the benefit of the "Jurisdiction", the Contractor and the Surety agree, jointly and severally, to pay the "Jurisdiction" all outlay and expense incurred therefor by the "Jurisdiction". All rights, powers, and remedies of the "Jurisdiction" hereunder shall be cumulative and not alternative and shall be in addition to Surety for any amount guaranteed hereunder whether action is brought against the Contractor or whether Contractor is joined in any such action or actions or not.

NOW THEREFORE, the condition of this obligation is such that if said Principal shall faithfully perform all the promises of the Principal, as set forth and provided in the Contract, in the Contract Documents, and in this Bond, then this obligation shall be null and void, otherwise it shall remain in full force and effect.

When a word, term, or phrase is used in this Bond, it shall be interpreted or construed first as defined in this Bond, the Contract, or the Contract Documents; second, if not defined in the Bond, Contract, or Contract Documents, it shall be interpreted or construed as defined in applicable

provisions of the Iowa Code; third, if not defined in the Iowa Code, it shall be interpreted or construed according to its generally accepted meaning in the construction industry; and fourth, if it has no generally accepted meaning in the construction industry, it shall be interpreted or construed according to its common or customary usage.

Failure to specify or particularize shall not exclude terms or provisions not mentioned and shall not limit liability hereunder. The Contract and Contract Documents are hereby made a part of this Bond.

Vitness our hands, in triplicate, this <u>29th</u> day of	April , 2016 .
Surety Countersigned By:	PRINCIPAL:
Liane Vanleyson	The Underground Company, Ltd.
Signature of Iowa Resident Commission Agent as Prescribed by Chapter 515.52-57, Iowa Code.	Contractor
(Require only if Attorney-in-Fact is not also an	By: //
Iowa Resident Commission Agent).	Signature
Diane M. Vanderpool	Signature Vice-President
Name of Resident Commission Agent	Title
Reynolds & Reynolds, Inc.	SURETY:
Company Name	
300 Walnut Street, Suite 200	Merchants Bonding Company (Mutual)
Company Address	Surety Company
Des Moines, IA 50309	By: Diane Wanderson
City, State, Zip Code	Signature Attorney-in-Fact Officer
243-1724	Diane M. Vanderpool, Attorney-in-Fact
Company Telephone Number	Name of Attorney-in-Fact Officer
	Reynolds & Reynolds, Inc.
	Company Name
	300 Walnut Street, Suite 200
FORM APPROVED BY:	Company Address
	Des Moines, IA 50309
Attorney for Jurisdiction	City, State, Zip Code
	243-1724
	Company Telephone Number
	The state of the s

NOTE: 1. All signatures on this performance, maintenance & payment bond must be original signatures in ink; copies or facsimile of any signature will not be accepted.

2. This bond must be sealed with the Surety's raised, embossing seal.

The Certificate or Power of Attorney accompanying this bond must be valid on its face and sealed with the Surety's raised, embossing seal.

4. The name and signature of the Surety's Attorney-in-Fact/Officer entered on this bond must be exactly as listed on the Certificate or Power of Attorney accompanying this bond.



Know All Persons By These Presents, that MERCHANTS BONDING COMPANY (MUTUAL) and MERCHANTS NATIONAL BONDING. INC., both being corporations of the State of Iowa (herein collectively called the "Companies") do hereby make, constitute and appoint, individually,

Dean M Clark; Desiree Meyer; Diane M Vanderpool; Mallory Robinson; Sandra K Bell; Stacv R Rush

their true and lawful Attorney(s)-in-Fact, to make, execute, seal and deliver on behalf of the Companies, as Surety, bonds, undertakings and other written obligations in the nature thereof, subject to the limitation that any such instrument shall not exceed the amount of:

FIFTEEN MILLION (\$15,000,000.00) DOLLARS

This Power-of-Attorney is granted and is signed and sealed by facsimile under and by authority of the following By-Laws adopted by the Board of Directors of Merchants Bonding Company (Mutual) on April 23, 2011 and adopted by the Board of Directors of Merchants National Bonding, Inc., on October 24, 2011.

"The President, Secretary, Treasurer, or any Assistant Treasurer or any Assistant Secretary or any Vice President shall have power and authority to appoint Attorneys-in-Fact, and to authorize them to execute on behalf of the Company, and attach the seal of the Company thereto, bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof.

"The signature of any authorized officer and the seal of the Company may be affixed by facsimile or electronic transmission to any Power of Attorney or Certification thereof authorizing the execution and delivery of any bond, undertaking, recognizance, or other suretyship obligations of the Company, and such signature and seal when so used shall have the same force and effect as though manually fixed."

In connection with obligations in favor of the Florida Department of Transportation only, it is agreed that the power and authority hereby given to the Attorney-in-Fact includes any and all consents for the release of retained percentages and/or final estimates on engineering and construction contracts required by the State of Florida Department of Transportation. It is fully understood that consenting to the State of Florida Department of Transportation making payment of the final estimate to the Contractor and/or its assignee, shall not relieve this surety company of any of its obligations under its bond.

In connection with obligations in favor of the Kentucky Department of Highways only, it is agreed that the power and authority hereby given to the Attorney-in-Fact cannot be modified or revoked unless prior written personal notice of such intent has been given to the Commissioner-Department of Highways of the Commonwealth of Kentucky at least thirty (30) days prior to the modification or revocation.

In Witness Whereof, the Companies have caused this instrument to be signed and sealed this 15th day of

August

. 2015 .

MERCHANTS BONDING COMPANY (MUTUAL)

MERCHANTS NATIONAL BONDING, INC.

COUNTY OF Dallas On this 15th day of August , 2015, before me appeared Larry Taylor, to me personally known, who being by me sworn did say that he is President of the MERCHANTS BONDING COMPANY (MUTUAL) and MERCHANTS NATIONAL BONDING, INC.; and that the seals affixed to the foregoing instrument are the Corporate seals of the Companies; and that the said instrument was signed and sealed in behalf of the Companies by authority of their respective Boards of Directors.

> **WENDY WOODY** Commission Number 784654 My Commission Expires June 20, 2017

Notary Public, Polk County, Iowa

(Expiration of notary's commission does not invalidate this instrument)

I, William Warner, Jr., Secretary of the MERCHANTS BONDING COMPANY (MUTUAL) and MERCHANTS NATIONAL BONDING, INC., do hereby certify that the above and foregoing is a true and correct copy of the POWER-OF-ATTORNEY executed by said Companies, which is still in full force and effect and has not been amended or revoked.

In Witness Whereof, I have hereunto set my hand and affixed the seal of the Companies on this 29th day of

. 2016 .

William Harner J. Secretary

STATE OF IOWA

Meeting Date: 07/18/2016

Information

Subject

Public hearing and first consideration on whether to amend Indianola Code Chapter 65 to include stop signs and Chapter 69 to restrict parking on the East Trail Ridge Avenue, East Scenic Valley Avenue, North 3rd Lane and North 6th Street

Information

Council needs to hold the public hearing and first consideration of an amendment to the parking and stop sign ordinance. In your packet is the no parking and stop sign ordinance and map. Staff is requesting to designate stop signs at the following locations:

- Northeast corner of North 6th Street and East Scenic Valley Avenue
- Southeast corner of North 3rd Avenue and East Trail Ridge Avenue
- Southwest corner of East Trail Ridge Avenue and North 6th Street

And designating no parking at the following locations:

- The south side of East Trail Ridge Avenue and East Scenic Valley Avenue
- The east side of North 3rd Lane and North 6th Street

Tim Walpole of the 360 Group has been notified.

Simple motion is in order.

Attachments

Ordinance

<u>Мар</u>

ORDINANCE NO.	·
---------------	---

AN ORDINANCE AMENDING THE MUNICIPAL CODE OF THE CITY OF INDIANOLA, IOWA BY AMENDING INDIANOLA CODE CHAPTER 65 TO INCLUDE STOP SIGNS AND CHAPTER 69 TO RESTRICT PARKING ON EAST TRAIL RIDGE AVENUE, EAST SCENIC VALLEY AVENUE, NORTH 3RD LANE AND NORTH 6TH STREET

WHEREAS, City staff has recommended that stop signs be added at certain locations and that the south side of East Trail Ridge Avenue and East Scenic Valley Avenue and the east side of North 3rd Lane and North 6th Street be designated as "No Parking" and signs be placed accordingly; and

WHEREAS, a notice was published in accordance with law, and a hearing was held on July 18, 2016, as provided by law, and the City Council now deems it reasonable and appropriate to approve the stop signs and to designate the "No Parking" areas.

NOW, THEREFORE, BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF INDIANOLA, IOWA:

Section 1: That the Municipal Code of the City of Indianola, Iowa, be and it is hereby amended by designating the following locations for placement of stop signs:

Northeast corner of North 6th Street and East Scenic Valley Avenue


Southeast corner of North 3rd Avenue and East Trail Ridge Avenue


Southwest corner of East Trail Ridge Avenue and North 6th Street

- **Section 2**: That the Municipal Code of the City of Indianola, Iowa be and it is hereby amended by designating the south side of East Trail Ridge Avenue and East Scenic Valley Avenue and the east side of North 3rd Lane and North 6th Street as "No Parking."
- **Section 3**: That signs shall be placed in accordance with this Ordinance and Chapter 61 of the Code to implement the parking restrictions.
- **Section 4:** All ordinances or parts of ordinances in conflict with the provisions of this ordinance are hereby repealed.
- **Section 5:** This ordinance shall be in full force and effect after its passage, approval and publication as provided by law.

PASSED AND APPROVED this _	day of	2016.
	Kelly B. Shaw, Mayor	

ATTEST:		
Diana Bowlin, City	Clerk	
First reading:		
Second reading:		
Third reading:		
Publication Date:		





Meeting Date: 07/18/2016

Information

Subject

Discussion and direction regarding the request from the City of Decorah of the T-Rex Aerial Fire Truck

Information

Council needs to discuss and give staff direction regarding the following requests from the City of Decorah (packet) of the aerial fire truck.

- Would the City of Indianola grant a right of first refusal to Decorah? The City of Decorah expects the city council to make a timely decision, they would not want to let the potential purchase slip away simply because they didn't have the chance to respond to another bona fide offer.
- Would the City of Indianola provide for an on-site inspection of the vehicle in Decorah? If this is possible, Decorah would negotiate reimbursement of out-of-pocket expenses involved in driving the truck to Decorah for visual inspection by their council and other constituents.

Simple motion is in order.

Attachments

E-mail Request

Ryan,

The city of Decorah is interested in taking a closer look at the aerial fire truck the city of Indianola is marketing for sale.

On behalf of the Decorah city council, I ask you, your fire chief and the Indianola city council to consider two requests to aid in our discussions here;

- 1) Would you grant a right of first refusal to Decorah? While I expect the city council to make a timely decision, they would not want to let the potential purchase slip away simply because they didn't have the chance to respond to another bona fide offer.
- 2) Would the city provide for an on-site inspection of the vehicle in Decorah? If this is possible, Decorah would negotiate reimbursement of out-of-pocket expenses involved in driving the truck to Decorah for visual inspection by our council and other constituents.

Please let me know at your earliest convenience if these options are available. I believe both our fire staff and city council are pretty interested in this purchase and these two items would aid in their decision-making process.

Thanks for your time, I look forward to talking with you soon.

Chad

Chad A. Bird
City Manager
City of Decorah

400 Claiborne Drive Decorah, IA 52101

City Council Regular 2nd Mtg

Meeting Date: 07/18/2016

Information

Subject

Discussion and direction regarding a request from Cemen Tech to utilize the city street sweeper following a Habitat for Humanity event

Information

9. B. 2.

City Council Regular 2nd Mtg

Meeting Date: 07/18/2016

Information

Subject

Discussion and direction regarding an invoice from Warren County Economic Development Corporation

Information

9. B. 3.

Meeting Date: 07/18/2016

Information

Subject

Resolution authorizing the purchase of a 2016 Case 580SN Backhoe for the Street Department in an amount of \$83,317

Information

In your packet is the resolution authorizing the purchase of a 2016 Case 580SN Backhoe (see packet) in an amount of \$83,317 (with trade in of the 2002 John Deere 310) from Titan Machinery. Finance Director Chris Desplaques recommends approval (see memo) of the backhoe. \$125,000 was budgeted.

Roll call in order.

Attachments

Backhoe Information Resolution



TO: Ryan Waller, City Manager

5/31/2016

FR: Chris DesPlanques, Director of Finance

RE: Backhoe RFP results/recommendation

Request for Proposals were sent to 3 local heavy equipment vendors, requesting bids for a new backhoe for the street department. Two vendors chose not to respond, and one vendor responded with a proposal that met the requirements. We also explored purchasing co-operatives HGAC and NJPA. Titan Machinery's bid of 97,527(without trade) for a 2016 Case 580SN backhoe is less than delivered cost of the purchasing co-ops. Additionally, the state bid was explored, but customizations for the City of Indianola's purposes made Titan Machinery's bid a better choice.

As part of the purchase the City of Indianola will also be selling its current 2002 John Deere 310 Backhoe. Titan Machinery's bid with trade was 83,317, meaning a \$14,210 value was placed on the trade in vehicle. This price was close to the \$15,000 estimate of value. This strong trade-in value, coupled with the underperforming auction results the city has seen, makes trading in the 2002 John Deere 310 an attractive option.

I recommend the City of Indianola accept Titan Machinery's bid of 83,317, with trade of a 2002 John Deere 310.

OFFICE OF CITY CLERK

JUN 3 0 2016

INDIANOLA, IOWA

BID FOR 2016 BACKHOE LOADER

Aulus Marian Signature	Total Bid Without Trade \$ 97,526,75
Titan Machinery, Inc Company	
2790 NE 34th Ave. Ds Maines, IA Address	Total Bid With Trade \$ <u>83,316.75</u>
515 - 974 - S100 Phone	
Comments:	

The Backhoe loader shall be equipped with the following features and/or specifications:

OFFICE OF CITY CLERK
INDIANOLA, IOWA

MACHINE SPECIFICATIONS

Y.X. N. 4-cylinder, turbocharged diesel engine with a minimum 95 net horsepower at 2,200 RPM. Tier 4 Final Certified Pine displacement of 207 cubic inches Minimum SAE net torque rating of 326 ft-libs at 1,400 RPM. Minimum Grupe rise at rated speed of 45% My.X. N. Minimum torque rise at rated speed of 45% Y.X. N. Direct high pressure common rail fuel injection Internal oil cooler Integral water pump Y.X. N. Internal oil cooler Integral water pump Y.X. N. Engine shall be equipped with a 9 blade suction fan with minimum diameter of 19.6 inches Y.X. N. Aspirated dual-stage air cleaner Y.X. N. Automatics self-adjusting belt Y.X. N. Vertical spin-on engine oil filter Y.X. N. Vertical spin-on engine oil filter Y.X. N. Cold weather starting aid to be that of non-ether based system with Block Heater Y.X. N. Auto Engine Protection Shutdown Y.X. N. Master disconnect switch and remote jump-start terminals ELECTRICAL Y.X. N. 12-volit electrical system Y.X. N. 100-amp alternator Y.X. N. 100-	ENGINE	
Figure displacement of 207 cubic inches X	Y <u>X</u> N	4-cylinder, turbocharged diesel engine with a minimum 95 net horsepower at 2,200 RPM.
Minimum SAE net torque rating of 326 ft-lbs at 1,400 RPM. Minimum torque rise at rated speed of 45% Engine to be Tier 4 Final certified per Federal Emissions Standards. Engine to be Tier 4 Final certified per Federal Emissions Standards. Licate high pressure common rail fuel injection Internal oil cooler Integral water pump PX_N Internal oil cooler Integral water pump PX_N Sepirated dual-stage air cleaner Poly-V belt for fan and alternator YX_N Aspirated dual-stage air cleaner Poly-V belt for fan and alternator YX_N VErtical spir-on engine oil filter YX_N Cold weather starting aid to be that of non-ether based system with Block Heater Liquid cooled engine YX_N So0-hour engine oil change interval YX_N Auto Engine Protection Shutdown Master disconnect switch and remote jump-start terminals ELECTRICAL YX_N 12-volt electrical system YX_N 20 12-volt electrical system YX_N 10-batteries with 850 cca (each) FULLY SYNCHRONIZED TRANSMISSION YX_N N Torque converter drive with a fully synchronized transmission YX_N N Minimum forward travel speed of 24.0 MPH with standard tires Minimum forward travel speed of 15.4 MPH with standard tires Electric roward/reverse shuttle shift YX_N Planetary transmission gears YX_N Clutch disconnect button on shift lever YX_N Planetary transmission gears YX_N Clutch disconnect button on shift lever YX_N N Heavy duty axles with brakes that can be serviced without removing the axle from the frame On-the-go control mounted electro-hydraulic rear differential lock engagement YX_N N Conventional differentials in the froat axle Conventional differentials in the froat axle On-the-go electrical four-wheel drive engagement YX_N N Conventional differentials in the rear axle On-the-go electrical four-wheel drive engagement Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires YX_N N 19.5Lx24 10PR Rear Tires YX_N N 19.5Lx24 10PR Rear Tires Front and rear axles with outboard planetaries	Y <u>X</u> _N	Tier 4 Final Certified
Y. N	YX_N	Engine displacement of 207 cubic inches
YX N Direct high pressure common rail fuel injection YX N Internal oil cooler Integral water pump XX N Engine shall be equipped with a 9 blade suction fan with minimum diameter of 19.6 inches Aspirated dual-stage air cleaner YX N Aspirated dual-stage air cleaner YX N Automatic self-adjusting belt YX N Vertical spin-on engine oil filter Cold weather starting aid to be that of non-ether based system with Block Heater I Liquid cooled engine YX N Liquid cooled engine YX N So0-hour engine oil change interval YX N Auto Engine Protection Shutdown Waster disconnect switch and remote jump-start terminals ELECTRICAL YX N 12-volt electrical system YX N 160-amp alternator Dual batteries with 850 cca (each) FULLY SYNCHRONIZED TRANSMISSION YX N Torque converter drive with a fully synchronized transmission YX N Minimum forward travel speed of 24.0 MPH with standard tires Minimum reverse travel speed of 15.4 MPH with standard tires YX N Electric forward/reverse shuttle shift YX N Planetary transmission gears YX N Clutch disconnect button on shift lever YX N Clutch disconnect button on shift lever YX N Heavy duty axles with brakes that can be serviced without removing the axle from the frame On-the-go control mounted electro-hydraulic rear differential lock engagement I Lube-for-life drive shaft cross bearings YX N Conventional differentials in the front axle YX N Front and rear axles with outboard planetaries Foot and rear axles with outboard planetaries Front and rear axles with outboard planetaries Front and rear axles with outboard planetaries	Y <u>X</u> N	Minimum SAE net torque rating of 326 ft-lbs at 1,400 RPM.
N	Y <u>X</u> N	Minimum torque rise at rated speed of 45%
VX N	Y <u>X</u> _N	Engine to be Tier 4 Final certified per Federal Emissions Standards.
Integral water pump	Y <u>X</u> N	Direct high pressure common rail fuel injection
Y∑N Engine shall be equipped with a 9 blade suction fan with minimum diameter of 19.6 inches Y∑N Aspirated dual-stage air cleaner Y∑N Poly-V belt for fan and alternator Y∑N Automatic self-adjusting belt Y∑N Vertical spin-on engine oil filter Y∑N Cold weather starting aid to be that of non-ether based system with Block Heater Y∑N Liquid cooled engine YXN 500-hour engine oil change interval YXN Auto Engine Protection Shutdown Master disconnect switch and remote jump-start terminals ELECTRICAL YXN 12-volt electrical system YXN 160-amp alternator Dual batteries with 850 cca (each) FULLY SYNCHRONIZED TRANSMISSION YXN Torque converter drive with a fully synchronized transmission YXN Minimum forward travel speed of 24.0 MPH with standard tires YXN Minimum forward travel speed of 15.4 MPH with standard tires YXN Electric forward/reverse shuttle shift YXN Planetary transmission gears YXN Clutch disconnect button on shift lever Clutch disconnect button on loader control le	Y <u>X</u> N	Internal oil cooler
Aspirated dual-stage air cleaner Y. N	Y <u>*</u> X_N	Integral water pump
Poly-V belt for fan and alternator Y_N N Automatic self-adjusting belt Y_N N Cold weather starting aid to be that of non-ether based system with Block Heater Y_N N Cold weather starting aid to be that of non-ether based system with Block Heater Y_N N Liquid cooled engine Y_N N 500-hour engine oil change interval Y_N N Auto Engine Protection Shutdown Y_N N Master disconnect switch and remote jump-start terminals ELECTRICAL Y_N 12-volt electrical system Y_N N 160-amp alternator Y_N N Dual batteries with 850 cca (each) FULLY SYNCHRONIZED TRANSMISSION Y_N Four forward and three reverse speeds on Powershift Transmission Y_N N Four forward and three reverse speeds on Powershift Transmission Y_N N Minimum forward travel speed of 24.0 MPH with standard tires Y_N N Electric forward/reverse shuttle shift Y_N N Electric forward/reverse shuttle shift Y_N N Planetary transmission gears Y_N Clutch disconnect button on loader control lever DRIVE TRAIN DRIVE TRAIN Heavy duty axles with brakes that can be serviced without removing the axle from the frame On-the-go control mounted electro-hydraulic rear differential lock engagement Y_N N Heavy duty axles with brakes that can be standard equipment Four-wheel drive units include the following features: Y_N Conventional differentials in the front axle Conventional differentials in the front axle Conventional differentials in the rear axle Y_N Conventional differentials in the rear axle Y_N N Planetary with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y_N N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y_N N Front and rear axles with outboard planetaries	Y <u>X_</u> N	Engine shall be equipped with a 9 blade suction fan with minimum diameter of 19.6 inches
Y. N. Automatic self-adjusting belt Y. N. Vertical spin-on engine oil filter Y. N. Cold weather starting aid to be that of non-ether based system with Block Heater Y. N. Liquid cooled engine Y. N. 500-hour engine oil change interval Y. N. Master disconnect switch and remote jump-start terminals ELECTRICAL Y. N. 12-volt electrical system Y. N. 160-amp alternator Y. N. Dual batteries with 850 cca (each) FULLY SYNCHRONIZED TRANSMISSION Y. N. Torque converter drive with a fully synchronized transmission Y. N. Minimum forward travel speed of 24.0 MPH with standard tires Y. N. Minimum reverse travel speed of 15.4 MPH with standard tires Y. N. Minimum reverse travel speed of 15.4 MPH with standard tires Y. N. Electric forward/reverse shuttle shift Y. N. Planetary transmission gears Y. N. Clutch disconnect button on shift lever Y. N. Clutch disconnect button on loader control lever DRIVE TRAIN Y. N. Heavy duty axles with brakes that can be serviced without removing the axle from the frame Y. N. On-the-go control mounted electro-hydraulic rear differential lock engagement Y. N. A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y. N. Conventional differentials in the front axle Conventional differentials in the rear axle Y. N. On-the-go electrical four-wheel drive engagement Y. N. Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y. N. Front and rear axles with outboard planetaries	Y_X_N	Aspirated dual-stage air cleaner
Y. N Vertical spin-on engine oil filter Y. N Cold weather starting aid to be that of non-ether based system with Block Heater Y. N Liquid cooled engine Y. N 500-hour engine oil change interval Y. N Auto Engine Protection Shutdown Master disconnect switch and remote jump-start terminals ELECTRICAL Y. N 12-volt electrical system Y. N 160-amp alternator Dual batteries with 850 cca (each) FULLY SYNCHRONIZED TRANSMISSION Y. N Torque converter drive with a fully synchronized transmission Y. N Four forward and three reverse speeds on Powershift Transmission Y. N Minimum forward travel speed of 24.0 MPH with standard tires Y. N Minimum reverse travel speed of 15.4 MPH with standard tires Y. N Electric forward/reverse shuttle shift Y. N Planetary transmission gears Y. N Clutch disconnect button on shift lever Y. N Clutch disconnect button on loader control lever DRIVE TRAIN Y. N Heavy duty axles with brakes that can be serviced without removing the axle from the frame On-the-go control mounted electro-hydraulic rear differential lock engagement Y. N On-the-go control mounted electro-hydraulic rear differential lock engagement Y. N A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y. N Conventional differentials in the front axle Conventional differentials in the rear axle Y. N On-the-go electrical four-wheel drive engagement Y. N Pront axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y. N 19.5Lx24 10PR Rear Tires Y. N Front and rear axles with outboard planetaries	Y <u>K_N</u>	Poly-V belt for fan and alternator
Y N Cold weather starting aid to be that of non-ether based system with Block Heater Y N N 500-hour engine oil change interval Y N Auto Engine Protection Shutdown Y N Master disconnect switch and remote jump-start terminals ELECTRICAL Y N 12-volt electrical system Y N 160-amp alternator Y N Dual batteries with 850 cca (each) FULLY SYNCHRONIZED TRANSMISSION Y N Torque converter drive with a fully synchronized transmission Y N Pour forward and three reverse speeds on Powershift Transmission Y N Minimum forward travel speed of 24.0 MPH with standard tires Y N Minimum reverse travel speed of 15.4 MPH with standard tires Y N Electric forward/reverse shuttle shift Y N Planetary transmission gears Y N Clutch disconnect button on shift lever Clutch disconnect button on loader control lever DRIVE TRAIN Y N Heavy duty axles with brakes that can be serviced without removing the axle from the frame Y N On-the-go control mounted electro-hydraulic rear differential lock engagement Y N A single fill and check point for rear axle shall be standard equipment	Y <u>_</u> x_N	
Y.N. Sob-hour engine oil change interval Y.N. Auto Engine Protection Shutdown Master disconnect switch and remote jump-start terminals ELECTRICAL Y.N. 12-volt electrical system Y.N. 160-amp alternator Y.N. Dual batteries with 850 cca (each) FULLY SYNCHRONIZED TRANSMISSION Y.N. Torque converter drive with a fully synchronized transmission Y.N. Four forward and three reverse speeds on Powershift Transmission Y.N. Minimum forward travel speed of 24.0 MPH with standard tires Y.N. Electric forward/reverse shuttle shift Y.N. Planetary transmission gears Y.N. Clutch disconnect button on shift lever Y.N. Clutch disconnect button on loader control lever DRIVE TRAIN Y.N. Heavy duty axles with brakes that can be serviced without removing the axle from the frame On-the-go control mounted electro-hydraulic rear differential lock engagement Y.N. Lube-for-life drive shaft cross bearings Y.N. A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y.N. Conventional differentials in the front axle Y.N. Conventional differentials in the rear axle Y.N. On-the-go electrical four-wheel drive engagement Y.N. Pront axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y.N. Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y.N. Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y.N. Front axles with outboard planetaries	Y_X_N	
Y. N. Auto Engine Protection Shutdown Y. N. Auto Engine Protection Shutdown Waster disconnect switch and remote jump-start terminals ELECTRICAL Y. N. 12-volt electrical system Y. N. 160-amp alternator Y. N. 160-amp alternator Y. N. 100-amp alter	Y_X_N	
Auto Engine Protection Shutdown X N Master disconnect switch and remote jump-start terminals ELECTRICAL X N 12-volt electrical system Y N 160-amp alternator Y N Dual batteries with 850 cca (each) FULLY SYNCHRONIZED TRANSMISSION Y N Torque converter drive with a fully synchronized transmission Y N Four forward and three reverse speeds on Powershift Transmission Y N Minimum forward travel speed of 24.0 MPH with standard tires Y N Minimum reverse travel speed of 15.4 MPH with standard tires Y N Electric forward/reverse shuttle shift Y N Planetary transmission gears Y N Clutch disconnect button on shift lever Clutch disconnect button on loader control lever DRIVE TRAIN Y N Heavy duty axles with brakes that can be serviced without removing the axle from the frame On-the-go control mounted electro-hydraulic rear differential lock engagement Y N Contentional differentials in the front axle Y N Conventional differentials in the front axle Y N Conventional differentials in the rear axle Y N Conventional differentials in the rear axle Y N Contentional differentials in the rear axle Y N Contentional differentials in the rear axle Y N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Front and rear axles with outboard planetaries	Y <u>X</u> _N	Liquid cooled engine
FLECTRICAL Y. N. 12-volt electrical system Y. N. 160-amp alternator Y. N. Dual batteries with 850 cca (each) FULLY SYNCHRONIZED TRANSMISSION Y. N. Four forward and three reverse speeds on Powershift Transmission Y. N. Minimum reverse travel speed of 24.0 MPH with standard tires Y. N. Minimum reverse travel speed of 15.4 MPH with standard tires Y. N. Electric forward/reverse shuttle shift Y. N. Planetary transmission gears Y. N. Clutch disconnect button on shift lever Clutch disconnect button on loader control lever DRIVE TRAIN Y. N. Heavy duty axles with brakes that can be serviced without removing the axle from the frame On-the-go control mounted electro-hydraulic rear differential lock engagement Y. N. A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y. N. Conventional differentials in the front axle Conventional differentials in the rear axle Y. N. On-the-go electrical four-wheel drive engagement Y. N. On-the-go electrical four-wheel drive engagement Y. N. Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y. N. Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y. N. Front and rear axles with outboard planetaries	Y <u>X</u> _N	500-hour engine oil change interval
ELECTRICAL Y. N. 12-volt electrical system Y. N. 160-amp alternator Dual batteries with 850 cca (each) FULLY SYNCHRONIZED TRANSMISSION FULLY SYNCHRONIZED TRANSMISSION Y. N. Torque converter drive with a fully synchronized transmission Y. N. Four forward and three reverse speeds on Powershift Transmission Minimum forward travel speed of 24.0 MPH with standard tires Y. N. Minimum reverse travel speed of 15.4 MPH with standard tires Y. N. Electric forward/reverse shuttle shift Y. N. Planetary transmission gears Y. N. Clutch disconnect button on shift lever Y. N. Clutch disconnect button on loader control lever DRIVE TRAIN Y. N. Heavy duty axles with brakes that can be serviced without removing the axle from the frame Y. N. On-the-go control mounted electro-hydraulic rear differential lock engagement Y. N. Lube-for-life drive shaft cross bearings Y. N. A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y. N. Conventional differentials in the front axle Y. N. Conventional differentials in the rear axle Y. N. Conventional differentials in the rear axle Y. N. On-the-go electrical four-wheel drive engagement Y. N. Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y. N. Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y. N. Front and rear axles with outboard planetaries	Υ <u>Μ</u> Ν	Auto Engine Protection Shutdown
Y. N. 12-volt electrical system Y. N. 160-amp alternator Dual batteries with 850 cca (each) FULLY SYNCHRONIZED TRANSMISSION Y. N. Torque converter drive with a fully synchronized transmission Y. N. Four forward and three reverse speeds on Powershift Transmission Y. N. Minimum forward travel speed of 24.0 MPH with standard tires Y. N. Minimum reverse travel speed of 15.4 MPH with standard tires Y. N. Electric forward/reverse shuttle shift Y. N. Planetary transmission gears Y. N. Clutch disconnect button on shift lever Y. N. Clutch disconnect button on loader control lever DRIVE TRAIN Y. N. Heavy duty axles with brakes that can be serviced without removing the axle from the frame Y. N. On-the-go control mounted electro-hydraulic rear differential lock engagement Y. N. Lube-for-life drive shaft cross bearings Y. N. A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y. N. Conventional differentials in the front axle Y. N. Conventional differentials in the rear axle Y. N. On-the-go electrical four-wheel drive engagement Y. N. On-the-go electrical four-wheel drive engagement Y. N. Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y. N. 19.5Lx24 10PR Rear Tires Front and rear axles with outboard planetaries	Y X _N	Master disconnect switch and remote jump-start terminals
Y. N. 12-volt electrical system Y. N. 160-amp alternator Dual batteries with 850 cca (each) FULLY SYNCHRONIZED TRANSMISSION Y. N. Torque converter drive with a fully synchronized transmission Y. N. Four forward and three reverse speeds on Powershift Transmission Y. N. Minimum forward travel speed of 24.0 MPH with standard tires Y. N. Minimum reverse travel speed of 15.4 MPH with standard tires Y. N. Electric forward/reverse shuttle shift Y. N. Planetary transmission gears Y. N. Clutch disconnect button on shift lever Y. N. Clutch disconnect button on loader control lever DRIVE TRAIN Y. N. Heavy duty axles with brakes that can be serviced without removing the axle from the frame Y. N. On-the-go control mounted electro-hydraulic rear differential lock engagement Y. N. Lube-for-life drive shaft cross bearings Y. N. A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y. N. Conventional differentials in the front axle Y. N. Conventional differentials in the rear axle Y. N. On-the-go electrical four-wheel drive engagement Y. N. On-the-go electrical four-wheel drive engagement Y. N. Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y. N. 19.5Lx24 10PR Rear Tires Front and rear axles with outboard planetaries	,	
Y N 160-amp alternator Y N Dual batteries with 850 cca (each) FULLY SYNCHRONIZED TRANSMISSION Y N Torque converter drive with a fully synchronized transmission Y N Four forward and three reverse speeds on Powershift Transmission Minimum forward travel speed of 24.0 MPH with standard tires Minimum reverse travel speed of 15.4 MPH with standard tires Y N Electric forward/reverse shuttle shift Y N Planetary transmission gears Y N Clutch disconnect button on shift lever Clutch disconnect button on loader control lever DRIVE TRAIN Y N Heavy duty axles with brakes that can be serviced without removing the axle from the frame On-the-go control mounted electro-hydraulic rear differential lock engagement Y N A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y N Conventional differentials in the front axle Conventional differentials in the rear axle Y N Contentional differentials in the rear axle Y N Conventional differentials in the rear axle Y N Conventional differentials in the rear axle Y N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Front and rear axles with outboard planetaries	ELECTRICAL	
FULLY SYNCHRONIZED TRANSMISSION Y. N. Torque converter drive with a fully synchronized transmission Y. N. Four forward and three reverse speeds on Powershift Transmission Y. N. Minimum forward travel speed of 24.0 MPH with standard tires Y. N. Minimum reverse travel speed of 15.4 MPH with standard tires Y. N. Electric forward/reverse shuttle shift Y. N. Planetary transmission gears Y. N. Clutch disconnect button on shift lever Clutch disconnect button on loader control lever DRIVE TRAIN Y. N. Heavy duty axles with brakes that can be serviced without removing the axle from the frame On-the-go control mounted electro-hydraulic rear differential lock engagement Y. N. On-the-go control mounted electro-hydraulic rear differential lock engagement Y. N. A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y. N. Conventional differentials in the front axle Y. N. Conventional differentials in the rear axle Y. N. Conventional differentials in the rear axle Y. N. Conventional differentials in the rear axle Y. N. On-the-go electrical four-wheel drive engagement Y. N. Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y. N. Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y. N. Front and rear axles with outboard planetaries	Y <u>X</u> _N	·
FULLY SYNCHRONIZED TRANSMISSION Y. N Torque converter drive with a fully synchronized transmission Y. N Four forward and three reverse speeds on Powershift Transmission Y. N Minimum forward travel speed of 24.0 MPH with standard tires Y. N Minimum reverse travel speed of 15.4 MPH with standard tires Y. N Electric forward/reverse shuttle shift Y. N Planetary transmission gears Y. N Clutch disconnect button on shift lever Y. N Clutch disconnect button on loader control lever DRIVE TRAIN Y. N Heavy duty axles with brakes that can be serviced without removing the axle from the frame On-the-go control mounted electro-hydraulic rear differential lock engagement Y. N On-the-go control mounted electro-hydraulic rear differential lock engagement Y. N A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y. N Conventional differentials in the front axle Conventional differentials in the rear axle Y. N Conventional differentials in the rear axle Y. N Conventional differentials in the rear axle Y. N Conthe-go electrical four-wheel drive engagement Y. N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y. N Front and rear axles with outboard planetaries		·
Y. N Four converter drive with a fully synchronized transmission Y. N Four forward and three reverse speeds on Powershift Transmission Y. N Minimum forward travel speed of 24.0 MPH with standard tires Y. N Minimum reverse travel speed of 15.4 MPH with standard tires Y. N Electric forward/reverse shuttle shift Y. N Planetary transmission gears Y. N Clutch disconnect button on shift lever Y. N Clutch disconnect button on loader control lever DRIVE TRAIN Y. N Heavy duty axles with brakes that can be serviced without removing the axle from the frame Y. N On-the-go control mounted electro-hydraulic rear differential lock engagement Y. N A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y. N Conventional differentials in the front axle Y. N Conventional differentials in the rear axle Y. N On-the-go electrical four-wheel drive engagement Y. N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y. N Front and rear axles with outboard planetaries	Y_X_N	Dual batteries with 850 cca (each)
Y. N Four converter drive with a fully synchronized transmission Y. N Four forward and three reverse speeds on Powershift Transmission Y. N Minimum forward travel speed of 24.0 MPH with standard tires Y. N Minimum reverse travel speed of 15.4 MPH with standard tires Y. N Electric forward/reverse shuttle shift Y. N Planetary transmission gears Y. N Clutch disconnect button on shift lever Y. N Clutch disconnect button on loader control lever DRIVE TRAIN Y. N Heavy duty axles with brakes that can be serviced without removing the axle from the frame Y. N On-the-go control mounted electro-hydraulic rear differential lock engagement Y. N A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y. N Conventional differentials in the front axle Y. N Conventional differentials in the rear axle Y. N On-the-go electrical four-wheel drive engagement Y. N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y. N Front and rear axles with outboard planetaries	F. II I V 0V/II 0	LIDONITED TRANSPIRATED
Four forward and three reverse speeds on Powershift Transmission Y. N. Minimum forward travel speed of 24.0 MPH with standard tires Minimum reverse travel speed of 15.4 MPH with standard tires Y. N. Electric forward/reverse shuttle shift Y. N. Planetary transmission gears Y. N. Clutch disconnect button on shift lever Y. N. Clutch disconnect button on loader control lever DRIVE TRAIN Y. N. Heavy duty axles with brakes that can be serviced without removing the axle from the frame Y. N. On-the-go control mounted electro-hydraulic rear differential lock engagement Y. N. Lube-for-life drive shaft cross bearings Y. N. A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y. N. Conventional differentials in the front axle Y. N. Conventional differentials in the rear axle Y. N. On-the-go electrical four-wheel drive engagement Y. N. Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y. N. 19.5Lx24 10PR Rear Tires Y. N. Front and rear axles with outboard planetaries		
Minimum forward travel speed of 24.0 MPH with standard tires Y. N. Minimum reverse travel speed of 15.4 MPH with standard tires Y. N. Electric forward/reverse shuttle shift Y. N. Planetary transmission gears Y. N. Clutch disconnect button on shift lever Y. N. Clutch disconnect button on loader control lever DRIVE TRAIN Y. N. Heavy duty axles with brakes that can be serviced without removing the axle from the frame Y. N. On-the-go control mounted electro-hydraulic rear differential lock engagement Y. N. Lube-for-life drive shaft cross bearings Y. N. A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y. N. Conventional differentials in the front axle Y. N. Conventional differentials in the rear axle Y. N. On-the-go electrical four-wheel drive engagement Y. N. Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y. N. Front and rear axles with outboard planetaries	. •	
Minimum reverse travel speed of 15.4 MPH with standard tires Y N Electric forward/reverse shuttle shift Y N Planetary transmission gears Y N Clutch disconnect button on shift lever Clutch disconnect button on loader control lever PRIVE TRAIN Y N Heavy duty axles with brakes that can be serviced without removing the axle from the frame On-the-go control mounted electro-hydraulic rear differential lock engagement Y N Lube-for-life drive shaft cross bearings Y N A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y N Conventional differentials in the front axle Y N Conventional differentials in the rear axle Y N On-the-go electrical four-wheel drive engagement Y N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y N 19.5Lx24 10PR Rear Tires Front and rear axles with outboard planetaries		·
Planetary transmission gears Y. N. Planetary transmission gears Y. N. Clutch disconnect button on shift lever Y. N. Clutch disconnect button on loader control lever DRIVE TRAIN Y. N. Heavy duty axles with brakes that can be serviced without removing the axle from the frame Y. N. On-the-go control mounted electro-hydraulic rear differential lock engagement Y. N. Lube-for-life drive shaft cross bearings Y. N. A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y. N. Conventional differentials in the front axle Y. N. Conventional differentials in the rear axle Y. N. On-the-go electrical four-wheel drive engagement Y. N. Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y. N. 19.5Lx24 10PR Rear Tires Y. N. Front and rear axles with outboard planetaries		·
Planetary transmission gears Y N Clutch disconnect button on shift lever Y N Clutch disconnect button on loader control lever DRIVE TRAIN Y X N Heavy duty axles with brakes that can be serviced without removing the axle from the frame On-the-go control mounted electro-hydraulic rear differential lock engagement Y N Lube-for-life drive shaft cross bearings Y N A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y N Conventional differentials in the front axle Y N Conventional differentials in the rear axle Y N On-the-go electrical four-wheel drive engagement Y N On-the-go electrical four-wheel drive engagement Y N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y N 19.5Lx24 10PR Rear Tires Y N Front and rear axles with outboard planetaries		\cdot
Clutch disconnect button on shift lever Y N Clutch disconnect button on loader control lever DRIVE TRAIN Y X N Heavy duty axles with brakes that can be serviced without removing the axle from the frame On-the-go control mounted electro-hydraulic rear differential lock engagement Y N Lube-for-life drive shaft cross bearings Y N A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y N Conventional differentials in the front axle Y N Conventional differentials in the rear axle Y N On-the-go electrical four-wheel drive engagement Y N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y N 19.5Lx24 10PR Rear Tires Y N Front and rear axles with outboard planetaries		
DRIVE TRAIN Y N Heavy duty axles with brakes that can be serviced without removing the axle from the frame On-the-go control mounted electro-hydraulic rear differential lock engagement Lube-for-life drive shaft cross bearings Y N A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y N Conventional differentials in the front axle Y N Conventional differentials in the rear axle Y N On-the-go electrical four-wheel drive engagement Y N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y N 19.5Lx24 10PR Rear Tires Y N Front and rear axles with outboard planetaries		
DRIVE TRAIN Y N Heavy duty axles with brakes that can be serviced without removing the axle from the frame On-the-go control mounted electro-hydraulic rear differential lock engagement Lube-for-life drive shaft cross bearings Y N A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y N Conventional differentials in the front axle Y N Conventional differentials in the rear axle Y N On-the-go electrical four-wheel drive engagement Y N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y N 19.5Lx24 10PR Rear Tires Y N Front and rear axles with outboard planetaries	Y_X_IV	
Heavy duty axles with brakes that can be serviced without removing the axle from the frame On-the-go control mounted electro-hydraulic rear differential lock engagement Lube-for-life drive shaft cross bearings Y N Lube-for-life drive shaft cross bearings A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y N Conventional differentials in the front axle Y N Conventional differentials in the rear axle On-the-go electrical four-wheel drive engagement Y N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y N 19.5Lx24 10PR Rear Tires Y N Front and rear axles with outboard planetaries	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Clutch disconnect button on loader control lever
Heavy duty axles with brakes that can be serviced without removing the axle from the frame On-the-go control mounted electro-hydraulic rear differential lock engagement Lube-for-life drive shaft cross bearings Y N A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y N Conventional differentials in the front axle Y N Conventional differentials in the rear axle Y N On-the-go electrical four-wheel drive engagement Y N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y N 19.5Lx24 10PR Rear Tires Y N Front and rear axles with outboard planetaries	DDIVE TO AIN	
On-the-go control mounted electro-hydraulic rear differential lock engagement Y N Lube-for-life drive shaft cross bearings Y N A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y N Conventional differentials in the front axle Y N Conventional differentials in the rear axle Y N On-the-go electrical four-wheel drive engagement Y N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y N 19.5Lx24 10PR Rear Tires Y N Front and rear axles with outboard planetaries		
Y N Lube-for-life drive shaft cross bearings Y N A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y N Conventional differentials in the front axle Y N Conventional differentials in the rear axle Y N On-the-go electrical four-wheel drive engagement Y N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y N 19.5Lx24 10PR Rear Tires Y N Front and rear axles with outboard planetaries		
A single fill and check point for rear axle shall be standard equipment Four-wheel drive units include the following features: Y N Conventional differentials in the front axle Y N Conventional differentials in the rear axle Y N On-the-go electrical four-wheel drive engagement Y N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y N 19.5Lx24 10PR Rear Tires Y N Front and rear axles with outboard planetaries		· · · · · · · · · · · · · · · · · · ·
Four-wheel drive units include the following features: Y N Conventional differentials in the front axle Y N Conventional differentials in the rear axle Y N On-the-go electrical four-wheel drive engagement Y N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y N 19.5Lx24 10PR Rear Tires Y N Front and rear axles with outboard planetaries	\ ./ —	g and the state of
Y N Conventional differentials in the front axle Y N Conventional differentials in the rear axle On-the-go electrical four-wheel drive engagement Y N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y N 19.5Lx24 10PR Rear Tires Y N Front and rear axles with outboard planetaries	1 X IV	A single fill and check point for real axie shall be standard equipment
Y N Conventional differentials in the front axle Y N Conventional differentials in the rear axle On-the-go electrical four-wheel drive engagement Y N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y N 19.5Lx24 10PR Rear Tires Y N Front and rear axles with outboard planetaries	Four-wheel dr	ive units include the following features:
Y N Conventional differentials in the rear axle Y N On-the-go electrical four-wheel drive engagement Y N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y N 19.5Lx24 10PR Rear Tires Y N Front and rear axles with outboard planetaries		•
Y N On-the-go electrical four-wheel drive engagement Y N Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires Y N 19.5Lx24 10PR Rear Tires Y N Front and rear axles with outboard planetaries		
YXN Front axle with a minimum 67.7-inch fixed tread with 12 x 16.5 tires YXN 19.5Lx24 10PR Rear Tires YXN Front and rear axles with outboard planetaries		
YKN 19.5Lx24 10PR Rear Tires YKN N Front and rear axles with outboard planetaries		-
YXN Front and rear axles with outboard planetaries		
		·

Y <u>X N ; </u> N	Steering cylinder located behind the axle Lube-for-life drive shaft cross bearings
The axle load	rating shall be: Front Axle (4wd) maximum static – 64,613 lbs minimum
YX N	Rear Axle maximum static – 90,145 lbs minimum
Y Z N	Front Axle (4wd) dynamic operating – 39,328 lbs minimum
Y X N	Rear Axle dynamic operating – 56,200 lbs minimum
Y X N Y X	Front Axle (4wd) static operating – 15,732 lbs minimum Rear Axle static operating – 22,480 lbs minimum
BRAKES	
Y <u>'X_</u> N	Outboard mounted, fully hydraulic, multiple wet disc brakes
Y <u>-X</u> _N	Low effort, power boosted, oil cooled brakes
XX_N	Brakes operated by two, suspended brake pedals Maintenance-free and self-adjusting
Y X N	Spring applied, hydraulically released (SAHR) parking brake
LOADER AN	D LINKAGE FEATURES
Y_X_N	The loader arms shall be heavy duty and in-line.
Y_X_N	Arch design for short turning circle
λ. <u>Υ</u> . Ν 	Dual parallel lift cylinders Cushioned loader cylinders
Y X N	Automatic ride control with adjustable speed setting
	kage shall have the following features:
XX_N	Dual parallel bucket cylinders
Y <u>X_</u> N	Cushioned bucket cylinders Bucket cylinders with reverse linkage
Y X N	Dual cast dump links to bucket
Y-X_N	Full bucket rollover for dozing
Y <u>X</u> N	Full bucket rollover for stability in backhoe operation
Y <u>X</u> N	Automatic bucket self-leveling
Y_X_N	Return-to-dig
LOADER BU	
	The loader bucket shall be a 4-in-1 minimum of 82 inches wide with a 1.04 cubic yard heaped capacity with
Y <u>X</u> N	replaceable edges
Y <u>X</u> N	Pre-drilled edge Heavy duty lifting eyes
1 × N	Bucket position indicator
YX N	Minimum SAE dump cylinder breakout force of 11,658 pounds force
Y_X_N	Minimum SAE lift cylinder breakout force of 9,610 pounds force
Y_X_N	Minimum SAE lift capacity to full height of 6,703 pounds
Y_X_N	Minimum SAE dump clearance of 8 feet 11 inches at full height and 45 degree dump angle
Y_X_N	Minimum SAE dump reach of 29.1 inches at full height and 45 degree dump angle
Y_X_N	Minimum hinge pin height of 11 feet 3 inches Minimum dig depth below ground of 4.8 inches
Y <u>X_N</u>	Maximum loader lowering time (power down) of 2.5 seconds
ΥXN	Maximum loader lowering time (return-to-dig) of 3.6 seconds
Y <u>X</u> N	Maximum bucket dumping time of 1.8 seconds
Y 🔀 N	Maximum bucket raising time to full height of 3.4 seconds
	ND CONTROLS
Y <u>X_</u> N	Grease pins in the swing tower to boom base
Y <u>X</u> N	Replaceable bushings in the swing tower to boom base mounting pins Mechanical bucket coupler - Must be compatible with John Deere pin setup
Ā, Ν Λ Ā , Ν	Extendible exterior dipper stick

Y_X_N'	Extendible dipper stick can be pinned to prevent movement		
YXN_	Replaceable wear strip for extendible dipper stick		
Y <u>X</u> N	Minimum 1,100-pound front-mounted counterweight for Extendahoe		
Y X N	Stabilizers fully retractable within the width of the tires/street pads and dirt cleats		
Y <u>X</u> N	Over-center backhoe design for improved balance during transport and roading		
Y <u>\</u> N	System to provide precise control and eliminate over-swing		
Y <u>X</u> _N	Standard serrated teeth on dipper arm for gripping objects		
Y	The backhoe controls shall be of an ergonomic design with low lever effort		
Y_N	Standard lever configuration shall be of four-lever design with foot swing		
PACKHOE I			
BACKHOE I			
Y <u>X</u> N Y <u>X</u> N			
1_1_1	24 in. wide Hi-Capacity Bucket		
OPERATING	CONFIGURATION		
Y <u>X</u> _N	Machine equipped with 4WD, 2 door cab with heat and AC		
	Air Ride Suspension Seat with flip-up armrests, heated, electric height adjustment, adjustable backrest and		
Y_X_N	lumbar support.		
•			
TRACTOR E	DIMENSIONS (4WD with 19.5L x 24 tires)		
Y <u>X</u> _N	Maximum wheel base of 84.0 inches		
Y <u>Υ</u> _N	Maximum overall transport width of 7 feet 1.5 inches		
Y	Maximum height of 8 feet 11 inches to top of cab / 8 feet 8.8 inches to top of canopy		
Y <u>X_</u> N	Maximum height to top of exhaust stack 8 feet 6.9inches		
Y_N	Maximum transport height of 11 feet 0.5 inches		
BACKHOE -	Extendahoe		
Y X N	Minimum SAF dig depth with over-center Extendahoe extended for 24-inch flat bottom of 17 feet 9.8 inches		
Y <u>X</u> _N YV_N	Minimum SAE dig depth with over-center Extendahoe extended for 24-inch flat bottom of 17 feet 9.8 inches Power Lift feature for increased lifting capacity		
Y <u>X'</u> N Y <u>V</u> N Y \sqrt{N}	Power Lift feature for increased lifting capacity		
Y X N Y X N Y X N Y X N	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted)		
Y X N Y X N Y X N Y X N Y X N	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted)		
Y <u>X</u> _N	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted)		
Y <u>X</u> _N	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches		
Y <u>X N </u>	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches Minimum boom lift capacity at 10 feet of 3,281 pounds (retracted)		
Y <u>X</u> _N	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches Minimum boom lift capacity at 10 feet of 3,281 pounds (retracted) Minimum boom lift capacity at 12 feet of 3,201 pounds (retracted)		
Y <u>X N </u>	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches Minimum boom lift capacity at 10 feet of 3,281 pounds (retracted) Minimum boom lift capacity at 12 feet of 3,201 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted)		
Y <u>X N </u>	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches Minimum boom lift capacity at 10 feet of 3,281 pounds (retracted) Minimum boom lift capacity at 12 feet of 3,201 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted) Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted)		
Y <u>X N </u>	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches Minimum boom lift capacity at 10 feet of 3,281 pounds (retracted) Minimum boom lift capacity at 12 feet of 3,201 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted) Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted) Minimum boom lift capacity at 10 feet of 3,566 pounds (retracted), Power Lift option		
Y <u>X N </u>	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches Minimum boom lift capacity at 10 feet of 3,281 pounds (retracted) Minimum boom lift capacity at 12 feet of 3,201 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted) Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted) Minimum boom lift capacity at 10 feet of 3,566 pounds (retracted), Power Lift option Minimum boom lift capacity at 12 feet of 3,479 pounds (retracted), Power Lift option		
YX_N_YX_N	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches Minimum boom lift capacity at 10 feet of 3,281 pounds (retracted) Minimum boom lift capacity at 12 feet of 3,201 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted) Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted) Minimum boom lift capacity at 10 feet of 3,479 pounds (retracted), Power Lift option Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted), Power Lift option Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option		
YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches Minimum boom lift capacity at 10 feet of 3,281 pounds (retracted) Minimum boom lift capacity at 12 feet of 3,201 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted) Minimum dipper lift capacity at 12 feet of 3,566 pounds (retracted) Minimum boom lift capacity at 10 feet of 3,566 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,399 pounds (retracted), Power Lift option Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option		
YX_N_YX_N	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches Minimum boom lift capacity at 10 feet of 3,281 pounds (retracted) Minimum boom lift capacity at 12 feet of 3,201 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted) Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted) Minimum boom lift capacity at 10 feet of 3,566 pounds (retracted), Power Lift option Minimum boom lift capacity at 12 feet of 3,479 pounds (retracted), Power Lift option Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option ENVIRONMENT The loader backhoe shall have a cab with two doors		
YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches Minimum boom lift capacity at 10 feet of 3,281 pounds (retracted) Minimum boom lift capacity at 12 feet of 3,201 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted) Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted) Minimum boom lift capacity at 10 feet of 3,566 pounds (retracted), Power Lift option Minimum boom lift capacity at 12 feet of 3,479 pounds (retracted), Power Lift option Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option ENVIRONMENT The loader backhoe shall have a cab with two doors Power Lift option to increase backhoe hydraulic pressure to increase lift capacity while reducing the engine		
YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches Minimum boom lift capacity at 10 feet of 3,281 pounds (retracted) Minimum boom lift capacity at 12 feet of 3,201 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted) Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted) Minimum boom lift capacity at 10 feet of 3,566 pounds (retracted), Power Lift option Minimum boom lift capacity at 12 feet of 3,479 pounds (retracted), Power Lift option Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option ENVIRONMENT The loader backhoe shall have a cab with two doors Power Lift option to increase backhoe hydraulic pressure to increase lift capacity while reducing the engine RPM decreasing the dBa and fuel consumption.		
YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches Minimum boom lift capacity at 10 feet of 3,281 pounds (retracted) Minimum boom lift capacity at 12 feet of 3,201 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted) Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted) Minimum boom lift capacity at 10 feet of 3,566 pounds (retracted), Power Lift option Minimum boom lift capacity at 12 feet of 3,479 pounds (retracted), Power Lift option Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option ENVIRONMENT The loader backhoe shall have a cab with two doors Power Lift option to increase backhoe hydraulic pressure to increase lift capacity while reducing the engine RPM decreasing the dBa and fuel consumption. Minimum of four isolation mounts		
YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches Minimum boom lift capacity at 10 feet of 3,281 pounds (retracted) Minimum boom lift capacity at 12 feet of 3,201 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted) Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted) Minimum boom lift capacity at 10 feet of 3,566 pounds (retracted), Power Lift option Minimum boom lift capacity at 12 feet of 3,479 pounds (retracted), Power Lift option Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option ENVIRONMENT The loader backhoe shall have a cab with two doors Power Lift option to increase backhoe hydraulic pressure to increase lift capacity while reducing the engine RPM decreasing the dBa and fuel consumption. Minimum of four isolation mounts Insulation for maximum temperature and sound control		
YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches Minimum boom lift capacity at 10 feet of 3,281 pounds (retracted) Minimum boom lift capacity at 12 feet of 3,201 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted) Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted) Minimum boom lift capacity at 10 feet of 3,566 pounds (retracted), Power Lift option Minimum boom lift capacity at 10 feet of 3,479 pounds (retracted), Power Lift option Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted), Power Lift option Minimum dipper lift capacity at 10 feet of 5,618 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option ENVIRONMENT The loader backhoe shall have a cab with two doors Power Lift option to increase backhoe hydraulic pressure to increase lift capacity while reducing the engine RPM decreasing the dBa and fuel consumption. Minimum of four isolation mounts Insulation for maximum temperature and sound control Sound level maximum of 72 dBa		
YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches Minimum boom lift capacity at 10 feet of 3,281 pounds (retracted) Minimum boom lift capacity at 12 feet of 3,201 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted) Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted) Minimum boom lift capacity at 10 feet of 3,566 pounds (retracted), Power Lift option Minimum boom lift capacity at 12 feet of 3,479 pounds (retracted), Power Lift option Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted), Power Lift option Minimum dipper lift capacity at 10 feet of 5,618 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option ENVIRONMENT The loader backhoe shall have a cab with two doors Power Lift option to increase backhoe hydraulic pressure to increase lift capacity while reducing the engine RPM decreasing the dBa and fuel consumption. Minimum of four isolation mounts Insulation for maximum temperature and sound control Sound level maximum of 72 dBa Right hand door		
YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches Minimum boom lift capacity at 10 feet of 3,281 pounds (retracted) Minimum boom lift capacity at 12 feet of 3,201 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,618 pounds (retracted) Minimum boom lift capacity at 10 feet of 3,566 pounds (retracted), Power Lift option Minimum boom lift capacity at 12 feet of 3,479 pounds (retracted), Power Lift option Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option ENVIRONMENT The loader backhoe shall have a cab with two doors Power Lift option to increase backhoe hydraulic pressure to increase lift capacity while reducing the engine RPM decreasing the dBa and fuel consumption. Minimum of four isolation mounts Insulation for maximum temperature and sound control Sound level maximum of 72 dBa Right hand door Suspended brake pedals		
YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches Minimum boom lift capacity at 10 feet of 3,281 pounds (retracted) Minimum boom lift capacity at 12 feet of 3,281 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted) Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted) Minimum boom lift capacity at 12 feet of 3,479 pounds (retracted), Power Lift option Minimum boom lift capacity at 12 feet of 5,399 pounds (retracted), Power Lift option Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option ENVIRONMENT The loader backhoe shall have a cab with two doors Power Lift option to increase backhoe hydraulic pressure to increase lift capacity while reducing the engine RPM decreasing the dBa and fuel consumption. Minimum of four isolation mounts Insulation for maximum temperature and sound control Sound level maximum of 72 dBa Right hand door Suspended brake pedals Suspended accelerator		
YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches Minimum boom lift capacity at 10 feet of 3,281 pounds (retracted) Minimum boom lift capacity at 12 feet of 3,391 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,618 pounds (retracted) Minimum boom lift capacity at 10 feet of 3,566 pounds (retracted), Power Lift option Minimum boom lift capacity at 12 feet of 3,479 pounds (retracted), Power Lift option Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option ENVIRONMENT The loader backhoe shall have a cab with two doors Power Lift option to increase backhoe hydraulic pressure to increase lift capacity while reducing the engine RPM decreasing the dBa and fuel consumption. Minimum of four isolation mounts Insulation for maximum temperature and sound control Sound level maximum of 72 dBa Right hand door Suspended brake pedals Suspended accelerator Electro-hydraulic differential lock		
YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches Minimum boom lift capacity at 10 feet of 3,281 pounds (retracted) Minimum boom lift capacity at 12 feet of 3,201 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,618 pounds (retracted) Minimum boom lift capacity at 10 feet of 3,479 pounds (retracted), Power Lift option Minimum boom lift capacity at 12 feet of 3,479 pounds (retracted), Power Lift option Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option ENVIRONMENT The loader backhoe shall have a cab with two doors Power Lift option to increase backhoe hydraulic pressure to increase lift capacity while reducing the engine RPM decreasing the dBa and fuel consumption. Minimum of four isolation mounts Insulation for maximum temperature and sound control Sound level maximum of 72 dBa Right hand door Suspended brake pedals Suspended accelerator Electro-hydraulic differential lock Transmission shift lever within easy reach of the operator and integrated clutch disconnect button		
YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches Minimum boom lift capacity at 10 feet of 3,281 pounds (retracted) Minimum biom lift capacity at 12 feet of 3,201 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,618 pounds (retracted) Minimum boom lift capacity at 10 feet of 3,566 pounds (retracted), Power Lift option Minimum boom lift capacity at 12 feet of 3,479 pounds (retracted), Power Lift option Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted), Power Lift option Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option ENVIRONMENT The loader backhoe shall have a cab with two doors Power Lift option to increase backhoe hydraulic pressure to increase lift capacity while reducing the engine RPM decreasing the dBa and fuel consumption. Minimum of four isolation mounts Insulation for maximum temperature and sound control Sound level maximum of 72 dBa Right hand door Suspended brake pedals Suspended brake pedals Suspended accelerator Electro-hydraulic differential lock Transmission shift lever within easy reach of the operator and integrated clutch disconnect button All glass surfaces free of rubber moldings		
YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N_YX_N	Power Lift feature for increased lifting capacity Minimum digging force, bucket cylinder, 13,576 pounds force (retracted) Minimum digging force, dipper cylinder, 8,657 pounds force (retracted) Maximum stabilizer spread in operating position of 9 feet 7.2inches Minimum boom lift capacity at 10 feet of 3,281 pounds (retracted) Minimum boom lift capacity at 12 feet of 3,201 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted) Minimum dipper lift capacity at 10 feet of 5,618 pounds (retracted) Minimum boom lift capacity at 10 feet of 3,479 pounds (retracted), Power Lift option Minimum boom lift capacity at 12 feet of 3,479 pounds (retracted), Power Lift option Minimum dipper lift capacity at 10 feet of 5,399 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option Minimum dipper lift capacity at 12 feet of 5,618 pounds (retracted), Power Lift option ENVIRONMENT The loader backhoe shall have a cab with two doors Power Lift option to increase backhoe hydraulic pressure to increase lift capacity while reducing the engine RPM decreasing the dBa and fuel consumption. Minimum of four isolation mounts Insulation for maximum temperature and sound control Sound level maximum of 72 dBa Right hand door Suspended brake pedals Suspended accelerator Electro-hydraulic differential lock Transmission shift lever within easy reach of the operator and integrated clutch disconnect button		

Y_X_N <u>**</u>	Interior rear view mirror
YXN_	Retractable seat belt
Y_X_N	Deluxe Air suspension seat
Υ <u>*</u> Ν	Built-in molded cup holder
Y_X_N	Front console storage area
Y <u>X</u> _N	Single handle loader control with top-mounted clutch cut-out button
Y <u>v</u> N	Forward/reverse power shuttle lever mounted on the steering column
Y <u>X</u> _N	Electric Parking brake switch located within easy reach to the right of the operator
V ve NI	Operator warning system that alerts the operator with an audible alarm when the parking brake is applied and the operator engages the forward/reverse lever
Y_X_N	Instrumentation located to the right of the operator
Y <u>*</u> N Y <u>*</u> X_N	Two accessory power plugs
Y_X_N	Comfort Steer Available
Y <u>X</u> N	AM/FM Radio
YN	Tool Box
	
The loader ba	ckhoe cab also shall have the following for backhoe operation:
Λ <u>Α</u> Ν	Easy-to-swing seat to access backhoe controls
Y_X_N	Audible alarm to alert operator of transmission engagement when swinging seat
Y_ <u>k</u> N	Foot pedals for backhoe swing
Y_X_N	Over-center backhoe release inside the cab
Y_ <u>x_</u> N	Rotary throttle control located within easy reach to the left of the operator
Y <u>X</u> N	Stabilizer controls located together to permit one-hand operation
HYDRAULICS	3
Y <u>K</u> N	The loader hydraulics shall be closed center and allow for smooth loader operation.
Y <u>k</u> N	The backhoe hydraulics shall be variable volume and allow for smooth backhoe operation.
Y X N	Variable displacement axial piston pump, transmission mounted
Y_X_N	Total pump flow to be 40 GPM at 2,340 psi available to the loader valve and backhoe valve
Y <u>X</u> N	Anti-cavitation valves in the dipper and loader circuit
Y_X_N	Pilot-operated check valves for stabilizers and boom circuit (manual control units)
Y_ <u>X_</u> N	Anti-rebound valve for backhoe swing precision
	Factory installed backhoe auxiliary hydraulics to be of a uni-directional or combo directional design with
Y <u>X</u> N	adjustable flow control - Needs to be able to run Hydraulic Breaker or Tamper
SERVICEABI	I ITV
YK_N_	The loader backhoe shall be easy to service from ground level
YX_N	Tilt hood that permits access to the engine with the loader arms raised or lowered
Y <u>~</u> N_	Remote hydraulic test ports for ground level service diagnosis
YX N	Remote battery disconnect switch and jump start
YX N	Minimum 35 gallon side-mounted fuel tank
Y <u>X</u> _N	Minimum hydraulic system (total) fill of 125 quarts (standard hoe) / 131 quarts (extendahoe)
Y <u>X</u> N	Minimum transmission total system fill of 19 quarts (4WD)
Y_X_N	Minimum engine oil fill (with filter) of 8.5 quarts
Λ [*] * N [*] *	Minimum 53 quarts hydraulic reservoir (with filter)
Y_X_N	Minimum window washer reservoir fill of 3 quarts
N N N	Lube for life drive line components
Y_X_N	Remote front axle pivot lubrication fitting
Y <u>X_</u> N	500 hour service interval for engine oil
WARRANTY	
YX N	Full machine warranty of 12 months, unlimited hours
ΥXN	Engine warranty of two years or 2,000 hours
YXN	Power train warranty of two years or 2,000 hours
Y <u>X</u> N	Optional extended warranty for Full Machine
	PRICE: \$4,392 60 months / 5,000 hrs. Optional extended warranty for Power train Only
Y <u>X</u> N	Optional extended warranty for Power train Only
. •	PRICE: \$1,415 60 months / 5,000 hs.

ADDITIONAL EQUIPMENT

*Y X N____

Hydraulic two tine stick mount thumb. (Always Operational)

PLEASE EXPLAIN ALL NO REPONSES:

City of Indianola Trade Unit 2002 310 John Deere 4x4 Extendahoe #37 Unit may be seen at 706 N 6th St. Indianola Ia.



FPT F5BFL413B

Rated 35°

Rated 35°

Replaceable,

full flow cartridge

580SN

BACKHOE LOADER TIER 4 FINAL CERTIFIED

ENGINE

Model

Model	FF1 F3DFL413D
Emissions Certification	Tier 4 Final
Type Diesel 4	-stroke, turbocharged
Cylinders	4
Bore/Stroke	3.9 x 4.33 in
	(99 x 110 mm)
Displacement	207 in ³ (3.4 L)
Fuel injection	Direct, high pressure
	common rail - HPCR
Fuel	Diesel
Engine speeds*	RPM
Rated speed - full load	2200
Low idle	900 – 1000
High idle - no load	2330 - 2430
Horsepower @ 2200 RPM:	
Gross	97 hp (72 kW)
Net	95 hp (71 kW)
Maximum torque @ 1400 F	RPM:
Gross	334 lb·ft (453 N·m)
Net	333 lb·ft (452 N·m)
Torque rise at rated speed	45% +/- 5%
Radiator:	
Core size area	486 in ² (3 145 cm ²)
Rows of tubes	4
39° fan:	
Style	9 blade suction
Diameter	19.65 in (500 mm)
Ratio**	1.4:1
Pump operating angle ratir	ngs:
011 11	D 1 1050

NOTE: *Engine speeds w/ standard transmission. Meets federal emission regulations. **Viscous fan.

DRIVETRAIN

Side to side

Fore and aft

Oil filtration

Transmission – standard:

Powershift S-Type, 4F-3R power shuttle, synchromesh transmission w/ hydraulic gear shifting

Transmission - optional:

4F-4R Power Shuttle Synchromesh transmission manual gear shift, fully synchronized

DRIVETRAIN (cont.)

Specifications below apply to both Power Shuttle and Powershift S-Type transmission unless otherwise indicated.

Gear ratios		Forward/Reverse
1st		5.603/4.643
2nd		3.481/2.884
3rd		1.584/1.313
4th		0.793/0.657
Travel speeds	Forward mph (kph)	Reverse mph (kph
1st	3.8 (6.1)	4.5 (7.3)
2nd	6.0 (9.7)	7.2 (11.6
3rd	12.8 (20.6)	15.4 (24.7)
4th	24.0 (38.6)	28.8 (46.3)

NOTE: *4R not available on Powershift S-Type.

Transmission - optional:

Powershift H-Type, 4F-3R hydraulic clutch shifting w/ auto function

Gear ratios		Forward/Reverse
1st		5.533/4.549
2nd		3.359/2.762
3rd		1.533/1.260
4th		0.811/—
Travel speeds	Forward mph (kph)	
1st	3.9 (6.2)	4.6 (7.4)
2nd	6.3 (10.1)	7.5 (12.1)
3rd	13.3 (21.4)	16.0 (25.7)
4th	23.6 (38.0)	

NOTE: Travel speeds at 2312 engine RPM specified: $\mbox{w/}\mbox{ 19.5 L} \mbox{ x 24 tires.}$

Speeds decrease w/ 17.5 L x 24 rear tires.

Torque converter ratio	2.4
Differential lock	On-the-go
	push-button activation
Front 4WD/Rear axle:	
Differential ratio	2.0/2.5
Planetary hub ratio	6.0/6.4
Total reduction ratio	12.0/16.0

Service brakes:

Individually applied, power assisted, hydraulically actuated, maintenance-free, self-adjusting, outboard mounted, wet disc, 2 per side.

Total disc area	384 in ² (0.25 m ²)
Parking brakes	Trans Mounted spring-applied,
	hydraulic release - SAHR

ELECTRICAL

Voltage	12 Volts, negative ground
Alternator	160 amp
Battery	850 cold-cranking amps
Opt. batteries (2)	850 cold-cranking amps
Power plugs (2)	30 amps total

OPERATOR ENVIRONMENT

ROPS/FOPS certified protective canopy; Anti-vandalism cover for dash – w/ canopy only; Rear fenders extensions; Coat hook w/ garment strap; Interior rearview mirror, convex 3.54 in (90 mm) wide x 10.83 in (275 mm) high; Non-suspension seat – 180° swivel – Vinyl; 2 in (50 mm) retractable seat belt; Cup holder/ storage tray mounted on left-hand fender; Right-hand storage compartment w/ lid.

Gauges

Engine water temperature; Converter oil temperature; Fuel; Tachometer/hourmeter; DEF level.

Warning lights:

Air cleaner restriction; Alternator; A/C high pressure; Cold start; Engine oil pressure; Hydraulic oil filter bypass; Parking brake engagement; Low fuel; Water in fuel; Low DEF.

Audible alarms w/ diagnostics:

Coolant temperature; Engine oil pressure; Parking brake engagement; Converter temperature; Shuttle engagement/seat position; Backup alarm; Low DEF fluid.

Horn Dual switched front and rear

OPERATING WEIGHT

Configuration 1 - SAE Transport:

No Operator, GP Loader Bucket, Cab, AC, Small Front Counter Weight, 2WD, Full of Fuel, SAE Carry T4 Final Engine, Pilot Controls, 11 L – 16 @ 52 psi front tires, 17.5 L – 24 @ 30 psi rear tires. 17,269 lb (7 883 kg)

Configuration 2 - SAE Transport:

No Operator, 4:1 Loader Bucket, Ehoe, Cab, big front counter weight, Full of Fuel, SAE Carry T4 Final Engine, Pilot Controls, Galaxy 12 x 16.5 @ 50 psi front tires, Solideal 19.5 L – 24 @ 30 psi rear tires. 19,067 lb (8 649 kg)

Add-on weights:

Cab-over canopy	309 lb (140 kg)
Fabricated stabilizer pads	141 lb (64 kg)
Counterweights	700 lb (318 kg)
Extendahoe®	286 lb (130 kg)
4WD w/ driveshaft guard	283 lb (128 kg)

HYDRAULICS

Pump:
Bosch Rexroth Series 31 Variable
Displacement Axial Piston Pump

Main relief pressure: Standard

3,450 +/- 50 psi (238 +/- 3.5 bar)

Power Lift

3,625 +/- 50 psi (250 +/- 3.5 bar)

Filtration:

7-micron, full flow replaceable cartridge on return line, condition indicator light for filter.

Oil cooler

Heavy-duty

Loader flow @ rated engine RPM:

41 gpm @ 2,340 psi (155.2 L/min @ 161 bar)

Loader control valve w/ pilot or manual backhoe controls:

Two or three-spool closed center sectional control valve. Single lever manual control for lift and tilt functions. The three-spool valve uses a proportional Electro-Hydraulic control for the auxiliary function. The lift lever has a positive hold "Float" position and a "returnto-dig" feature.

Loader auxiliary hydraulics w/ proportional thumb switch w/ detent on loader control handle:

> 0 to 41 gpm @ 2,340 psi (0 to 156.2 L/min @ 161 bar)

Backhoe flow @ rated engine RPM:

41 gpm @ 3,100 psi (156.2 L/min @ 214 bar)

Manual backhoe control valve:

Six or seven-spool monoblock open center control valve. Features "Pro-Control" which includes custom designed spools for each individual function along with "swing cushioning" valve for zero-wag swing control. Basic control valve has an open center parallel circuit for all functions.

Pilot backhoe control valve:

Six, seven, or eight spool sectional closed center control valve. Features "Pro-Control" which includes custom designed spools for each individual function along w/ "swing cushioning" valve for zero-wag swing control. Basic control valve is closed center, w/ circuits in parallel w/ a postcompensated, flow sharing feature for simultaneous operation of all circuits.

Unidirectional auxiliary hydraulics:

Unidirectional hydraulic valve is equipped w/ an adjustable LS relief valve to control attachment pressure and a 6 position flow control selector for 6 detented, distinct flow settings.

Actuation:

Manual backhoe controls - cab floor pedal Pilot controls - left hand joystick

Bidirectional auxiliary hydraulics*:

Actuation:

Activate the bidirectional switch located on the rear console

Manual shift - bidirectional linkage on far right of backhoe tower Pilot controls - left-hand joystick

NOTE: *Available w/ Combo Aux. Hyd. option.

SERVICE CAPACITIES

Fuel tank	35.0 gal (132.0 L)
DEF tank	3.6 gal (13.5 L)
Hydraulic system:	
Total	125 qt (118 L)
w/ Extendahoe®	131 qt (123.6 L)
Reservoir w/ filter	53 qt (50.5 L)
Reservoir w/o filter	55 qt (52.4 L)
Transmission - total system:	
2WD Standard	18 qt (17.0 L)
2WD Powershift S-Type	23 qt (21.7 L)
4WD Standard	21 qt (19.4 L)
4WD Powershift S-Type	22 qt (20.7 L)
4WD Powershift H-Type	19 qt (18.0 L)
Front axle:	
4WD Differential	8.1 qt (7.7 L)
4WD Planetaries – each	0.5 qt (0.5 L)
Rear axle:	
Differential and planetaries	14.4 qt (13.6 L)
Engine oil w/ filter	8.5 qt (8.0 L)
Cooling system:	
w/ heater	19.0 qt (18.0 L)
w/o heater	18.3 qt (17.3 L)
Window washer reservoir	3.0 qt (2.8 L)

OTHER SPECIFICATIONS

Front tires: 2WD 4WD	11.0 L x 16.0, 10-ply rating 12.0 L x 16.5, 8-ply rating
Rear tires:	
2/4WD	19.5 L x 24.0, 10-ply rating
2/4WD	17.5 L x 24.0, 10-ply rating

Loader:

Bucket position indicator; Lifting lugs on standard bucket; Single lever control w/ selfleveling and return-to-dig; Hand operated clutch disconnects on loader and shift levers, single lever 4-function loader control: lift, dump, clutch cut-out, differential lock.

Loader bucket sizes:

Width	Weight	Struck	Heaped	
	Long Lip Bucket			
8	32 in without		e/	
	93 w/ bol	t-on edge		
82 in	864 lb	0.88 yd³	1.03 yd ³	
(2.08 m)	(392 kg)	(0.67 m³)	(0.79 m³)	
93 in	1,188 lb*	1.10 yd ³	1.29 yd ³	
(2.36 m)	(539 kg)	(0.89 m³)	(0.99 m³)	
4 IN 1º Bucket w/ bolt-on edge				
82 in	1,572 lb*	0.85 yd ³	1.04 yd³	
(2.08 m)	(713 kg)	(0.65 m³)	(0.80 m³)	

***************************************	The state of the s		-
82 in	1,572 lb*	0.85 yd³	1.04 yd ³
(2.08 m)	(713 kg)	(0.65 m ³)	(0.80 m³)
NOTE: *Wei	ght of 4 IN 1° b	ucket includes	edges,

cylinders, and tube lines.

Brakes on 11 ft 4 in (3.45 m) Brakes off 13 ft 10 in (4.21 m) 4WD - disengaged: Brakes on 11 ft 0 in (3.36 m)

10 ft 8 in (3.24 m)

12 ft 4 in (3.76 m)

12 ft 3 in (3.72 m)

10.60 ft³

(0.30 m³)

OTHER SPECIFICATIONS (cont.)

Turning radius*: Curb to Curb

Backhoe:

30 in

(762 mm)

Brakes off

2WD: Brakes on

Brakes off

4WD - engaged:

Over center design, Fabricated "S" boom; Pro Control System; Dipperstick integrated serrated gripper teeth; Case mechanical coupler.


Backhoe bucket sizes:

Weight	Heaped	
Universal Buckets		
295 lb	3.40 ft ³	
(134 kg)	(0.10 m³)	
356 lb	5.30 ft ³	
(162 kg)	(0.15 m³)	
427 lb	7.70 ft ³	
(194 kg)	(0.22 m³)	
489 lb	10.20 ft ³	
(222 kg)	(0.29 m³)	
552 lb	12.70 ft ³	
(251 kg)	(0.36 m³)	
High Capacity Buckets		
447 lb	8.50 ft ³	
(203 kg)	(0.24 m ³)	
	Universal Buckets 295 lb (134 kg) 356 lb (162 kg) 427 lb (194 kg) 489 lb (222 kg) 552 lb (251 kg) High Capacity Buckets 447 lb	

502 lb

(228 kg)

NOTE: *Turning radius dimensions curb to curb w/ 17.5 L x 24 tires.



Line drawings are for illustrative purpose only and may not be exact representation of unit.

LOADER DIMENSIONS

	Long Lip Bucket*	4 IN 1° Bucket
A. Overall operating height – fully raised	13 ft 9 in (4.18 m)	13 ft 8 in (4.16 m)
Height to:		
B. Bucket hinge pin fully raised	11 ft 3 in (3.42 m)	11 ft 3 in (3.42 m)
C. Bucket hinge pin at SAE carry	13.6 in (345 mm)	13.6 in (345 mm)
D. Dump angle at full height	47°	47°
E. Dump clearance at full height, 45° dump:		
Bucket	8 ft 10 in (2.69 m)	8 ft 11 in (2.71 m)
Clam open	e-many	9 ft 8 in (2.96 m)
F. Dump reach at full height, 45° dump – from bumper:		
Bucket	31.5 in (801 mm)	29.1 in (738 mm)
Clam open		15.3 in (388 mm)
Bucket rollback:		
G. @ Groundline	42° · 42°	42° 42°
H. @ SAE carry J. @ Full height	42* Adjustable	42° Adjustable
	Adjustable	Aujustable
K. Digging depth below grade: Bucket flat	6.1 in (155 mm)	4.8 in (122 mm)
Clam open – dozing	6,1 iii (135 fillii)	4.1 in (103 mm)
L. Reach from front axle centerline – bucket on ground	6 ft 10 in (2.07 m)	6 ft 8 in (2.03 m)
Lift capacity to full height – calculated values	7,044 lb (3 195 kg)	6,703 lb (3 040 kg)
Breakout force – calculated values:	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Lift cylinders	9,833 lb (4 460 daN)	9,610 lb (4 359 daN)
Dump cylinders	10,947 lb (4 965 daN)	11,658 lb (5 288 daN)
Bucket cutting edge width	82.5 in (2.09 m)	82.0 in (2.08 m)
Maximum grading angle	114°	114°
Maximum clam opening	Money	38.3 in (972 mm)
Moldboard height	_	36.8 in (934 mm)
Raising time to full height - manual/pilot controls	2.6/3.2 sec	2.6/3.2 sec
Bucket dumping time	0.8/1.2 sec	0.8/1.2 sec
Lowering time:		
Power down	1.9/2.1 sec	1.9/2.1 sec
Return-to-dig	2.5/2.2 sec	2.5/2.2 sec
Clam:		
Open time	-	1.1 sec
Close time	Paid I	1.1 sec

NOTE: *Loader dimensions taken with 4WD, 19.5 L x 24.0 rear tires.

DIMENSIONS

	2WD with 17.5 L x 24.0 rear tires	4WD with 19.5 L x 24.0 rear tires
M. Overall transport length:		
Long Lip bucket with Quick Coupler	23 ft 5 in (7.14 m)	23 ft 4 in (7.10 m)
4 IN 1° bucket with Quick Coupler	23 ft 3 in (7.07 m)	23 ft 1 in (7.04 m)
Long Lip bucket with Straight Links	23 ft 6 in (7.15 m)	23 ft 4 in (7.12 m)
4 IN 1° bucket with Straight Links	23 ft 3 in (7.09 m)	23 ft 2 in (7.06 m)
Overall transport width	7 ft 2 in (2.17 m)	7 ft 2 in (2.17 m)
Height:		
To top of canopy	8 ft 8 in (2.64 m)	8 ft 9 in (2.66 m)
To top of cab	8 ft 9 in (2.68 m)	8 ft 11 in (2.72 m)
To top of exhaust stack	8 ft 5 in (2.58 m)	8 ft 7 in (2.62 m)
N. Transport	10 ft 10 in (3.29 m)	11 ft 1 in (3.37 m)
Ground clearance at backhoe frame	12 in (304 mm)	15 in (381 mm)
Angle of departure	15.3°	19.0°
Front wheel tread:		
11.0 L x 16.0	67.5 in (1.72 m)	67.5 in (1.72 m)
12.0 L x 16.5	67.7 in (1.72 m)	67.7 in (1.72 m)
19.5 L x 24.0	61.2 in (1.55 m)	61.2 in (1.55 m)
17.5 L x 24.0	63.1 in (1.60 m)	63.1 in (1.60 m)
Width over tires:		
11.0 L x 16.0	79.3 in (2.02 m)	79.3 in (2.02 m)
12.0 L x 16.5	81.1 in (2.06 m)	81.1 in (2.06 m)
19.5 L x 24.0	81.4 in (2.07 m)	81.4 in (2.07 m)
17.5 L x 24.0	81.7 in (2.07 m)	81.7 in (2.07 m)
	2WD	4WD
O. Wheelbase:		
19.5 L x 24.0	84.0 in (2.13 m)	84.5 in (2.15 m)
17.5 L x 24.0	84.0 in (2.13 m)	84.5 in (2.15 m)

CYLINDERS

	Bore Diameter	Rod Diameter	Stroke	Closed Length
Loader:				
Lift (2)	3.25 in (82.6 mm)	1.75 in (44.5 mm)	28.86 in (733.0 mm)	42.95 in (1 062.0 mm)
Dump (2)	3.00 in (76.2 mm)	1.50 in (38.1 mm)	20.33 in (516.5 mm)	29.90 in (759.5 mm)
4 IN 1° clam (2)	3.00 in (76.2 mm)	1.75 in (44.5 mm)	9.08 in (230.6 mm)	19.62 in (498.3 mm)
Backhoe:				
Boom	5.00 in (127.0 mm)	2.50 in (63.5 mm)	38.25 in (971.6 mm)	52.82 in (1 341.6 mm)
Dipperstick	4.75 in (120.7 mm)	2.50 in (63.5 mm)	25.14 in (628.5 mm)	39.65 in (1 007.0 mm)
Bucket	3.50 in (88.9 mm)	2.50 in (63.5 mm)	35.35 in (897.9 mm)	48.17 in (1 223.6 mm)
Extendahoe®	3.00 in (76.2 mm)	1.75 in (44.5 mm)	42.05 in (1 068.0 mm)	56,22 in (1 428,0 mm)
Swing (2)	4.00 in (101.6 mm)	2.00 in (50.8 mm)	11.50 in (292.0 mm)	24.44 in (620.8 mm)
Stabilizer (2)	4.50in (114.3 mm)	2.25 in (57.2 mm)	21.37 in (542.9 mm)	33.87 in (860.2 mm)

AXLE RATINGS

	Front – 2WD	Rear	Front – 4WD
Maximum static	70,821 lb (32 124 kg)	90,145 lb (40 889 kg)	64,613 lb (29 308 kg)
Dynamic operating	44,261 lb (20 076 kg)	56,200 lb (25 492 kg)	39,328 lb (17 839 kg)
Static operating	17,704 lb (8 030 kg)	22,480 lb (10 197 kg)	15,732 lb (7 136 kg)
Oscillation – front axle	22° total – 11° side to side	-	22° total – 11° side to side

BACKHOE LIFT CAPACITIES

	Standard Backhoe		Extendahoe®			
			Retracted		Extended	
	Standard	Power Lift	Standard	Power Lift	Standard	Power Lift
Boom Lift	Lift Capacity	Lift Capacity	Lift Capacity	Lift Capacity	Lift Capacity	Lift Capacity
	lb (kg)	lb (kg)	lb (kg)	lb (kg)	lb (kg)	lb (kg)
+16 ft (4.87 m)			_	_	2,115 (959)	2,298 (1 043)
+14 ft (4.27 m)	3,039 (1 378)	3,285 (1 490)	2,837 (1 287)	3,083 (1 398)	2,395 (1 086)	2,603 (1 181)
+12 ft (3.66 m)	3,413 (1 548)	3,691 (1 674)	3,201 (1 452)	3,479 (1 578)	2,536 (1 151)	2,757 (1 250)
+10 ft (3.05 m)	3,499 (1 587)	3,784 (1 716)	3,281 (1 488)	3,566 (1 618)	2,593 (1 176)	2,818 (1 278)
+8 ft (2.44 m)	3,485 (1 581)	3,768 (1 709)	3,263 (1 480)	3,546 (1 608)	2,564 (1 163)	2,786 (1 264)
+6 ft (1.83 m)	3,438 (1 559)	3,717 (1 686)	3,213 (1 457)	3,492 (1 584)	2,549 (1 156)	2,770 (1 257)
+4 ft (1.22 m)	3,374 (1 530)	3,648 (1 655)	3,146 (1 427)	3,420 (1 551)	2,521 (1 144)	2,741 (1 243)
+2 ft (0.61 m)	3,307 (1 500)	3,575 (1 622)	3,077 (1 396)	3,345 (1 517)	2,489 (1 129)	2,706 (1 227)
Ground Level	3,251 (1 475)	3,513 (1 594)	3,018 (1 369)	3,280 (1 488)	2,489 (1 129)	2,706 (1 227)
-2 ft (0.61 m)	3,201 (1 452)	3,459 (1 569)	2,965 (1 345)	3,223 (1 462)	2,466 (1 118)	2,680 (1 215)
-4 ft (1.22 m)	3,175 (1 440)	3,430 (1 556)	2,935 (1 331)	3,190 (1 447)	2,446 (1 109)	2,659 (1 206)
-6 ft (1.83 m)	3,182 (1 443)	3,437 (1 559)	2,938 (1 333)	3,193 (1 448)	2,443 (1 108)	2,656 (1 205)
-8 ft (2.44 m)	3,258 (1 478)	3,520 (1 597)	3,007 (1 364)	3,269 (1 483)	2,465 (1 118)	2,679 (1 215)
-10 ft (3.05 m)	3,441 (1 561)	3,717 (1 686)	3,175 (1 440)	3,451 (1 565)	2,530 (1 148)	2,750 (1 248)
-12 ft (3.66 m)	_	_	_	*****	2,707 (1 228)	2,943 (1 335)
-14 ft (4.27 m)		_	_	-	3,239 (1 469)	3,521 (1 597)
Dipper Lift						
+14 ft (4.27 m)	-	_	_	_	4,281 (1 942)	4,281 (1 942)
+12 ft (3.66 m)	5,822 (2 641)	5,822 (2 641)	5,618 (2 548)	5,618 (2 548)	4,046 (1 835)	4,046 (1 835)
+10 ft (3.05 m)	5,600 (2 540)	5,600 (2 540)	5,399 (2 449)	5,399 (2 449)	3,984 (1 807)	3,984 (1 807)
+8 ft (2.44 m)	5,562 (2 523)	5,562 (2 523)	5,360 (2 431)	5,360 (2 431)	3,913 (1 775)	3,913 (1 775)
+6 ft (1.83 m)	6,236 (2 829)	6,236 (2 829)	6,030 (2 735)	6,030 (2 735)	4,166 (1 889)	4,166 (1 889)
+4 ft (1.22 m)	7,424 (3 368)	7,424 (3 368)	7,203 (3 267)	7,203 (3 267)	4,102 (1 861)	4,102 (1 861)
+2 ft (0.61 m)	<u> </u>		_		4,850 (2 200)	4,850 (2 200)

NOTE: Boom and Dipper Lift Capacities are rated per SAE J31 and are 87% of the maximum hydraulic lift force available with the specified options.

BACKHOE OPERATIONAL DATA

	Standard Backhoe	Exte	ndahoe®
		Retracted	Extended
Digging depth:			
Maximum	14 ft 6 in (4.41 m)	14 ft 6 in (4.41 m)	17 ft 11 in (5.47 m)
Maximum with hi-capacity bucket	15 ft 0 in (4.51 m)	15 ft 0 in (4.51 m)	18 ft 6 in (5.63 m)
2 ft (610 mm) flat bottom	14 ft 4 in (4.37 m)	14 ft 4 in (4.37 m)	17 ft 10 in (5.43 m)
8 ft (2.44 m) flat bottom	13 ft 4 in (4.06 m)	13 ft 4 in (4.06 m)	17 ft 1 in (5.19 m)
Overall reach from:			
Rear axle centerline	21 ft 10 in (6.66 m)	21 ft 10 in (6.66 m)	25 ft 3 in (7.69 m)
Swing pivot	18 ft 2 in (5.55 m)	18 ft 2 in (5.55 m)	21 ft 7 in (6.58 m)
Loading height	12 ft 1 in (3.67 m)	12 ft 1 in (3.67 m)	14 ft 5 in (4.38 m)
Loading reach	4 ft 7 in (1.41 m)	4 ft 7 in (1.41 m)	7 ft 3 in (2.20 m)
Swing arc	180°	180°	180°
Bucket rotation:			
Straight links	175.6°	175.6°	175.6°
Mechanical coupler	198.0°	198.0°	198.0°
Hydraulic coupler – Extendahoe® dipper	194.8°	194.8°	194.8°
Hydraulic coupler – standard dipper	198.0°	198.0°	198.0°
Stabilizer spread – operating:			
Flip pad	9 ft 3 in (2.82 m)	9 ft 3 in (2.82 m)	9 ft 3 in (2.82 m)
Cast pad	9 ft 7 in (2.93 m)	9 ft 7 in (2.93 m)	9 ft 7 in (2.93 m)
Digging force:			
Bucket cylinder - SAE rated 3,460 psi	13,975 lb (61 363 N)	13,975 lb (61 363 N)	13,975 lb (61 363 N)
Bucket cylinder – Power Lift	14,452 lb (64 240 N)	14,452 lb (64 240 N)	14,452 lb (64 240 N)
Dipper cylinder - SAE rated 3,460 psi	8,657 lb (38 508 N)	8,657 lb (38 508 N)	6,305 lb (28 045 N)
Dipper cylinder – Power Lift	9,070 lb (40 345 N)	9,070 lb (40 345 N)	6,606 lb (29 382.7 N)
Leveling angle:			
Flip pad	11.8°	11.8°	11.8°
Cast pad	12.8°	12.8°	12.8°

NOTE: Lift capacities apply straight to the rear of prime mover. 4WD with 19.5 L x 24.0 tires equipped with 24 in (610 mm) heavy-duty bucket and Case coupler except as noted.

OPERATOR ENVIRONMENT

See page 1

ENGINE

FPT F5BFL413B diesel

Diesel Oxidation Catalyst with SCR

Full flow engine oil filter

Air cleaner - replaceable dry type with radial seal

Aspirated air cleaner

Fuel filter with water trap

Radiator with de-aeration bottle

Antifreeze to -34° F (-37° C)

Electronic throttles - foot and rotary hand

Self-adjusting belt

High Pressure Common Rail computer controlled injection with diagnostic features

DRIVETRAIN

Powershift S-Type transmission, 4F-3R electronic transmission controller and kick down in loader control lever - 2WD or 4WD with auto function

Front axle:

2WD heavy-duty front axle with 11.0 L x 16.0 tires

4WD heavy-duty mechanically driven front axle with 12.0 L x 16.5 tires and drive shaft quard

Rear axle:

2/4WD heavy-duty outboard planetary drive with 19.5 L x 24.0 tires

Torque converter - 11.8 in (300 mm)

On-the-go electric 4WD control

Electric F/R shuttle control

Electric differential lock control, push-button

Park brake, spring-applied, hydraulic release - SAHR

HYDRAULICS

Ground level remote hydraulic test ports

Pump

41 gpm @ 3,000 psi (156.2 L/min @ 207 bar)

Heavy-duty oil cooler

7-micron, spin on oil filter

LOADER

See page 2

BACKHOE

See page 2

OTHER

Forward tilt engine hood

Replaceable, molded front bumpers

Front/Rear tie downs

Reflective logos

Lights - cab and canopy:

2 front driving

2 rear tail/stop

2 front flashers/turn

2 rear flashers/turn

Cab only:

Adjustable halogen work lights - 55 W:

2 front

2 side - left and right

4 rear

Canopy only:

Adjustable halogen work lights - 55 W:

2 front

2 side - left and right

4 rear

TELEMATICS

CASE SiteWatch™ Telematics - includes hardware and a 3-yr Advanced data subscription

OPTIONAL EQUIPMENT

OPERATOR ENVIRONMENT

Speed selectable Auto Ride Control -4WD models

Standard Ride Control - 2WD models

Comfort Steering with momentary latching switch, two speed steering pump and 3rd/4th gear cutout

ROPS/FOPS certified protective cab with rear wipers and floor mat

Cab Convenience Package containing pull-down sun visor, window washer - front and rear, left-hand storage tray, deluxe interior package, Sound Reduction Package for cab models - levels reduced to 72 dB (A), right-hand threshold storage box

Air-conditioning for cab models

Mechanical suspension seat with flip-up armrests, 180° swivel, cloth or vinyl, adjustable seat and weight, backrest angle, lumbar and cushion angle

Air Ride suspension seat with flip-up armrests. 180° swivel, heated, electric height adjustment, adjustable back rest and lumbar support - cab units cloth, canopy units vinyl

Pull-down sun visor for canopy models

Radio, AM/FM Stereo/WB, MP3 auxiliary input - cab models

3 in (75 mm) seat belt for mechanical and air suspension seat

ENGINE

Cold Weather Starting Aid with dual 12 Volt batteries and glow plugs

Block heater DRIVETRAIN

Standard Powershuttle, 4F-4R Power Shuttle Synchromesh transmission

Powershift H-Type transmission, 4F-3R hydraulic clutch shifting with auto function -4WD only

Rear axle heavy-duty outboard kick down, planetary drive with 17.5 L x 24.0 tires either 2WD or 4WD

LOADER

Auxiliary hydraulics for loader-mounted equipment with thumb-operated proportional control

Hydraulic front quick coupler

Loader linkage without loader bucket

Tool portfolio of additional attachments

Buckets - see page 2

BACKHOE

Auxiliary backhoe unidirectional hydraulics

Auxiliary backhoe combo hydraulics:

Hand lever operated for bidirectional manual controls

Button operated for pilot controls includes unidirectional and bidirectional

Auxiliary hydraulics with flow from 0 to 41 gal/min (0 to 156.2 L/min)

Extendahoe®

Power Lift

Bolt-on hardened gripper teeth

Two-lever control - backhoe or Extendahoe®

BACKHOE (continued)

Pilot operated control system:

Fingertip proportional Electro-Hydraulic stabilizer controls

Thumb-operated proportional Electro-Hydraulic Extendahoe® control

Thumb-operated horn button

Thumb-operated auxiliary hydraulic control Infinitely adjustable towers

In-cab switchable "excavator to backhoe" control pattern change

Flip over stabilizer pads

Cemetery/Street pads

Hydraulic bucket quick coupler

Universal coupler - CAT/Deere compatible

Buckets - see page 2

OTHER

Front:

11.0 L x 16.0 or 12.0 L x 16.5

17.5 L x 24.0 or 19.5 L x 24.0

Special paint

Tool box - bolt-on, step mounted

Front counterweights:

700 lb and 1,100 lb (318 kg and 500 kg)

Rotating beacon

Master disconnect switch and remote jump-start terminals

Eco-Mode - Detent on backhoe hand throttle, push switch on dash

RESOLUTION NO. 2016-____

RESOLUTION AUTHORIZING THE PURCHASE OF A 2016 CASE 580SN BACKHOE

WHEREAS, three bids were solicited through the Indianola Street Department and one bid was received; and

WHEREAS, the Indianola Street Department also explored the state bid and purchasing cooperatives HGAC and NJPA; and

WHEREAS, the low bidder for the backhoe was from Titan Machinery, Des Moines, Iowa at a cost of \$83,317 with trade of a 2002 John Deere 310; and

WHEREAS, the Indianola Street Department and Director of Finance are recommending to award the order for the backhoe to Titan Machinery, in Des Moines, Iowa at a cost of \$83,317, the budgeted figure was \$125,000; and

WHEREAS, the City Council hereby determines it is in the best interest of the citizens of the City of Indianola to approve the purchase of the 2016 Case 580SN Backhoe,

NOW, THEREFORE BE IT RESOLVED, by the Indianola City Council that a 2016 Case 580SN Backhoe shall be purchased from Titan Machinery in Des Moines, Iowa in the amount of \$83,317.

Dated this 18th day of July, 2016.

	Kelly B. Shaw, Mayor	
ATTEST:		
Diana Bowlin, City Clerk		

Information

Subject

Resolution changing the name of County Highway R-63 South of Highway 92 within the city limits as requested by Erin Freeberg (P&Z denied unanimously 7/12/16)

Information

Council needs to consider renaming County Highway R-63 south of Highway 92 within the city limits to Greene Street (see resolution) as requested by Erin Freeberg.

Enclosed is a copy of the May 10, 2016 Planning and Zoning memo regarding this request. Nothing has changed from staff's original opinion. Because we are starting over with a new naming system west of South Y Street, all ideas as to the theme of the new names are open for discussion. Chuck Burgin has spoken to both the Fire Chief and Police Chief and both are open to ideas provided the new names are simple and start in alphabetical order as new streets are developed further west. Comments regarding street names have been requested via social media.

In an effort to avoid duplicating names within Warren County, enclosed is a print out of all the street names within the county.

P&Z Commission felt the future name for R-63 could be more accurate when development occurred between South "Y" Street and R-63. P&Z unanimously denied this request at their July 12, 2016 meeting (see minutes).

Roll call is in order.

Attachments

PZ Memo July 12
PZ Minutes
PZ Memo May 10
Warren County Street Names
Map
Resolution



To: Planning and Zoning Commission

From: Chuck Burgin, Director of Community Development

Subject: July 12, 2016 Meeting

Item # 4 Consider request from Erin Freeberg to change the name of County Highway R-63 south of Highway 92 within the city limits.

I have enclosed a copy of the May 10, 2016 Planning and Zoning memo regarding this request. Nothing has changed from my original opinion. Because we are starting over with a new naming system west of South Y Street, all ideas as to the theme of the new names are open for discussion. I have spoken to both the Fire Chief and Police Chief and both are open to ideas provided the new names are simple and start in alphabetical order as new streets are developed further west. I know that comments regarding street names have been requested via social media.

In an effort to avoid duplicating names within Warren County, I have enclosed a print out of all the street names within the county. I welcome an open discussion.

Other Business.

At the May 16, 2016 Council meeting Council approved the Final Plat of the INGA Subdivision as well as the Preliminary Plat of Deer Creek Plat 2 subdivision with the recommended Planning and Zoning Commission changes.

I will be out of town for the August 9^{th} Planning and Zoning meeting. I would like to discuss optional dates for rescheduling.

INDIANOLA PLANNING AND ZONING COMMISSION REGULAR MEETING JULY 12, 2016 6:00 P.M.

The meeting was called to order by Chairperson Doug Opie and on roll call the following members were present:

Joe Butler
Tiffany Coleman
Cindy Johnson
Becky Needles
Doug Opie
Bob Ormsby
Josh Rabe

Also present: Mindi Robinson and Chuck Burgin.

The minutes of the May 10, 2016 meeting were approved on a motion made by Needles and seconded by Johnson. Question was called for and on voice vote Chairperson Opie declared the motion carried unanimously.

Consider request from Erin Freeberg to change the name of County Highway R-63 south of Highway 92 within the city limits.

Chuck reviewed the request with the Commission stating that nothing has changed from his original opinion in May that the naming should be alphabetical and suggested using Iowa County names as they are simple and there is a consistent theme.

After the May Planning and Zoning meeting, Commission member Misty Soldwisch put out a social media post asking the public for input on future street names. From that post the consistent request from the public was that the names remain alphabetical. Chuck reminded Commission members that a developer may bring in a plat requesting other street names.

Commission discussed the necessity of changing the name of R-63 at this time. Some Commission members felt the future name for R-63 could be more accurate when development occurred between South Y Street and R-63.

Motion was made by Rabe and seconded by Johnson to approve the request from Erin Freeberg to change the name of County Highway R-63 south of Highway 92 within the city limits to Greene Street. Question was called for and on voice vote Chairperson Opie declared the motion failed unanimously.

Motion was made by Butler and seconded by Rabe to utilize an alphabetical naming system for future development to the west beginning with the letter "A". Question was called for and on voice vote Chairperson Opie declared the motion carried unanimously.

Other Business

Chuck requested and Commission agreed to move the scheduled August meeting a week early to August 2^{nd} due to a scheduling conflict.

Butler questioned whether the Commission needed to discuss adding an amendment that regulates the site plan ordinance to clarify the design standards when substantial changes are made to an existing structure that would not necessarily be additions.

Meeting adjourned on a motion by Butler and seconded by Ormsby.		
Doug Opie, Chairperson	Mindi Robinson	



To: Planning and Zoning Commission

From: Chuck Burgin, Director of Community Development

Subject: May 10, 2016 Meeting

Item # 4 Consider Final Plat of INGA Subdivision.

The preliminary plat was approved by Planning and Zoning on April 12, 2016. As you recall the plat consists of two lots and a single outlot on 10.01 acres within the two mile platting boundary of the City. Enclosed is an aerial map indicating the area being platted.

As requested, the surveyor has placed notes on the plat identifying the future public right-of-way, no obstruction of the public right-of-way and the area to be designated as public right-of-way at the time of annexation. Furthermore, both Planning and Zoning Commission and Council have approved the preliminary plat waving the public sewer, public sidewalk requirement and street grade and profile.

Warren County's Planning and Zoning Commission approved both the preliminary and final plat. Approval of the final plat before the county supervisors is scheduled for May 17, 2016.

I recommend approval of the final plat as submitted.

Item # 5 Consider Preliminary Plat of Deer Creek Plat 2.

Planning and Zoning Commission and Council previously approved the preliminary plat of this area in the Fall of 2005. The number and size of lots to be developed and the street layout have not changed substantially from the original approval. Plat 2 consists of an additional 29 lots on the remaining 24.58 acres. Variances were granted for lot depths exceeding 2.5 times their width as well as lots 3, 4, and 5 having double frontages. I have enclosed a copy of Deer Creek Plat 1 Final Plat for reference. To date most of the lots have been developed. Also enclosed is an aerial photo of the area. Listed below are recommended changes to the plat prior to Council action.

- 1. Names and addresses of adjoining lots shall be placed on the plat. In this case lot owners in Deer Creek Plat #1.
- 2. Note on plat indicating the building setback line exceeds city zoning requirement.
- 3. Street grades are indicated, however not legibly.

- 4. The plat must indicate a cross-section of the proposed streets showing the roadway location, type and width of the surfacing, the type of drainage and other improvements to be installed.
- 5. The flood plain elevations have changed since the original approval of the plat in 2005. Engineer will establish new 100 year flood elevation prior to final plat consideration.
- 6. Almost the entire width and depth of lot # 16 is indicated within the 100 year flood plain. The engineer should combine this area with lot 17 to avoid a future lot maintenance issue.
- 7. Note identifying zoning classification should be changed to R-1, single family dwelling.
- 8. Note on plat indicating proper soil erosion techniques shall be used during construction.
- 9. Cul-de-sac paving radius indicates 40.5', city requires 42.5'.
- 10. Storm water review to be approved by the City of Indianola's consulting engineer.

I anticipate the final plat will only include a portion of the preliminary plat, most likely the extension of South O Street or South L Court. I have detailed several issues with the extension of West 13th Place below.

Issue 1 – The outlot north of West 13th Place. I know the previous developer had discussions with the adjoining property owner in regards to purchasing additional land for lot development. Since that time, both the developer of Deer Creek Plat 1 and the adjacent property owner have changed. Additional talks need to take place prior to any final platting of West 13th Place.

Issue 2 – There is minimal distance between existing West 12th Avenue and the proposed West 13th Place. The 2012 Comprehensive Plan recommends the City establish minimum distances between driveway entrances and street intersections on certain designated streets (thoroughfares). South K Street is one of the designated streets within the Comprehensive Plan. The ordinance, adopted in May of 2012, requires a minimum of 600' of spacing between intersections. The distance between West 12th Avenue and proposed West 13th Place is approximately 350'. The preliminary plat, approved in 2005, indicates the extension of West 13th Place from South K Street in the same location.

Issue 3 – Sight visibility at the intersection of West 12th Avenue. Because of the crest in the hill to the north, the engineer needs to determine whether this intersection meets the standard for sight clearance from south bound traffic. I will review this issue with our legal department, but for now I recommend this area of the plat be indicated as an outlot.

I recommend approval subject to all of the conditions listed above being addressed prior to Council action.

Item # 6 Consider request from Erin Freeberg to change the name of County Highway R-63 south of Highway 92 within the city limits.

I have enclosed a map indicating the portion of County Road R-63 that lies within the city limits. Please note, because the entire right-of-way is within the city limits, we are only recommending the portion south of Hwy. 92 be changed, versus north of Hwy. 92. There are two existing addresses this change will affect, one being Erin's and the second is her father, Dennis Whalen's property.

Part of the process in renaming streets includes consulting with the Police and Fire Department. After discussion regarding the area and future development that may occur between existing South Y Street and R-63, we recommend a new naming system for the North/South streets west of Y Street. The names will consist of Iowa county names beginning with the letter A, such as Audubon, and continuing westward. We do not know the exact number of streets that will be developed between Y Street and R-63 but have used the information received earlier in the year from the Hale/Eyberg plan and determined the new name for this portion of R-63 should begin with the letter G. Examples of Iowa counties beginning with G are Greene, Grundy or Guthrie. We have obtained a list of Warren County road names to eliminate potential conflicts with same street names within the county. Of the 99 counties there are 13 street names we will need to avoid. Staff's recommendation is to rename this portion of R-63 to Greene Street.

If approved by Council, this department will notify all of the appropriate County and City offices and the postal service of a future effective date, typically three to six months after the change is official.

Item #7 June meeting date.

I will not be available to attend the June 14, 2016 meeting. As of now there are no agenda items. However, if we do receive an action item to consider, I would like you to check your calendars for a possible meeting date on June 7, 2016. We can discuss in more detail at the May meeting.

Other Business.

City Council held their third and final reading of the changes to the zoning, site plan and subdivision ordinance at their May 2, 2016 meeting. All recommended changes by Planning and Zoning were approved. Council also approved the preliminary plat of INGA Subdivision.

Warren County Road Names

Abbott

Adams

Alamo

Albany

Arthur

Beardsley

Blue

Bluff

Briggs

Butler

Carpenter

Carter

Clarke

Cleveland

Coolidge

County Line Rd.

Dakota

Delaware /

Drake

Dubuque

Eisenhower

Elk Horn

Elthon

Emerson

Erbe

Fairfax

Fenton

Fillmore

Ford

Fulton

Garst

Gear

Geneva

Grandview

Grimes

Hailton

Harding

Harrison

Hayes

Hempstead

Hoover

Idaho

Illinois

Indiana

Inwood



Jersey

Jesup

Jewell

Johnson

Kendall

Kennedy

Keokuk

Kirkwood

Larrabee

Lisbon

Little Lake

Lowe

Lucas

Mcgregor

Mckimber

Mckinley

Merrill

Monroe

Nebraska

Nevada

Nevan

Newark

Newbold

Nixon

Oklahoma

Onyx

Oregon

Osceola

Pershing

Pierce

Pioneer

Polk

Quaker

Quebec

Quincy

Ray

Reagan

Roosevelt

Saratoga

Scotch Ridge

Shaw

Sherman

Stone

Summerset

Taft

Tripoli

Truman

5

Tyler

Underwood

Union

Urbana

Utah

VanBuren 🕼

Vermont

Villisca

Virginia

Waterloo


Webster

Wilson

Wyoming

updated 5/3/16

3





Proposed Street Name Change R-63 to South Greene Street



RESOLUTION NO. 2016-____

A RESOLUTION CHANGING THE NAME OF COUNTY HIGHWAY R-63 SOUTH OF HIGHWAY 92 WITHIN THE CITY LIMITS

WHEREAS, a request has been received by the City of Indianola to change the name of County Highway R-63 south of Highway 92 within the City limits; and

WHEREAS, if the request is approved the City staff is recommending the name be changed to Greene Street; and

WHEREAS, the matter has been considered by the Planning and Zoning Commission, and the Commission has made its findings and recommendations to Council; and

WHEREAS, taking into consideration all matters for and against the name change, the City Council of the City of Indianola believes it is in the best interest of the City to approve said change.

NOW, THEREFORE, IT IS HEREBY RESOLVED by the City Council of the City of Indianola, Iowa, that the name of County Highway R-63 south of Highway 92 within the City limits is hereby changed to Greene Street.

NOW, THEREFORE, BE IT FURTHER RESOLVED by the City Council of the City of Indianola, Iowa, that the City staff is hereby directed to take all actions necessary to complete said name change.

APPROVED this 18th day of July 2016.

ATTEST:	Kelly B. Shaw, Mayor
Diana Bowlin, City Clerk	

Information

Subject

Resolution approving salaries

Information

This action sets salaries per the personnel management guide, union contract and seasonal salaries:

Nate Longer, Seasonal Facility Supervisor/Field Maintenance, \$8.00/hour effective July 8, 2016 - first year employee

AeRang Weber, Seasonal Program Head Instructor, \$15.00/hour effective June 1, 2016 - returning employee Peter Anderson, Seasonal Program Instructor, \$9.00/hour effective June 1, 2016 - returning employee Evan Anderson, Seasonal Program Instructor, \$9.00/hour effective June 1, 2016 - returning employee Logan Edwards, Seasonal Field Maintenance, \$8.00/hour effective July 14, 2016 - first year employee Audrey Lash, Seasonal Program Instructor, \$9.00/hour effective July 6, 2016 - first year employee Kelly Kuebler, Seasonal Program Instructor, \$9.00/hour effective July 6, 2016 - first year employee

Roll call is in order.

Attachments

Resolution

RESOLUTION 2016-____ APPROVING SALARIES

BE IT RESOLVED BY THE COUNCIL OF THE CITY OF INDIANOLA, IOWA:

Nate Longer, Seasonal Facility Supervisor/Field Maintenance, \$8.00/hour effective July 8, 2016

AeRang Weber, Seasonal Program Head Instructor, \$15.00/hour effective June 1, 2016

Peter Anderson, Seasonal Program Instructor, \$9.00/hour effective June 1, 2016

Evan Anderson, Seasonal Program Instructor, \$9.00/hour effective June 1, 2016

Logan Edwards, Seasonal Field Maintenance, \$8.00/hour effective July 14, 2016

Audrey Lash, Seasonal Program Instructor, \$9.00/hour effective July 6, 2016

Kelly Kuebler, Seasonal Program Instructor, \$9.00/hour effective July 6, 2016

Passed and approved on the 18th day of July, 2016.

ATTEST:	Kelly B. Shaw, Mayor	
Diana Bowlin, City Clerk		

Information

Subject

Consider motion to go into closed session in accordance with Iowa Code Section 21.5(1)(j) to discuss the purchase or sale of particular real estate only where premature disclosure could be reasonably expected to increase the price the governmental body would have to pay for that property or reduce the price the governmental body would receive for that property

Information

Simple motion to go into closed session is in order.

Information

Subject

Enter into closed session in accordance with Iowa Code Section 21.5(1)(i) to evaluate the professional competency of an individual whose appointment, hiring, performance, or discharge is being considered when necessary to prevent needless and irreparable injury to that individual's reputation and that individual requests a closed session

Information

Simple motion to go into closed session is in order.